MSI

MSI Pro MP225V computer monitor 54.5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black

Brand : MSI   **Product family:** Pro   **Product code:** PRO MP225V

Product name : PRO MP225V

MSI Pro MP225V. Display diagonal: 54.5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black

Display

Display diagonal *	54.5 cm (21.4")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	VA
Touchscreen *	✗
Display brightness (typical)	300 cd/m²
Response time *	4 ms
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	1920 x 1080 (HD 1080)
Contrast ratio (typical) *	4000:1
Contrast ratio (dynamic)	100000000:1
Maximum refresh rate *	100 Hz
Refresh rate optimizor	✔
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.2493 x 0.241 mm
Horizontal scan range	52.1 - 110 kHz
Vertical scan range	48 - 100 Hz
Viewable size, horizontal	47.9 cm
Viewable size, vertical	26 cm
Colour depth	10 bit
sRGB coverage (typical)	100%
NTSC coverage (typical)	86.5%
Adobe RGB coverage	85.51%
BT.2020 coverage	57.25%
DCI-P3 coverage	77.13%

Performance

NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
VESA Adaptive Sync support	✔

Multimedia

Built-in speaker(s) *	✗
Built-in camera *	✗

Design

Market positioning *	Business
Product colour *	Black
Frameless design	✔

Ports & interfaces

VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4b
Headphone out *	✗
HDCP	✔
HDCP version	1.4

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Wall mountable	✔
Cable lock slot *	✗
Height adjustment *	✗
Tilt adjustment	✔
Tilt angle range	-5 - 20°

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	E
Energy consumption (SDR) per 1000 hours *	15 kWh
Energy consumption (HDR) per 1000 hours *	22 kWh
Power consumption (typical) *	0.5 W
Power consumption (standby) *	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Weight & dimensions

Width (with stand)	492.2 mm
Depth (with stand)	182.4 mm
Height (with stand)	377.8 mm
Weight (with stand)	2.5 kg
Width (without stand)	492.2 mm
Depth (without stand)	51.6 mm
Height (without stand)	283.1 mm
Weight (without stand)	2.2 kg
Bezel width (side)	20 cm
Bezel width (top)	18.2 cm
Bezel width (bottom)	14.4 cm

Packaging data

Package width	5670 mm
Package depth	1180 mm

Design		Packaging data	
Front bezel colour	Black	Package height	3650 mm
Feet colour	Black	Package weight	4.3 kg
Ports & interfaces		Package type	Box
Built-in USB hub *	✘	**Packaging content**	
		Stand included	✔

4711377261159