

GIGABYTE X870E AORUS ELITE WIFI7 ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 2.5GbE LAN, USB 4

Brand : GIGABYTE



Product code: X870E A ELITE WF7 ICE

Product name : X870E AORUS ELITE WIFI7 ICE Motherboard
- Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 2.5GbE LAN, USB 4

X870E AORUS ELITE WIFI7 ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 2.5GbE LAN, USB 4


GIGABYTE X870E AORUS ELITE WIFI7 ICE Motherboard - Supports AMD Ryzen 9000 CPUs, 16+2+2 Phases Digital VRM, up to 8200Hz DDR5 (OC), 3xPCIe 5.0 + 1xPCIe 4.0, Wi-Fi 7, 2.5GbE LAN, USB 4:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Network	
Processor manufacturer *	AMD	Ethernet interface type	2.5 Gigabit Ethernet
Processor socket *	Socket AM5	LAN controller	Realtek RTL8125
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Wi-Fi *	✓
		Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Supported processor sockets	Socket AM5	Wi-Fi standards	Wi-Fi 7 (802.11be)
		WLAN controller model	Realtek RTL8922AE
Memory		Bluetooth	✓
Supported memory types *	DDR5-SDRAM	Bluetooth version	5.4
Number of memory slots *	4	Features	
Memory slots type	DIMM	Motherboard chipset *	AMD X870E
Memory channels	Dual-channel	Audio chip	Realtek ALC1220-VB
ECC compatibility	Non-ECC	Audio output channels *	7.1 channels
Supported memory clock speeds	8200,8000,7800,7600,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Product colour	White
Supported memory clock speed (max)	8200 MHz	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory *	256 GB	Component for *	PC
Unbuffered memory	✓	Motherboard form factor *	ATX
Maximum internal memory per slot	64 GB	Motherboard chipset family *	AMD
Storage controllers		Cooling type	Passive
Supported storage drive types	HDD & SSD	Power source type	ATX
Supported storage drive interfaces *	M.2, PCI Express 5.0, SATA III	Windows operating systems supported	Windows 11 x64
Number of HDDs supported	4	Expansion slots	
Number of storage drives supported	8	PCI Express x16 (Gen 3.x) slots	1
RAID support	✓	PCI Express x16 (Gen 4.x) slots	1
RAID levels	0, 1, 5, 10	PCI Express x16 (Gen 5.x) slots	1
Graphics		Number of M.2 (M) slots	4
Parallel processing technology support *	Not supported	1st M.2 largest key size	25110
On-board graphics card	✗	1st M.2 highest PCI Express generation	5.0
Maximum resolution	4096 x 2160 pixels	2nd M.2 largest key size	22110
HDCP	✓		
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2		

Internal I/O		Expansion slots	
USB 3.2 Gen 2x2 connectors	1	2nd M.2 highest PCI Express generation	5.0
Number of SATA III connectors *	4	3rd M.2 largest key size	22110
Front panel audio connector	✓	3rd M.2 highest PCI Express generation	5.0
Front panel connector	✓	4th M.2 largest key size	22110
ATX Power connector (24-pin)	✓	4th M.2 highest PCI Express generation	4.0
CPU fan connector	✓	BIOS	
Number of CPU fan connectors	2	BIOS type *	UEFI AMI
Number of chassis fan connectors	4	BIOS memory size	256 Mbit
EPS power connector (8-pin)	✓	ACPI version	5.0
Number of EPS power connectors (8-pin)	2	Clear CMOS jumper	✓
TPM connector	✓	Desktop Management Interface (DMI) version	2.7
12V power connector	✓	System Management BIOS (SMBIOS) version	2.7
Number of water pump connectors	2	Logistics data	
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)
Number of RGB LED pin headers	4	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 2.0 ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB4 Gen 2x2 ports quantity	2	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
HDMI ports quantity *	1	Package width	345 mm
HDMI version	2.1	Package depth	294 mm
DisplayPort version	1.4	Package height	80 mm
Headphone outputs	1	Package weight	2.64 kg
Microphone in	✓	Weight & dimensions	
S/PDIF out port	✓	Width	305 mm
Digital audio optical out	1	Depth	244 mm
WiFi-AP antenna jack	2	Height	35 mm
Network		Packaging content	
Ethernet LAN	✓	Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	2.64 kg
		Technical details	
		Warranty period	3 year(s)



4719331871529

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.