## **D-Link DGS-105 Unmanaged Black**

Brand : D-Link

Product name : DGS-105



DGS-105 - 5-Port 10/100/1000 Gigabit Metal Housing Desktop Switch, Auto MDI/MDIX, Full/half-duplex, Jumbo Frames, 10 Gbps, QoS, Black


Product code: DGS-105/B

D-Link DGS-105. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports quantity: 5. Full duplex. MAC address table: 2000 entries, Switching capacity: 10 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack

Management features		Other features	
Switch type *	Unmanaged	Connectivity technology	Wired
Quality of Service (QoS) support	1	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 50 °C
Basic switching RJ-45 Ethernet ports quantity * Power connector	5 DC-in jack	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-10 - 70 °C 10 - 90% 5 - 90%
Network	•	Weight & dimensions	
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Weight Packaging data	286 g
10G support *	1	Package width	170 mm
Copper ethernet cabling technology Full duplex	1000BASE-T, 100BASE-TX, 10BASE-T T	Package depth Package height Package weight	220 mm 62 mm 500 g
Flow control support	1	Technical details	
Auto MDI/MDI-X	1	Shipping (inner) case height	36.6 cm
Data transmission		Shipping (inner) case width	23 cm
Supported data transfer rates Switching capacity * MAC address table * Store-and-forward Maximum data transfer rate Jumbo frames support Packet buffer memory	10/100/1000 Mbps 10 Gbit/s 2000 entries ✓ 1 Gbit/s ✓ 0.128 MB	Shipping (inner) case length Shipping (inner) case net weight Products per shipping (inner) case Pallet gross weight (air) Master (outer) cases per pallet (air) Products per pallet (air) Pallet gross length Pallet gross width	33.5 cm 5 kg 10 pc(s) 452.5 kg 75 pc(s) 750 pc(s) 110 cm 120 cm
Security		Pallet height (air)	2.04 m
MAC address filtering	1	Pallet gross weight (sea)	452.5 kg
Design		Master (outer) cases per pallet (sea)	
Rack mounting * Product colour	× Black Metal	Products per pallet (sea) Pallet height (sea) Shipping (inner) case gross weight	750 pc(s) 2.04 m 5.7 kg
Housing material	Metal	Certificates	
Performance Mean time between failures (MTBF)	1688338 h	Certification	FCC Class B, ICES-003 Class B, CE Class B, C-Tick Class B, VCCI Class B, cUL, CB, RoHS
Power		Logistics data	_,,,,
Input current Input voltage Power consumption (typical)	1 A 5 V 2.1 W	Harmonized System (HS) code	85176990
Power over Ethernet (PoE)			
Power over Ethernet (PoE) *	×		

## Other features

Data transfer rate Dimensions (WxDxH) 2000 Mbit/s 100 x 98 x 28 mm





790069368219

0790069368219

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.