

GIGABYTE MO32U 31.5" OLED 4K UHD Gaming Monitor - 3840 x 2160, 165Hz, 0.03ms, 250 cd/m², Display HDR True Black 400, HDMI 2.1, Displayport 1.4

Brand : GIGABYTE

Product code: MO32U EK

Product name : MO32U 31.5" OLED 4K UHD Gaming Monitor  
- 3840 x 2160, 165Hz, 0.03ms, 250 cd/m², Display HDR True Black 400, HDMI 2.1, Displayport 1.4

MO32U 31.5" OLED 4K UHD Gaming Monitor - 3840 x 2160, 165Hz, 0.03ms, 250 cd/m², Display HDR True Black 400, HDMI 2.1, Displayport 1.4

GIGABYTE MO32U 31.5" OLED 4K UHD Gaming Monitor - 3840 x 2160, 165Hz, 0.03ms, 250 cd/m², Display HDR True Black 400, HDMI 2.1, Displayport 1.4:

Immerse yourself in gaming excellence with the GIGABYTE MO32U Gaming Monitor and its captivating 32-inch OLED display. Witness vibrant colors and deep contrasts as the OLED technology brings every pixel to life. With a remarkable 165Hz refresh rate and an ultra-responsive 0.03ms response time, enjoy unparalleled gaming fluidity. The UHD resolution ensures crystal-clear visuals. Elevate your gaming experience with the GIGABYTE MO32U, where the brilliance of OLED transforms every pixel into a vivid masterpiece, creating a visual spectacle that sets a new standard for gaming monitors. Boasting unique Tactical Switch and AI-based OLED Care, it's designed for those who demand the best and refuse to settle.



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	Headphone out *	✓
Display resolution *	3840 x 2160 pixels	Headphone outputs	1
HD type *	4K Ultra HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	OLED	Panel mounting interface	100 x 100 mm
Panel type *	OLED	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	250 cd/m²	Height adjustment *	✓
Response time *	0.03 ms	Adjustable height (max)	13 cm
Response time measurement type	GTG (Gray to Gray)	Pivot	✓
Anti-glare screen	✓	Pivot angle	0 - 90°
Screen shape *	Flat	Swivelling	✓
Contrast ratio (typical) *	1500:1	Swivel angle range	0 - 15°
Maximum refresh rate *	165 Hz	Tilt adjustment	✓
Viewing angle, horizontal	178°	Tilt angle range	-5 - 21°
Viewing angle, vertical	178°	On Screen Display (OSD)	✓
Display number of colours *	1.07 billion colours	Power	
Pixel pitch	0.181 x 0.181 mm	Energy efficiency class (SDR) *	G
Viewable size, horizontal	69.9 cm	Energy efficiency class (HDR) *	G
Viewable size, vertical	39.4 cm	Energy consumption (SDR) per 1000 hours *	35 kWh
High Dynamic Range (HDR) supported	✓	Energy consumption (HDR) per 1000 hours *	47 kWh
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Power consumption (typical) *	54 W
Colour gamut standard	DCI-P3	Power consumption (standby) *	0.5 W
Colour gamut	99%	Power consumption (off)	0.3 W
Performance		AC input voltage	100 - 240 V
NVIDIA G-SYNC *	✗		

Performance		Power	
AMD FreeSync *	✓	AC input frequency	50/60 Hz
AMD FreeSync type	FreeSync Premium Pro	Energy efficiency scale	A to G
Flicker-free technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	718.3 mm
Number of speakers	2	Depth (with stand)	240 mm
RMS rated power	10 W	Height (with stand)	610.5 mm
Built-in speaker(s) *	✓	Weight (with stand)	8.9 kg
Built-in camera *	✗	Width (without stand)	718.3 mm
Design		Depth (without stand)	64.2 mm
Market positioning *	Gaming	Height (without stand)	417.5 mm
Product colour *	Black	Weight (without stand)	6.8 kg
Feet colour	Black	Packaging data	
Ports & interfaces		Package width	980 mm
Built-in USB hub *	✓	Package depth	168 mm
USB upstream port type	USB Type-C	Package height	545 mm
Number of USB Type-C upstream ports quantity	1	Package weight	13.5 kg
USB Type-A downstream ports quantity	1	Package type	Box
USB Power Delivery (USB PD)	✓	Packaging content	
USB Power Delivery up to	18 W	Stand included	✓
DVI port	✗	Cables included	DisplayPort, Power
HDMI *	✓	Quick start guide	✓
HDMI ports quantity	2	Other features	
HDMI version	2.1	Brand specific technologies	Black Equalizer, Crosshair
DisplayPorts quantity	1	Warranty period	3 year(s)
DisplayPort version	1.4	Logistics data	
		Products per shipping (inner) case	1 pc(s)



4719331862749

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-MAR-2025. Prints or copies of Information are only valid on the printed Publication date