



## Acer QF18s Standard throw projector 800 ANSI lumens LCD 1080p (1920x1080) Black, Grey

**Brand :** Acer

**Product code:** MR.JXS11.001

**Product name :** QF18s

Acer QF18s. Projector brightness: 800 ANSI lumens, Projection technology: LCD, Projector native resolution: 1080p (1920x1080). Light source type: LED, Service life of light source: 30000 h. Focus: Auto, Zoom ratio: 1:1, Throw ratio: 1.23:1. Supported graphics resolutions: 1920 x 1080 (HD 1080), Supported video modes: 1080p. HDMI connector type: Full-size



Projector		Network	
Projector brightness	13000 LED lumens	Smart TV *	✓
Supported aspect ratios	4:3, 16:9	Ethernet LAN *	✓
Smart projector *	✓	Ethernet LAN (RJ-45) ports	1
Screen size compatibility *	1397 - 3048 mm (55 - 120")	Wi-Fi *	✗
Projection distance	1.5 - 3.1 m	Bluetooth	✓
Projector brightness *	800 ANSI lumens	Storage	
Projection technology *	LCD	Card reader integrated *	✗
Projector native resolution *	1080p (1920x1080)	Features	
Contrast ratio (typical) *	1000:1	HDCP	✓
Native aspect ratio *	16:9	Noise level *	35 dB
Number of colours	16.7 million colours	Multimedia	
Horizontal scan range	31 - 140 kHz	Built-in speaker(s) *	✓
Vertical scan range	59 - 70 Hz	RMS rated power	5 W
Keystone correction, horizontal	30°	Number of built-in speakers	2
Keystone correction, vertical	30°	Design	
Light source		Market positioning *	Portable
Light source type *	LED	Product type *	Standard throw projector
Service life of light source *	30000 h	Product colour *	Black, Grey
Lens system		Display	
Focus *	Auto	Built-in display *	✗
Zoom capability	✓	Power	
Zoom ratio	1:1	Power source *	AC
Throw ratio	1.23:1	Power consumption (typical) *	150 W
Offset	30%	Power consumption (standby) *	0.5 W
Video		Supplier features	
Full HD *	✓	Recommended gender	Any gender
Supported graphics resolutions	1920 x 1080 (HD 1080)	Weight & dimensions	
Supported video modes	1080p	Width	193 mm
Ports & interfaces		Depth	236 mm
HDMI connector type	Full-size	Height	163 mm
HDMI version	2.1		
USB 2.0 Type-A ports quantity	1		
Microphone in	✓		

Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	1	Weight *	2.1 kg
DVI port *	✗	Package width	263 mm
DC-in jack	✓	Package depth	209 mm
		Package height	263 mm
		Package weight	3.18 kg
Packaging content			
		Remote control included *	✓
		Remote control type	IR
		Cables included	HDMI, Power
		Carrying case	✓
		Quick start guide	✓



4711474155290

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-MAY-2025. Prints or copies of Information are only valid on the printed Publication date