

LG 34BA75QE-B.AEK

Brand : LG **Product code:** 34BA75QE-B.AEK

Product name: 34BA75QE-B.AEK

- 34" WQHD (3440x1440) Curved IPS display
- Wide colour range sRGB 99% (Typ.) / HDR10
- Built-in power and speakers
- USB Type-C™ (PD 90W) / RJ45
- Reader Mode & Flicker Safe
- Tilt/Height/Swivel adjustable stand

34" UltraWide QHD Curved IPS Monitor with USB Type-C $^{\text{\tiny M}}$

LG 34BA75QE-B.AEK. Display diagonal: 86.4 cm (34°) , Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 21:9. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type *	86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD 21:9 LCD	Built-in KVM switch HDCP HDCP version	✓ ✓ 2.2
Native aspect ratio * Display technology *		Network	
Panel type *	IPS	Ethernet LAN	✓
Touchscreen * Display brightness (typical)	X 300 cd/m ²	Ergonomics VESA mounting *	1
Response time * Response time measurement type	5 ms GTG (Gray to Gray)	Panel mounting interface Height adjustment *	100 x 100 mm ✓
Anti-glare screen Screen shape * Screen curvature rating	Curved 3800R	Adjustable height (max) Swivelling	15 cm ✓
Contrast ratio (typical) * Maximum refresh rate *	1000:1 60 Hz 1.073 billion colours 0.2325 x 0.2325 mm 86.72 cm	Swivel angle range Tilt adjustment Tilt angle range	-45 - 45° ✓ -5 - 21°
Display number of colours * Pixel pitch Display diagonal (metric)		On Screen Display (OSD)	✓ ·
High Dynamic Range (HDR) supported	✓	Power Energy efficiency class (SDR) *	F
High Dynamic Range (HDR) technology sRGB coverage (typical)	HDR Effect, High Dynamic Range 10 (HDR10) 99%	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours *	G 29 kWh
Performance	3370	Energy consumption (HDR) per 1000 hours *	42 kWh
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology Smart modes	X X ✓ Energy saving	Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency	29 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz
Multimedia		Power supply type	Internal
Number of speakers RMS rated power Built-in speaker(s) * Built-in camera *	2 10 W ✓	Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand)	816.7 mm 267.5 mm 543.5 mm 11 kg

Design		Weight & dimensions		
Market positioning * Product colour *	Business Black	Width (without stand) Depth (without stand)	816.7 mm 83.6 mm	
Ports & interfaces		Height (without stand)	364.4 mm	
Built-in USB hub *	✓	Weight (without stand)	7.5 kg	
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Packaging data		
USB upstream port type	USB Type-A	Package width	988 mm	
Number of upstream ports	1	Package depth	203 mm	
USB Type-A downstream ports quantity USB Type-C downstream ports quantity	4	Package height Package weight	482 mm 13.7 kg	
	1	Package type	Вох	
USB Type-C DisplayPort Alternate Mode	✓	Packaging content		
		Stand included	✓	
USB Power Delivery (USB PD)	✓	Cables included	AC, DisplayPort, HDMI, USB Type-C	
USB Power Delivery up to	90 W	DisplayPort cable length	1.8 m	
HDMI *	✓	HDMI cable length	1.8 m	
HDMI ports quantity	2	Power cable length	1.8 m	
HDMI version	2.0	Sustainability		
DisplayPorts quantity	1	Contain a billion and the actual	ENERGY STAR, EPEAT Bronze, ErP,	
DisplayPort version	1.4	Sustainability certificates	TCO	
Headphone out *	•	Other features		
		Brand specific technologies	Black Stabiliser, DAS Mode, Super+ Resolution	
		Warranty period	2 year(s)	

