

ASUS NUC 13 Rugged BNUC13BRKP200B02I Black N50

Brand : ASUS

Product family: NUC 13

Product code: 90AS0011-M000C0

Product name :

BNUC13BRKP200B02I



Intel N50 (6M Cache, up to 3.4 GHz), 1 x SODIMM DDR5, 64GB eMMC, Intel Wi-Fi 6E AX210, Bluetooth 5.2, Dual 2.5G Ethernet, 65W, Windows 11

ASUS NUC 13 Rugged BNUC13BRKP200B02I Black N50:

Reliable performance in unreliable conditions

Make amazing experiences possible

Unlock unparalleled performance, connectivity, and reliability with ASUS NUC 13 Rugged kits and boards. Expertly crafted in a fanless, dust-resistant ruggedized chassis, these devices showcase the perfect synergy of power and durability. Featuring the Intel® Processor N50 and Intel® Atom® processors, ASUS NUC 13 Rugged devices are tailor-made for applications that demand resilience against dust exposure, shocks, and vibration. Select kits are engineered to endure extended external ambient temperatures (0-50°C on tall chassis), ensuring unwavering performance even in the most demanding conditions. Elevate your computing experience with the ideal blend of strength and sophistication.



Processor		Network	
Processor manufacturer	Intel	Ethernet LAN *	✓
Processor model	N50	Wi-Fi *	✓
Processor cores	2	Bluetooth	✓
Processor boost frequency	3.4 GHz	Bluetooth version	5.2
Built-in processor *	✓	Ports & interfaces	
Processor cache	6 MB	USB 2.0 ports quantity *	2
Memory		USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
Memory slots type *	SO-DIMM	HDMI ports quantity *	2
Number of memory slots *	1	HDMI version	2.1
Maximum internal memory	16 GB	Ethernet LAN (RJ-45) ports *	2
Supported memory clock speeds	4800 MHz	DC-in jack	✓
Supported memory types	DDR5-SDRAM	Design	
Storage		Product colour *	Black
Storage drive sizes supported *	M.2	On/off switch	✓
SSD form factor	M.2	Cable lock slot	✓
Graphics		Cable lock slot type	Kensington
On-board graphics card *	✓	Product type *	Mini PC barebone
Graphics card family	Intel	Software	
On-board graphics card model	Intel® UHD Graphics	Windows operating systems supported	Windows 11
Audio		Power	
Built-in speaker(s) *	✗	Power supply	65 W
Network		Weight & dimensions	
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)	Width	174 mm
Wi-Fi standards	Wi-Fi 6E (802.11ax)	Depth	108 mm
WLAN controller model	Intel Wi-Fi 6E AX210		

Weight & dimensions

Height	25.9 mm
Weight	716 g



4711387471074

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-MAY-2025. Prints or copies of Information are only valid on the printed Publication date