## GIGABYTE Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0, Wi-Fi 7, 5GbE LAN, USB 4

Brand: GIGABYTE Product code: Z890 AORUS PRO ICE

**Product name:** Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0, Wi-Fi 7, 5GbE LAN, USB 4

- Digital 16+1+2+1 Phases 90A SPS VRM with Tantalum Polymer Capacitor
- Reinforced PCIe UD Slot X PCIe 5.0 with PCIe EZ-Latch Plus Design
- PCIe M.2 design (Up to 25110) with M.2 EZ-Latch Plus & Thermal Guard
- Fully Covered MOSFET Heatsinks with heatpipe/M.2 EZ-Latch Click Design
- Intel 2x2 Wi-Fi 7 BE200 with WIFI EZ-Plug Design
- 5GbE LAN, THUNDERBOLT 4 Type-C, USB 3.2 Gen2x2 Type-C
- AORUS Exclusive DDR Cooling kit: DDR Wind Blade

Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCle 5.0 + 4xPCle 4.0, Wi-Fi 7, 5GbE LAN, USB 4

GIGABYTE Z890 AORUS PRO ICE Motherboard - Supports Intel Core Ultra (Series 2) CPUs, 16+1+2 phases VRM, up to 9500MHz DDR5 (OC), 1xPCIe 5.0 + 4xPCIe 4.0, Wi-Fi 7, 5GbE LAN, USB 4:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge





Processor			Network		
Processor manufacturer *		Intel	Ethernet LAN	✓	
Processor socket *		LGA 1851 (Socket V1)	Ethernet interface type	5 Gigabit Ethernet	
Supported processor sockets		LGA 1851	Wi-Fi *	✓	
Maximum internal memory		256 GB	Top Wi-Fi standard	Wi-Fi 7 (802.11be)	
supported by processor		230 05	Wi-Fi standards	Wi-Fi 7 (802.11be)	
Memory Supported memory types *	DDR5-SDRAM		WLAN controller model	Intel Wi-Fi 7 BE200	
Number of memory slots * Memory slots type Memory channels Non-ECC	4 DIMM Dual-channel √		Bluetooth	✓	
			Bluetooth version	5.4	
Supported memory clock speeds MHz		800,7000,7200,7400,7600,7800,7900,7950,8000,8200,8266,8400,8600,9500	Features		
(max) Maximum internal memory *	9500 MHz 256 GB		Motherboard chipset *	Intel Z890	
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 2	24GB, 32GB, 40GB, 48GB, 64GB	Audio chip	Realtek ALC1220	
Storage controllers			Audio output channels *	7.1 channels	
Supported storage drive types		HDD & SSD	Product colour	White	
Supported storage drive interfaces		M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage	
Number of HDDs supported		9	Component for *	PC	
Number of storage drives supported		1 4	Motherboard form factor *	ATX	
RAID support		✓	Motherboard chipset family *	Intel	
RAID levels		0, 1, 5, 10	Windows operating systems supported	Windows 11 x64	
Graphics			Expansion slots		
DirectX version		12.0	•	_	
Internal I/O			Number of M.2 (M) slots	5	
USB 2.0 connect	ors *	2	BIOS		
USB 3.2 Gen 1 (3.1 Gen 1)			BIOS type *	UEFI AMI	
connectors *		1	BIOS memory size	256 Mbit	
USB 3.2 Gen 2x2 connectors		1	ACPI version	5.0	
Number of SATA III connectors *		4	Clear CMOS jumper	✓	
Total number of SATA connectors		4	Clear CMOS button	✓	
ATX Power connector (24-pin)		✓	Desktop Management Interface	2.7	
EPS power connector (8-pin)		✓	(DMI) version		
TPM connector		✓	System Management BIOS (SMBIOS) version	2.7	

Internal I/O		Logistics data		
12V power connector	✓	Country of origin	China	
RGB LED pin header	✓	Products per shipping (inner) case	1 pc(s)	
Rear panel I/O ports		Battery		
USB 2.0 ports quantity *	4	Battery weight	3 g	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4 2 1	Lithium weight per battery Number of battery cells	0.07 g 1	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *		Battery technology	Lithium-Manganese Dioxide (LiMnO2)	
Ethernet LAN (RJ-45) ports *		Battery type	CR2032	
HDMI ports quantity *	1	Packaging data		
DisplayPorts quantity	2	Package width	335 mm	
Microphone in	<b>√</b>	Package depth	270 mm	
S/PDIF out port	✓	Package height	80 mm	
Thunderbolt ports quantity	2	Package weight	2.55 kg	
		Weight & dimensions		
		Width	305 mm	
		Depth	244 mm	
		Height	35 mm	
		Packaging content		
		Batteries included	✓	
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software	
		Technical details		
		Warranty period	3 year(s)	



4719331864712

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.