## Samsung Galaxy S25 FE

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-S731BDBDEUB

Product name: Galaxy S25 FE

- Slimmer and lighter design
- Battery power worth doing more
- Flagship level processor

6.7", 2340 x 1080, Exynos 2400, 8/128GB, 50/12/8MP, 12MP, 5G, Wi-Fi 6e, Bluetooth 5.4, 4900 mAh, Android

Samsung Galaxy S25 FE. Display diagonal: 17 cm (6.7"), Display resolution: 2340 x 1080 pixels. Processor family: Samsung Exynos, Processor model: 2400. RAM capacity: 8 GB, Internal storage capacity: 128 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 16.0. Battery capacity: 4900 mAh. Product colour: Navy. Weight: 190 g





Display		Ports & interfaces	
Display diagonal *	17 cm (6.7")	Headphone connectivity	USB Type-C
Screen shape	Flat	Messaging	
Display technology marketing name Display glass type	Dynamic AMOLED 2X Corning Glass Gorilla Glass Victus+	Short Message Service (SMS)	✓
Gorilla Glass version		E-mail	✓
Display resolution *	2340 x 1080 pixels	Navigation	
Display number of colours	16 million colours	GPS (satellite)	✓
Maximum refresh rate 120 Hz	120 Hz	NavIC	✓
Processor		GLONASS	✓
Processor family * Processor model * Processor cores	Samsung Exynos 2400 10	BeiDou	✓
		Galileo	✓
Processor boost frequency	3.2 GHz	Quasi-Zenith Satellite System (QZSS)	✓
Storage		Position location *	✓
RAM capacity *	8 GB	Design	
Internal storage capacity *	128 GB	Form factor *	Bar
Camera		Product colour *	Navy
Rear camera resolution (numeric) *	50 MP	Protection features	Dust resistant, Water resistant
Second rear camera resolution (numeric)	12 MP	Housing material	Aluminium
Third rear camera resolution		Performance	
(numeric)	8 MP	Fingerprint reader	✓
Rear camera aperture number	1.8		

Camera		Multimedia	
Second rear camera aperture	2.2	Speakers	stereo
number Third rear camera aperture number Optical zoom	2.4 3x	Audio formats supported	3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Digital zoom  Front camera type *	30x Single camera	Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Front camera resolution (numeric) *		Software	
Front camera aperture number	2.2	Platform *	Android
Rear camera flash *	•	Operating system installed *	Android 16.0
Video capture resolution (max)	7680 x 4320 pixels		7.11.01.01.0
Maximum frame rate	240 fps	Battery	
Video recording modes Rear camera type *	4320p Triple camera	Removable battery	×
Auto focus	√	Battery capacity *	4900 mAh
	· /	Continuous video playback time	28 h
Image stabilizer		Sensors	
Image stabilizer type Slow motion mode	Optical Image Stabilization (OIS)	Proximity sensor	✓
Slow motion mode	240fps @FHD, 120fps @FHD, 120fps	Accelerometer	1
Slow motion rate	@UHD	Ambient light sensor	✓
Network		Gyroscope	✓
SIM card capability *	Dual SIM	Barometer	/
Mobile network generation *	5G	Geomagnetic sensor	1
SIM card type *	NanoSIM + eSIM	Hall sensor	1
3G standards *	UMTS, WCDMA		
4G standard *	LTE-TDD & LTE-FDD	Power	
5G standard *	Sub6 FDD, Sub6 SDL, Sub6 TDD	USB Type-C charging port	1
Top Wi-Fi standard *	Wi-Fi 6E (802.11ax)	USB Power Delivery (USB PD)	1
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ac)	USB Type-C required charging power (min) *	10 W
Bluetooth *	6 (802.11ax), Wi-Fi 6E (802.11ax)	USB Type-C required charging power (max) *	45 W
Bluetooth Version	5.4	Endurance	
Frequency band	Tri-band		D
Wi-Fi Direct	<b>/</b>	Energy efficiency class * Energy efficiency scale	B A to G
MIMO	/	Battery endurance per cycle *	2557 min
Modulation	1024-QAM	Battery endurance in cycles *	2000
Near Field Communication (NFC)	✓	Repeated free fall reliability class *	A
		Repairability class *	С
Ports & interfaces	1100 T	International Protection (IP) code *	IP68
USB connector type	USB Type-C	Weight & dimensions	
USB version	3.2 Gen 1 (3.1 Gen 1)	Width	76.6 mm
		Depth	7.4 mm
		Height	161.3 mm
		Weight *	190 g
		Packaging content	
		AC adapter included *	×
		Cables included	USB Type-C
		SIM card ejector pin	✓





8806097645023

5413729250246

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.