

## Epson WorkForce DS-900WN Sheet-fed scanner 600 x 600 DPI A4 White

**Brand :** Epson

**Product family:** WorkForce

**Product code:** B11B276401BY

**Product name :** DS-900WN

- Open platform
- High speed
- Network connectivity

600 x 600 DPI, Ultrasonic Sensor, 70/140 ppm, 296 x 212 x 217 mm, 3.7 kg

Epson WorkForce DS-900WN. Maximum scan size: 215.9 x 6096 mm, Optical scanning resolution: 600 x 600 DPI, Input colour depth: 30 bit. Scanner type: Sheet-fed scanner, Product colour: White, Display: LCD. Daily duty cycle (max): 11000 pages, Scan file formats: BMP, JPEG, TIFF, Scan to: Cloud, E-mail, FTP, Network folder, PC, USB. Standard input capacity: 100 sheets. Maximum ISO A-series paper size: A4, Scanning media types supported: Business Card, Envelopes, Plastic Card, ISO A-series sizes (A0...A9): A3, A4, A5, A6



| Scanning                           |                                             | Paper handling                          |                           |
|------------------------------------|---------------------------------------------|-----------------------------------------|---------------------------|
| Maximum scan size *                | 215.9 x 6096 mm                             | Auto Document Feeder (ADF) media weight | 27 - 413 g/m <sup>2</sup> |
| Optical scanning resolution *      | 600 x 600 DPI                               | <b>Ports &amp; interfaces</b>           |                           |
| Colour scanning                    | ✓                                           | USB port *                              | ✓                         |
| Duplex scanning *                  | ✓                                           | USB version                             | 3.2 Gen 1 (3.1 Gen 1)     |
| Input colour depth                 | 30 bit                                      | <b>Power</b>                            |                           |
| Output colour depth                | 24 bit                                      | Power supply type *                     | AC                        |
| Input greyscale depth              | 10 bit                                      | Power consumption (typical)             | 18 W                      |
| Output greyscale depth             | 8 bit                                       | Power consumption (standby)             | 1.2 W                     |
| ADF scan speed (b/w, A4)           | 70 ppm                                      | Power consumption (PowerSave)           | 5.6 W                     |
| ADF scan speed (colour, A4)        | 70 ppm                                      | AC input frequency                      | 50/60 Hz                  |
| Duplex ADF scan speed (b/w, A4)    | 140 ipm                                     | Input voltage                           | 100 - 240 V               |
| Duplex ADF scan speed (colour, A4) | 140 ipm                                     | <b>Network</b>                          |                           |
| <b>Design</b>                      |                                             | Wi-Fi                                   | ✓                         |
| Scanner type *                     | Sheet-fed scanner                           | Wi-Fi standards                         | 802.11b, 802.11g          |
| Product colour *                   | White                                       | Ethernet LAN                            | ✓                         |
| Display                            | LCD                                         | <b>Packaging data</b>                   |                           |
| Touchscreen                        | ✓                                           | Quantity per pack                       | 1 pc(s)                   |
| Control type                       | Touch                                       | <b>System requirements</b>              |                           |
| Built-in display *                 | ✓                                           | Windows operating systems supported     | ✓                         |
| <b>Performance</b>                 |                                             | Mac operating systems supported         | ✓                         |
| Scan file formats                  | BMP, JPEG, TIFF                             | Linux operating systems supported       | ✓                         |
| Daily duty cycle (max) *           | 11000 pages                                 | <b>Operational conditions</b>           |                           |
| Built-in OCR                       | ✓                                           | Operating temperature (T-T)             | 5 - 35 °C                 |
| Scan to                            | Cloud, E-mail, FTP, Network folder, PC, USB | Storage temperature (T-T)               | -25 - 60 °C               |
| Scan drivers                       | ICA, ISIS, SANE, TWAIN, WIA                 | Operating relative humidity (H-H)       | 15 - 80%                  |
| Barcode reader                     | ✓                                           | Storage relative humidity (H-H)         | 25 - 60%                  |
| Ultrasonic sensor                  | ✓                                           |                                         |                           |
| Scanner smart software features    | Skip blank page function                    |                                         |                           |

| Input capacity                    |                                        | Weight & dimensions |                                                    |
|-----------------------------------|----------------------------------------|---------------------|----------------------------------------------------|
| Standard input capacity           | 100 sheets                             | Width               | 296 mm                                             |
| Paper handling                    |                                        | Depth               | 212 mm                                             |
| Scanning media types supported    | Business Card, Envelopes, Plastic Card | Height              | 217 mm                                             |
| Maximum ISO A-series paper size * | A4                                     | Weight              | 3.7 kg                                             |
| ISO A-series sizes (A0...A9)      | A3, A4, A5, A6                         | Packaging content   |                                                    |
| ISO B-series sizes (B0...B9)      | B4, B5, B6                             | Bundled software    | Document Capture Pro, Epson Scan 2                 |
| Letter                            | ✓                                      | Packaging content   | Paper Alignment Plate, Carrier Sheet, Cleaning Kit |



8715946734170

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-SEP-2024. Prints or copies of Information are only valid on the printed Publication date