

Epson EcoTank ET-2860 Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi

Brand : Epson

Product family: EcoTank

Product code: C11CJ67425

Product name : ET-2860

- Stress-free, convenient printing with up to 72 cartridges worth of ink in one set of bottles* Save up to 90% on printing costs* with refillable ink tanks
 - A4 multifunction printer High quality print, copy and scan in one machine
 - Wireless connectivity lets you print from anywhere Use the Epson Smart Panel app to set up, monitor, print and more from your mobile
 - One set of inks prints up to 4,500 pages in black and 7,500 pages in colour* Just add paper for low intervention printing!
 - Number 1 ink tank printer brand worldwide* 80m EcoTank printers sold worldwide*
 - Simple hassle-free ink tank system lets you refill from bottles Plus the EcoTank key-lock bottle system ensures it's mess-free too
- 5760 x 1440 DPI, 33/15ppm, Print / Scan / Copy, A4, 64 g/m² - 300 g/m², 100-240 VAC, 50-60 Hz, 3900 g



| Printing | | Paper handling | |
|-----------------------------------------------------|------------------------------|---------------------------------------------------|-----------------------------------------------------------------------------------|
| Duplex printing mode | Manual | Paper tray media weight | 64 - 300 g/m ² |
| Print technology * | Inkjet | Ports & interfaces | |
| Printing * | Colour printing | Direct printing * | ✓ |
| Duplex printing * | ✓ | USB port | ✓ |
| Maximum resolution * | 5760 x 1440 DPI | Network | |
| Print speed (black, normal quality, A4/US Letter) * | 33 ppm | Wi-Fi * | ✓ |
| Print speed (colour, normal quality, A4/US Letter) | 15 ppm | Wi-Fi Direct | ✓ |
| Print speed (ISO/IEC 24734) black | 10 ppm | Security algorithms | 64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE |
| Print speed (ISO/IEC 24734) colour | 5 ppm | Mobile printing technologies | Epson Connect, Epson Remote Print |
| Time to first page (black, normal) | 10 s | Design | |
| Time to first page (colour, normal) | 16 s | Product colour * | Black |
| Scanning | | Market positioning * | Home & office |
| Scanning * | Colour scanning | Power | |
| Optical scanning resolution * | 1200 x 2400 DPI | Power consumption (copying) | 12 W |
| Maximum scan resolution | 1200 x 2400 DPI | Power consumption (ready) | 4.5 W |
| Scanner type * | Flatbed scanner | Power consumption (sleep) | 0.7 W |
| Scan technology | CIS | Energy Star Typical Electricity Consumption (TEC) | 0.15 kWh/week |
| Image formats supported | BMP, JPEG, PICT, PNG, TIFF | AC input voltage | 100 - 240 V |
| Document formats supported | PDF | AC input frequency | 50/60 Hz |
| Fax | | System requirements | |
| Faxing * | ✗ | Windows operating systems supported | Windows Vista, Windows Vista x64, Windows XP, Windows XP Professional |
| Features | | Mac operating systems supported | ✓ |
| Duplex functions * | Print | Server operating systems supported | Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016 |
| Number of print cartridges * | 4 | | |
| Printing colours * | Black, Cyan, Magenta, Yellow | | |
| Country of origin | Philippines | | |
| Input & output capacity | | | |
| Total number of input trays * | 1 | | |
| Total input capacity * | 100 sheets | | |

| Input & output capacity | | Weight & dimensions | |
|-----------------------------------|----------------|------------------------------|-------------------------------------------------------------------------|
| Total output capacity * | 30 sheets | Width | 375 mm |
| Paper handling | | Depth | 347 mm |
| Maximum ISO A-series paper size * | A4 | Height | 179 mm |
| Maximum print size | 210 x 297 mm | Weight | 3.9 kg |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Packaging data | |
| ISO B-series sizes (B0...B9) | B5, B6 | Package width | 440 mm |
| ISO C-series sizes (C0...C9) | C6 | Package depth | 408 mm |
| Envelopes sizes | B5, B6, C6, DL | Package height | 247 mm |
| Borderless printing media sizes | 10x15 | Package weight | 5.91 kg |
| | | Packaging content | |
| | | Cartridge(s) included | ✓ |
| | | Cables included | AC |
| | | User guide | ✓ |
| | | Bundled software | Epson Smart Panel App, Epson Connect (Email Print, Remote Print Driver) |
| | | Logistics data | |
| | | Customs product code (TARIC) | 8443310000 |
| | | Technical details | |
| | | Warranty period | 1 year(s) |



8715946725918

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date