## Samsung SM-X610NZSAEUB tablet Samsung Exynos 128 GB 31.5 cm (12.4") 8 GB Wi-Fi 6 (802.11ax) Android 13 Silver

**Brand :** Samsung **Product code:** SM-X610NZSAEUB

**Product name:** SM-X610NZSAEUB

- 12.4" 90Hz LCD Display
- The families most useful S Pen
- Powerful Exynos 1380 processor for fast multi-tasking

SM-X610NZSAEUB


Samsung SM-X610NZSAEUB. Display diagonal: 31.5 cm (12.4"), Display resolution: 2560 x 1600 pixels. Internal storage capacity: 128 GB. Processor frequency: 2.4 GHz, Processor family: Samsung Exynos. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Rear camera type: Dual camera, Front camera. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Weight: 627 g. Operating system installed: Android 13. Product colour: Silver





Display		Battery	
Display diagonal *	31.5 cm (12.4")	Rechargeable battery	✓
Display resolution *	2560 x 1600 pixels	Battery level indicator	✓
Panel type	TFT	Weight & dimensions	
Display brightness Display glass type Anti-glare screen Pixel density Native aspect ratio Display number of colours	600 cd/m² Gorilla Glass  243 ppi 16:10 16 million colours	Width Depth Height Weight Package width Package depth	185.4 mm 285.4 mm 6.5 mm 627 g 305.1 mm 204.1 mm
Processor		Package height	21 mm
Processor manufacturer *	Samsung	Package weight	907 g
Processor family *	Samsung Exynos	Packaging content	
Processor cores Processor boost frequency Processor frequency * Processor code	8 2 GHz 2.4 GHz 1380	Keyboard included Stylus pen Cables included Headphones included	X √ USB Type-C X
Memory		Quick start guide	7
Internal memory *	8 GB	Warranty card	✓
Chausa ma			
Storage		Supplier features	
Internal storage capacity *	128 GB	Supplier features  Number of packages	1
-	128 GB MicroSD (TransFlash) 1 TB	Number of packages  Logistics data	
Internal storage capacity * Compatible memory cards Maximum memory card size	MicroSD (TransFlash)	Number of packages  Logistics data  Products per shipping (inner) case	1 1 pc(s)
Internal storage capacity * Compatible memory cards Maximum memory card size Graphics	MicroSD (TransFlash)	Number of packages  Logistics data	
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card	MicroSD (TransFlash) 1 TB	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length	1 pc(s) 10 pc(s) 30.5 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s)	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s)
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer  Camera	MicroSD (TransFlash)  1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length Pallet net width	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm 80 cm
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer  Camera  Rear camera	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length Pallet net width Pallet net weight	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm 80 cm 454 kg
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer  Camera  Rear camera Rear camera type *	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length Pallet net width Pallet net weight Pallet weight (US)	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm 80 cm 454 kg 454 kg
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer  Camera  Rear camera Rear camera type * Rear camera resolution (numeric) * Second rear camera resolution	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length Pallet net width Pallet net weight	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm 80 cm 454 kg 454 kg 5 pc(s)
Internal storage capacity * Compatible memory cards Maximum memory card size  Graphics Graphics card  Audio  Built-in speaker(s) Built-in microphone Number of built-in speakers Speakers manufacturer  Camera  Rear camera Rear camera type * Rear camera resolution (numeric) *	MicroSD (TransFlash) 1 TB  Mali-G68	Number of packages  Logistics data  Products per shipping (inner) case Shipping (inner) cases per master (outer) case Shipping (inner) case length Shipping (inner) case width Shipping (inner) case height Quantity per pack Pallet net height Pallet net length Pallet net width Pallet net weight Pallet weight (US) Layers per pallet (US) Master (outer) cases per pallet layer	1 pc(s) 10 pc(s) 30.5 cm 20.4 cm 2.1 cm 1 pc(s) 120 cm 115.8 cm 80 cm 454 kg 454 kg 5 pc(s)

Digital zoom         4x         Pallet gross length         80 cm           Rear carner flash         X         Pallet gross height         15.8 cm           Assert extention         3840 x 2160 pixels         Pallet gross weight         454 kg           Face detection         Y         Products per pallet         400 pc(s)           Front camera         4         Products per pallet layer         80 pc(s)           Second camera resolution         12 MP         Layers per pallet         5 pc(s)           Metwork         X         Master (outer) case weight         80 pc(s)           Bluetooth         5         Assert (outer) case length         220 mm           Bluetooth         5         Master (outer) case pross weight         9.39 kg           Portis fundard **         WiF16 (802.11ax)         Master (outer) case gross weight         9.39 kg           Bluetooth per standard **         WiF16 (802.11ax)         Master (outer) case gross weight         9.39 kg           Portis St interface         WiF16 (802.11ax)         Master (outer) case gross weight         9.39 kg           Mcrophone in         4         Membrase (100 kg)         23.79 kg           Mcrophone in         4         Membrase (100 kg)         27.39 x 184.5 x 21.4 mm           Colour	Camera		Logistics data	
Rear carear lash         X         Pallet grass height         454 kg           Maximum video resolution         340 x 2160 pixels         Pallet grass weight         454 kg           Face delection         V         Products per pallet layer         80 pc(s)           Front camera**         Low Products per pallet layer         80 pc(s)           Second camera resolution         12 MP         Louyers per pallet         8 pc(s)           Mobile network connection**         X         Master (outer) case per pallet layer         8 pc(s)           Mobile network connection**         X         Master (outer) case length         20 mm           Bluetooth         V         Master (outer) case length         220 mm           Bluetooth version         3.0 Keritadard*         Master (outer) case length         9.39 kg           Near Field Communication (NFC)         X         Master (outer) case gross weight         9.39 kg           Near Field Communication (NFC)         X         Master (outer) case gross weight         9.39 kg           Near Field Communication (NFC)         X         Master (outer) case gross weight         9.39 kg           Post Situation         X         Master (outer) case gross weight         9.39 kg           Post Situation         X         Master (outer) case gross weight		Av		90 cm
Maximum wideo resolution         3840 x 2160 pixels         Palet gross weight         454 kg           Frace detection         4         Products per pallet         400 pcts)           Frace detection         12 MP         Layers per pallet layer         5 pcts)           Scood carner aresolution         12 MP         Layers per pallet layer         8 pcts)           Metwork         While of the work connection         X         Master fourtier) case width         314 mm           Bluetooth         X         Master fourtier) case length         220 mm           Bluetooth         While (802-11ax)         Master fourtier case height         220 mm           Bluetooth         While (802-11ax)         Master fourtier case height         220 mm           Bluetooth         X         Master fuertier carner gross weight         9.93 kg           Porties interfaces         Voldes partier standard*         While (802-11ax)         Master fuertier carner gross weight         9.93 kg           Morry Formace         William (1000 mm)         While (802-11ax)         Master fuertier gross weight         9.92 kg           Bulkedoth         Silve         Silve and support         XP           Color and         Silve         Silve (802-11ax)         Mill (1000 mm)         3.73 x 184.5 x 28.4 x 6.5 mm	•			
Face detection         Y         Products per pallet layer         400 pc(s)           Front camera*         Y         Products per pallet layer         80 pc(s)           Second camera resolution         12 MP         Layers per pallet layer         80 pc(s)           Network         Master fouter) case width         314 mm           Mobile network connection*         X         Master fouter) case elight         220 mm           Bluetooth         5.3         Master fouter) case length         220 mm           Port Day Wi-Fi standard*         Wi-Fi 6 (802.11ax)         Master fouter) case length         20 mm           Near Field Communication (NFC)         X         Harmonized System (HS) code         33 kg           Ports & interfaces         V         Harmonized System (HS) code         3471300000           Post Sin Interfaces         X         Siluetooth         Siluetooth profiles         A2DP           Design         X         Silue card support         X         A2DP           Design         X         Silver         Silue card support         X         A2DP           Device type*         Mobile tablet         Battery (WXDxH)         18.5 x 2 28.4 x 6.5 mm           Device type*         Mobile tablet         Battery recharge time (aff)         1.5 in Lik				
Font camera ' Second camera resolution         12 MP         Products per pallet (auyers per pallet) yer 8 pc(s)         80 pc(s)           Network         Master (outer) case per pallet (auyer)         80 pc(s)           Mobile network connection ' Solution (auyer)         X         Master (outer) case engith 2 as width 314 mm         314 mm           Bluebooth version         5.3         Master fouter) case length 2 20 mm         20 mm           Top Wir Is standard ' Near Field Communication (NPC)         X         Products per master (outer) case (auyer) 20 mm         30 kg Qu mm           Near Field Communication (NPC)         X         Products per master (outer) case (auyer) 20 mm         310 pc(s)           Ports & interface         Wire (6 (80.2.1) ax)         Product sper master (outer) case (auyer) 20 mm         320 pc(s)           Microphone in         X         Most product sper master (outer) case (auyer) 273.9 x 184.5 x 21.4 mm         420 pc		•		-
Second camera resolution         12 MP         Layers per pallet         5 pc(s)           Network         Master (outer) case per plate layer 8         3 Memoration 1         314 mm           Musble network connection 1         X         Master (outer) case pelight 20 mm         220 mm           Bluetooth version         5.3         Master (outer) case height 20 mm         20 mm           Top Wi-Fi standard 1         Wi-Fi 6 (802.11ax)         Master (outer) case pale part 20 mm         3.30 kg           Ports & Interface         Versited Communication (NFC)         X         Harmonized System (HS) code         3471300000           Ports & Interface         X         Bluetooth profiles         AZDP           Headphone connectivity         Bluetooth         Sill card support         X           Combo headphone/mic port         X         Bluetooth profiles         AZDP           Colour name         Silver         Dimensions (WxDxH)         27.9 y 18.4 5 x 21.4 mm         Resolution           Device yape **         Mobile tablet         Battery type         Bull* (1) x 1.5 th         X         1.5 th         X           Colour name         Silve         Speakers         Second         8.7 g         1.4 th x 21.4 mm         A         2.7 g         1.5 th         3.7 g         1.5 th			• •	1 , ,
Network         Master (outer) case width all many master (outer) case width all master (outer) case width all master (outer) case length all master (outer) case gross weight all master (outer) case gross gro				•
Mobile network connection * X Bluetooth	Second camera resolution	12 MP		• • •
Mobile network connection         X         Master (outer) case length         220 mm           Bluetooth version         5.3         Master (outer) case height         220 mm           Top Wi-Fi standard*         Wi-Fi 6 (802.11ax)         Master (outer) case weight         9.99 kg           Near Field Communication (NFC)         X         Products per master (outer) case         4471300000           Ports & Interfaces         X         Bluetooth profiles         AZDP           Headphone connectivity         Bluetooth         SIM card support         273.9 x 184.5 x 21.4 mm           Combo headphone/mic port         X         Bluetooth profiles         AZDP           Leadphone connectivity         Bluetooth         273.9 x 184.5 x 21.4 mm         Per me weight         273.9 x 184.5 x 21.4 mm           Colour name         Silver         Dimensions (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm         Per me remained (WxDxH)         273.9 x 184.5 x 21.4 mm	Network			
Bluetooth version   5.3   Master (outer) case pleight   2.20 mm	Mobile network connection *	×		
Bueton version   5.3   Master (outer) case gross weight   9.38 kg   Near Field Communication (NFC)   Near Field Communication (NFC	Bluetooth	✓		
Top WH-Fi standard*         WH-Fi 6 (802.11ax)         Products per master (outer) case larnomized System (HS) code larnomized S	Bluetooth version	5.3		
Near Field Communication (NFC)         X         Perfoducts per master (outer) case         81 1000000           Ports interfaces         Other features           Microphone in         X         Bluetooth         SIM card support         X           Combo headphone/mic port         X         Bluetooth         X           Design         Pen weight         8.7 g         273.9 x 184.5 x 21.4 mm           Device type*         Mobile tablet         Battery type         Bulli-in Lithium-ion           Form factor*         Slate         Battery type         Bulli-in Lithium-ion           Perforduct colour*         Silver         Speakers         stereo           International Protection (IP) code         IP68         Wi-Fi         5.5 h           Performance         Jolan         Wi-Fi         5.5 p         5.6 p x 166.22 mm           Accelerometer         V         Rechargeable         V         6.6 g         6.6 g         1.5 h         1.5	Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)		•
Name	•			·
Microphone in			Harmonized System (HS) code	8471300000
Headphone connectivity         Bluetooth         Bluetooth profiles         AZDP           Combo headphone/mic port         X         Brakage dimensions (WxDxH)         273.9 x 184.5 x 21.4 mm           Design         Pen weight         8.7 g         X           Colour name         Silver         Densions (WxDxH)         185.4 x 285.4 x 6.5 mm           Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Form factor *         Slate         Battery type         Built-in Lithium-ion           Form factor *         Silver         Speaker         stereo           International Protection (IP) cool         IP68         Wi-Fi         J           Performance         Volume control         Buttons           Accelerometer         √         Rechargeable         C           Accelerometer         √         Rechargeable         C           Gyroscope         √         Rechargeable         C           Gyroscope         √         Maximum RAM supported         3 GB           Orientation sensor         √         Charging time         1.5 h           Proximity sensor         √         Charging time         1.5 h           South         √         Resolution         3		J	Other features	
Combo headphone/mic port         X         SIM card support         X           Design         Pen weight         273.9 x 184.5 x 21.4 mm           Colour name         Silver         Dimensions (WxDxH)         185.4 x 28.4 x 6.5 mm           Dewice type         Mobile lablet         Battery type         Bulli-in Lithium-ion           Form factor         Slate         Battery recharge time (off)         1.5 h           Product colour         Silver         Speakers         stereo           International Protection (IP) code         IP68         Wi-Fi         √           Performace         Volume control         Buttons           Accelerometer         ✓         Rechargeable         C           Accelerometer         ✓         Rechargeable         C           Ambient light sensor         ✓         Make thangeable         C           Orientation sensor         ✓         Maximum RAM supported         8 GB           Orientation sensor         ✓         Maximum RAM supported         8 GB           Proximity sensor         ✓         Maximum RAM supported         550 x 1600 pixels           Solution         ✓         Package weight         0.907 kg           Security         Power cord included         ✓	·		Bluetooth profiles	A2DP
Design         Package (innensions (WXDXH)         27,3 kt 8,5 x 21.4 mm           Colour name         Silver         Dimensions (WXDXH)         185.4 x 285.4 x 6.5 mm           Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Form factor *         Slade         Battery recharge time (off)         1.5 h           Froduct colour *         Silver         Speakers         stereo           International Protection (IP) cold         IP68         Wi-Fi         ✓           Accelerometer         Volume control         Buttons           Accelerometer         √         Rechargeable         ✓           Accelerometer         √         Maximum RAM supported         8 GB           Gyroscope         √         Maximum RAM supported         8 GB           Orientation sensor         √         Charging time         1.5 h           Proximity sensor         √         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         2560 x 1600 pixels           Security         Power cord included         √           Fingerprint reader         √         Batteries included         ✓           Password protection         √         Batteries included <td>•</td> <td></td> <td>SIM card support</td> <td>×</td>	•		SIM card support	×
Colour name         Silver         Dimensions (WxDxH)         185.4 x 285.4 x 6.5 mm           Device type*         Mobile tablet         Battery type         Built-in Lithium-ion           Form factor*         Slate         Battery type         Built-in Lithium-ion           Form factor*         Slate         Battery recharge time (off)         1.5 h           Product colour*         Isolan         Wi-Fi         4           Performance         Volume control         Buttons           Accelerometer         Y         Rechargeable         2           Ambient light sensor         Y         USB cable         C           Gyroscope         Y         Maximum RAM supported         8 GB           Orientation sensor         Y         USB cable         C           Forainty sensor         Y         Display type         TT           Postion location*         Y         Package weight         0.907 kg           Security         Power cord included         Y           Fingerprint reader         Y         Waterproof         Y           Face recognition         Y         Waterproof         Y           Software         Android         Material         Aluminium, Glass           Operating syste	Combo neadphone/mic port	*	Package dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm
Device type *         Mobile tablet         Battery type         Built-in Lithium-ion           Form factor *         Slate         Battery recharge time (off)         1.5 h           Product colour *         Silver         Speakers         stereo           International Protection (IP) code         1868         Wi-Fi         J           Performance         Volume control         Buttons           Accelerometer         4         Rechargeable         265.96 x 166.22 mm           Ambient light sensor         4         Wish Bable         C           Orientation sensor         4         Maximum RAM supported         8 GB           Orientation sensor         4         Maximum RAM supported         8 GB           Position location *         4         Maximum RAM supported         8 GB           Position location *         4         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Power cord included         7           Fingerprint reader         4         Batteries included         4           Password protection         4         Power cord included         4           Place recognition         4         Admandature         8 GB           Face recognition **	Design		Pen weight	8.7 g
Form factor*         Slate         Battery recharge time (off)         1.5 h           Product colour*         Sliver         Speakers         stereo           International Protection (IP) code         IP68         Wi-Fi         V           Performance         Volume control         Buttons           Accelerometer         Volume control         Buttons           Ambient light sensor         V         Rechargeable         V           Ambient light sensor         V         Maximum RAM supported         8 GB           Orientation sensor         V         Maximum RAM supported         8 GB           Proximity sensor         V         Charging time         1.5 h           Position location *         V         Essolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         2560 x 1600 pixels           Security         Power cord included         V           Fingerprint reader         V         Batteries included         V           Password protection         V         Battery expection         V           Password protection         V         Macracity         8 GB           Power plug type         More plug         V         V           Power	Colour name	Silver	Dimensions (WxDxH)	185.4 x 285.4 x 6.5 mm
Product colour * International Protection (IP) code IP68         Speakers         stereo           Performance         Volume control         Buttons           Accelerometer         ✓         Display viewable area (HxV)         265.96 x 166.22 mm           Ambient light sensor         ✓         Rechargeable         ✓           Gyroscope         ✓         Maximum RAM supported         8 GB           Orientation sensor         ✓         Charging time         1.5 h           Proximity sensor         ✓         Charging time         1.5 h           Position location *         ✓         Resolution         2.560 x 1600 pixels           Country of origin         Vietnam         Package weight         0.907 kg           Password protection         ✓         Resolution         0.907 kg           Fingerprint reader         ✓         Batteries included         ✓           Fassword protection         ✓         Waterproof         ✓           Fassword protection         ✓         Android         Material         Aluminium, Glass           Operating system version         13         Macrial         Aluminium, Glass           Operating system installed **         Android 13         Aunifecturer         Samsung           Battery techn	Device type *	Mobile tablet	Battery type	Built-in Lithium-ion
Product colour * International Protection (IP) code IP68         Speakers         stereo           Performance         Volume control         Buttons           Accelerometer         ✓         Display viewable area (HxV)         265.96 x 166.22 mm           Ambient light sensor         ✓         Rechargeable         ✓           Gyroscope         ✓         Maximum RAM supported         8 GB           Orientation sensor         ✓         Charging time         1.5 h           Proximity sensor         ✓         Charging time         1.5 h           Position location *         ✓         Resolution         2.560 x 1600 pixels           Country of origin         Vietnam         Package weight         0.907 kg           Password protection         ✓         Resolution         0.907 kg           Fingerprint reader         ✓         Batteries included         ✓           Fassword protection         ✓         Waterproof         ✓           Fassword protection         ✓         Android         Material         Aluminium, Glass           Operating system version         13         Macrial         Aluminium, Glass           Operating system installed **         Android 13         Aunifecturer         Samsung           Battery techn	Form factor *	Slate		1.5 h
Performance         Volume control         Buttons           Accelerometer         4         Display viewable area (HxV)         265.96 x 166.22 mm           Ambient light sensor         4         Rechargeable         C           Gyroscope         4         USB cable         C           Orientation sensor         4         Maximum RAM supported         8 GB           Proximity sensor         4         Charging time         1.5 h           Position location *         4         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         0.907 kg           Security         Power cord included         4           Fingerprint reader         4         Batteries included         4           Password protection         4         Vaterproof         4           Face recognition         4         Waterproof         4           Platform *         Android         Material         Aluminium, Glass           Operating system version         13         Manufacturer         Samsung           Operating system installed *         Lithium-lon (Li-lon)         Total storage capacity	Product colour *	Silver		stereo
Performance         Volume control         Buttons           Accelerometer         4         Display viewable area (HxV)         265.96 x 166.22 mm           Ambient light sensor         4         Rechargeable         C           Gyroscope         4         USB cable         C           Orientation sensor         4         Maximum RAM supported         8 GB           Proximity sensor         4         Charging time         1.5 h           Position location *         4         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         2560 x 1600 pixels           Country of origin         Vietnam         Resolution         0.907 kg           Security         Power cord included         4           Fingerprint reader         4         Batteries included         4           Password protection         4         Vaterproof         4           Face recognition         4         Waterproof         4           Platform *         Android         Material         Aluminium, Glass           Operating system version         13         Manufacturer         Samsung           Operating system installed *         Lithium-lon (Li-lon)         Total storage capacity	International Protection (IP) code	IP68	Wi-Fi	✓
Accelerometer			Volume control	Buttons
Accelerometer			Display viewable area (HxV)	265.96 x 166.22 mm
Ambient light sensor Oyroscope Oyroscope Oyroscope Oyroscope Oyrosmity sensor Oyrosmity system version Oyrosmity system version Oyrosmity system installed Oyrosmity system installed Oyrosmity system installed Oyrosmity system installed Oyrosmity Sensor Oyrosmity Sen		<b>√</b>	• •	✓
GyroscopeMaximum RAM supported8 GBOrientation sensorCharging time1.5 hProximity sensorYournameDisplay typeTFTPosition location*YournameResolution2560 x 1600 pixelsCountry of originVietnamPackage weight0.907 kgSecurityPower cord includedYournameFingerprint readerYournameBatteries includedYournameFassword protectionYournameYournameFace recognitionYournameAndroidSoftwareRAM capacity8 GBOperating system version13MaterialAluminium, GlassOperating system installed *Android 13ManufacturerSamsungOperating system installed *Android 13Power plug typeNo plugBatteryLithium-lon (Li-lon)Total storage capacity600 cd/m²Battery technology *Lithium-lon (Li-lon)Technical detailsNumber of battery cells2Integrated sensorsAccelerometer, Camera, GyroscopeBattery voltage10 VPackaging contentTablet, USB-C Cable, S Pen, QuickBattery recharge time1.5 hScreen lockYBattery ilfe (max)20 hContinuous video playback time20 h	<del>-</del>	✓	<del>-</del>	
Orientation sensor       Charging time       1.5 h         Proximity sensor       Vietnam       Display type       TFT         Position location*       Vietnam       Resolution       2560 x 1600 pixels         Country of origin       Vietnam       Package weight       0.907 kg         Security       Power cord included       /         Fingerprint reader       V       Batteries included       /         Fiace recognition       V       Waterproof       V         Software       RAM capacity       8 GB         Platform*       Android       Material       Aluminium, Glass         Operating system version       13       Manufacturer       Somsung       Somsung         Operating system installed*       Android 13       Manufacturer       No plug         Battery       No plug type       No plug         Battery technology*       Lithium-lon (Li-lon)       Total storage capacity       128 GB         Battery velacity*       10090 mAh       Technical details       Accelerometer, Camera, Gyroscope         Battery veltage       10 V       Packaging content       Accelerometer, Camera, Gyroscope         Battery veltage time       15 0 g       Packaging content       V         Battery yeight<	Gyroscope	✓		
Proximity sensor Position location * Country of origin Vietnam Vietnam Postecurity Postecurity Power cord included Package weight Power cord included Power cord inclu	Orientation sensor	✓	• •	
Position location * Country of origin Vietnam Package weight 0.907 kg  Security Power cord included	•	✓		
Country of origin     Vietnam     Package weight     0.907 kg       Security     Power cord included     /       Fingerprint reader     /     Batteries included     /       Password protection     /     Dustproof     /       Face recognition     /     Waterproof     /       Software     RAM capacity     8 GB       Platform*     Android     Material     Aluminium, Glass       Operating system version     13     Manufacturer     Samsung       Operating system installed*     Android 13     Manufacturer     Samsung       Power plug type     No plug       Battery     Lithium-lon (Li-lon)     Total storage capacity     600 cd/m²       Battery technology*     Lithium-lon (Li-lon)     Total storage capacity     128 GB       Battery capacity*     10090 mAh     Technical details       Number of battery cells     2     Integrated sensors     Accelerometer, Camera, Gyroscope       Battery weight     150 g     Packaging content     Start Guide, Warranty Card       Fast charging     4     Screen lock     Fablet, USB-C Cable, S Pen, Quick       Battery life (max)     20 h       Continuous video playback time     20 h		✓		
SecurityPower cord includedFingerprint reader✓Batteries included✓Password protection✓Dustproof✓Face recognition✓Waterproof✓SoftwareRAM capacity8 GBPlatform *AndroidMaterialAluminium, GlassOperating system version13ManufacturerSamsungOperating system installed *Android 13ManufacturerSamsungPower plug typeNo plugNo plugBatteryLithium-lon (Li-lon)Total storage capacity600 cd/m²Battery capacity *10090 mAhTechnical detailsNumber of battery cells2Battery voltage10 VIntegrated sensorsAccelerometer, Camera, GyroscopeBattery weight150 gPackaging contentTablet, USB-C Cable, S Pen, Quick Start Guide, Warranty CardFast charging✓Screen lockTablet, USB-C Cable, S Pen, Quick Start Guide, Warranty CardBattery life (max)20 h	Country of origin	Vietnam		·
Fingerprint reader Password protection Password protection Pace recognition  Materias included Ventor of V	Security			
Password protectionYDustproofYFace recognitionYWaterproofYSoftwareRAM capacity8 GBPlatform *AndroidMaterialAluminium, GlassOperating system version13ManufacturerSamsungOperating system installed *Android 13ManufacturerSamsungBatteryLithium-lon (Li-lon)Total storage capacity600 cd/m²Battery technology *Lithium-lon (Li-lon)Total storage capacity128 GBBattery capacity *10090 mAhTechnical detailsNumber of battery cells2Integrated sensorsAccelerometer, Camera, GyroscopeBattery weight150 gPackaging contentAccelerometer, Camera, GyroscopeFast chargingYScreen lockYBattery recharge time1.5 hBattery life (max)20 hContinuous video playback time20 h	Fingerprint reader	1		
Face recognition  Software  Platform* Android Android Operating system version Operating system installed* Android 13  Battery  Battery Battery technology* Battery capacity*  10090 mAh Battery voltage Battery voltage Battery weight Battery weight Battery weight Battery recharge time Battery life (max)  Continuous video playback time  Vandroid 13  RAM capacity Ratery colour Android Raterial RAIL Power plug type RAUL CD brightness (AC adaptor, bright) ROUD Colour ROUD Colour RAIL RAM Capacity Ratery and Called Semsors Ratery life (max) ROUD RAM Capacity RAM capacity Ratery recharge time RAM capacity Raul Capacity Raul Called Ratery life (max) ROUD RAM RAM Capacity Ratery recharge time RAM capacity Raterial Ratery recharge time RAM capacity Raterial Ratery recharge time Ratery recharge time RAM capacity Raterial Ratery recharge time Ratery recharge time RAM capacity Raterial Ratery recharge time Ratery recharge time RAM capacity Raterial Ratery recharge time Ratery recharge t	<del>-</del> '			
Software Platform * Android Material Aluminium, Glass Operating system version 13 Manufacturer Samsung Operating system installed * Android 13 Manufacturer Operating system installed * Aluminium, Glass Operating system version 13 Manufacturer Operating system version 12 Samsung Operating system version 13 Manufacturer Operating system version 13 Manufacturer Operating system version 21 Samsung Operating system version 21 Aluminium, Glass Operating system version 22 Operating system version 3 Aluminium, Glass Operating system version 2 Aluminium, Glass Operating system version 3 Aluminium, Glass Operating system version 4 Automatical State St	·	1	·	
Platform * Android Material Aluminium, Glass Operating system version 13 Manufacturer Samsung Operating system installed * Android 13 Manufacturer Samsung Operating system installed * Android 13 Manufacturer Power plug type No plug  Battery LCD brightness (AC adaptor, bright) 600 cd/m²  Battery technology * Lithium-lon (Li-lon) Total storage capacity 128 GB  Battery capacity * 10090 mAh  Technical details Number of battery cells 2 Integrated sensors Accelerometer, Camera, Gyroscope Battery weight 150 g  Battery weight 150 g  Screen lock Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card  Fast charging Screen lock  Battery life (max) 20 h  Continuous video playback time 20 h	J	<b>-</b>	•	
Platform * Android Material Aluminium, Glass Operating system version 13 Manufacturer Samsung Operating system installed * Android 13 Power plug type No plug  Battery Battery technology * Lithium-lon (Li-lon) Total storage capacity 128 GB  Battery capacity * 10090 mAh  Number of battery cells 2 Battery voltage 10 V  Battery weight 150 g  Battery weight 150 g  Battery recharge time 1.5 h  Battery life (max) 20 h  Continuous video playback time 20 h			, ,	
Operating system version Operating system installed * Android 13  Battery  Battery  Battery technology * Lithium-lon (Li-lon) Battery capacity * 10090 mAh  Number of battery cells Battery voltage Battery weight Fast charging  Battery recharge time Battery recharge time Battery recharge time Battery log to many  Continuous video playback time  13  Manufacturer Power plug type No plug  No plug  Focal details  Fotal storage capacity  Total storage capacity  128 GB  Technical details  Integrated sensors Accelerometer, Camera, Gyroscope  Packaging content Start Guide, Warranty Card  Fast charging Screen lock  Continuous video playback time  20 h	Platform *			
Operating system installed * Android 13Power plug typeNo plugBatteryBattery technology * Lithium-lon (Li-lon)Total storage capacity128 GBBattery capacity * 10090 mAhTechnical detailsNumber of battery cells2Integrated sensorsAccelerometer, Camera, GyroscopeBattery voltage10 VPackaging contentTablet, USB-C Cable, S Pen, Quick Start Guide, Warranty CardBattery weight150 gScreen lock✓Fast charging✓Screen lock✓Battery recharge time1.5 hScreen lock✓Battery life (max)20 hContinuous video playback time20 h	·			
BatteryBattery technology *Lithium-lon (Li-lon)Total storage capacity128 GBBattery capacity *10090 mAhTechnical detailsNumber of battery cells2Integrated sensorsAccelerometer, Camera, GyroscopeBattery voltage10 VPackaging contentTablet, USB-C Cable, S Pen, Quick Start Guide, Warranty CardBattery weight150 gScreen lockFast charging✓Screen lockBattery recharge time1.5 hBattery life (max)20 h	Operating system installed *	Android 13		•
Battery technology * Lithium-lon (Li-lon) Total storage capacity 128 GB  Battery capacity * 10090 mAh  Technical details  Number of battery cells 2 Integrated sensors Accelerometer, Camera, Gyroscope 10 V  Battery weight 150 g Packaging content Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card  Fast charging ✓ Screen lock ✓  Battery recharge time 1.5 h  Battery life (max) 20 h  Continuous video playback time 20 h	Battery			· =
Battery capacity * 10090 mAh  Number of battery cells 2 Integrated sensors Accelerometer, Camera, Gyroscope Battery voltage 10 ∨ Tablet, USB-C Cable, S Pen, Quick Battery weight 150 g Packaging content Start Guide, Warranty Card Fast charging ✓ Screen lock ✓ Battery recharge time 1.5 h Battery life (max) 20 h  Continuous video playback time 20 h	Battery technology *	Lithium-lon (Li-lon)		•
Number of battery cells  Battery voltage  10 V  Battery weight  150 g  Packaging content  Fast charging  Number of battery voltage  10 V  Packaging content  Screen lock  Rattery recharge time  1.5 h  Battery life (max)  20 h  Continuous video playback time  2 h  Integrated sensors  Packaging content  Screen lock  Accelerometer, Camera, Gyroscope  Tablet, USB-C Cable, S Pen, Quick  Start Guide, Warranty Card  Ca	, ,,			
Battery voltage 10 V  Battery weight 150 g Packaging content Start Guide, Warranty Card  Fast charging ✓ Screen lock ✓  Battery recharge time 1.5 h  Battery life (max) 20 h  Continuous video playback time 20 h	Number of battery cells	2		Asselsment Community
Battery weight 150 g Packaging content Start Guide, Warranty Card  Fast charging   Screen lock   Battery recharge time 1.5 h  Battery life (max) 20 h  Continuous video playback time 20 h	Battery voltage	10 V	integrated sensors	• •
Fast charging  Battery recharge time  1.5 h  Battery life (max)  Continuous video playback time  Screen lock  V  Screen lock  V  Continuous video playback time	· ·	150 g	Packaging content	
Battery recharge time 1.5 h Battery life (max) 20 h Continuous video playback time 20 h	Fast charging	✓	Screen lock	
Battery life (max) 20 h Continuous video playback time 20 h	Battery recharge time	1.5 h	55. 55H 166K	•
Continuous video playback time 20 h		20 h		
		20 h		
Continuous addit playback time 151 ii	Continuous audio playback time	131 h		



8806095165004

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.