

## ASUS VA34VCPSR computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

**Brand :** ASUS

**Product code:** 90LM08JJ-B02170

**Product name :** VA34VCPSR

- 34-inch WQHD (3440x1440) 1500R Curvature with 178° wide viewing angle panel
  - Extensive connectivity with HDMI, USB-C, DisplayPort, earphone jack, USB hub and RJ45 LAN port for the most flexibility
  - USB-C port allows simple laptop docking for data transmission and video signal to the display, as well as up to 96W charging the laptop via just one cable
  - Ergonomic design with tilt, swivel and height adjustments for a comfortable viewing experience
  - ASUS Eye Care monitors feature TÜV Rheinland-certified Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience
  - Green Sustainability: paper packaging and energy-efficient environmental standards
- 34" WQHD 3440 x 1440, 1500R, 21:9, 100Hz, 1073.7M, 4ms, USB-C, DisplayPort, HDMI, RJ-45, 32W, 100-240V, 50/60Hz



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	HDMI *	✓
Display resolution *	3440 x 1440 pixels	HDMI ports quantity	1
HD type *	Wide Quad HD	HDMI version	2.0
Native aspect ratio *	21:9	DisplayPorts quantity	1
Display technology *	LCD	DisplayPort out version	1.4
Panel type *	VA	Headphone out *	✓
LED backlight	✓	Headphone outputs	1
Touchscreen *	✗	Headphone connectivity	3.5 mm
Display brightness (typical)	300 cd/m²	HDCP	✓
Response time *	4 ms	HDCP version	2.2
Response time measurement type	GTG (Gray to Gray)		
Display surface	Gloss	<b>Ergonomics</b>	
Screen shape *	Curved	VESA mounting *	✓
Screen curvature rating	1500R	Panel mounting interface	100 x 100 mm
Contrast ratio (typical) *	3000:1	Cable lock slot *	✓
Maximum refresh rate *	100 Hz	Cable lock slot type	Kensington
Viewing angle, horizontal	178°	Height adjustment *	✓
Viewing angle, vertical	178°	Adjustable height (max)	13 cm
Display number of colours *	1.073 billion colours	Swivelling	✓
Pixel pitch	0.2318 x 0.2318 mm	Swivel angle range	180 - -180°
Viewable size, horizontal	79.7 cm	Tilt adjustment	✓
Viewable size, vertical	33.4 cm	Tilt angle range	35 - -5°
Digital horizontal frequency	30 - 225 kHz		
Digital vertical frequency	48 - 100 Hz	<b>Power</b>	
Display diagonal (metric)	86 cm	Energy efficiency class (SDR) *	F
High Dynamic Range (HDR) supported	✓	Energy efficiency class (HDR) *	G
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Energy consumption (SDR) per 1000 hours *	31 kWh

Display		Power	
Colour depth	10 bit	Energy consumption (HDR) per 1000 hours *	50 kWh
Performance		Power consumption (typical) *	32 W
NVIDIA G-SYNC *	✗	Power consumption (off)	0.3 W
AMD FreeSync *	✗	Power consumption (PowerSave)	0.5 W
VESA Adaptive Sync support	✓	AC input voltage	100 - 240 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Low Blue Light technology	✓	Energy efficiency scale	A to G
Multimedia		Weight & dimensions	
Number of speakers	2	Width (with stand)	809.3 mm
RMS rated power	4 W	Depth (with stand)	264.9 mm
Built-in speaker(s) *	✓	Height (with stand)	511 mm
Built-in camera *	✗	Weight (with stand)	9.32 kg
Design		Width (without stand)	809.3 mm
Market positioning *	Business	Depth (without stand)	106.7 mm
Product colour *	Black	Height (without stand)	365.8 mm
Feet colour	Black	Weight (without stand)	6.4 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package width	1070 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package depth	186 mm
USB upstream port type	USB Type-C	Package height	490 mm
Number of upstream ports	1	Package weight	14.1 kg
Number of USB Type-C upstream ports quantity	1	Package type	Box
USB Type-A downstream ports quantity	3	Packaging content	
USB Type-C DisplayPort Alternate Mode	✓	Stand included	✓
USB Power Delivery (USB PD)	✓	Sustainability	
USB Power Delivery up to	96 W	Sustainability certificates	ENERGY STAR, EPEAT Gold, Forest Stewardship Council (FSC) Mix, TCO
		Other features	
		Brand specific technologies	Eye Care+, SPLENDID
		Ethernet LAN (RJ-45) ports	1



4711387620748

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date