

Brother TZE-S241 label-making tape Black on white TZ

Brand : Brother

Product code: TZE-S241

Product name : TZE-S241

18mm (0.7"), Black on White Tape with Extra Strength Adhesive, 8m

Brother TZE-S241 label-making tape Black on white TZ:

P-touch Extra Strength Adhesive Laminated Tapes are a remarkable breakthrough in labeling your most challenging surfaces. Their extraordinary adhesive properties make them ideal for the toughest labeling tasks you face: Uneven and rough-textured surfaces, Surfaces exposed to harsh environments, Slippery painted metal and plastic surfaces, And many more!

Brother TZE-S241. Label colour: Black on white, Tape type: TZ, Product colour: Grey. Tape width: 1.8 cm, Tape length: 8 m, Width: 23 mm. Tape size: 1.8 cm



Features		Features	
Label colour *	Black on white	Compatibility	PT-1300, PT-1400, PT-1500, PT-1500PC, PT-1600, PT-1700, PT-1750, PT-1800, PT-1810, PT-1830, PT-1830C, PT-1830SC, PT-1830VP, PT-1880, PT-1880C, PT-1880SC, PT-1880W, PT-1890C, PT-1890SC, PT-1890W, PT-18R, PT-18RKT, PT-1900, PT-1910, PT-1950, PT-1960, PT-2030, PT-2030AD, PT-2030VP, PT-2100, PT-2110, PT-2200, PT-2210, PT-2300, PT-2310, PT-2400, PT-2410, PT-2430PC, PT-2500PC, PT-2600, PT-2610, PT-2700, PT-2710, PT-2730, PT-2730VP, PT-300, PT-300B, PT-310, PT-310B, PT-320, PT-330, PT-340, PT-350, PT-3600, PT-4000, PT-520, PT-530, PT-540, PT-550, PT-580C, PT-7500, PT-7600, PT-9200DX, PT-9200PC, PT-9400, PT-9500PC, PT-9600, PT-9700PC, PT-9800PCN, PT-D400, PT-D400AD, PT-D400VP, PT-D450, PT-D600, PT-D600VP, PT-E300, PT-E500, PT-E550W, PT-H300, PT-H300LI, PT-H500LI, PT-P700, PT-P750W, PT-P750WVP, PT-P900W, PT-P950NW, ST-1150, ST-1150DX, ST-5
Tape type	TZ		
Product colour	Grey		
Print technology	Thermal transfer		
Suitable for textured surface	✓		
Heat-resistant	✓		
Cold-resistant	✓		
Ultraviolet (UV) resistant	✓		
Suitable for any surface	✓		
Suitable for outdoor use	✓		
Brand compatibility	Brother		
Weight & dimensions			
Tape width *	1.8 cm		
Tape length	8 m		
Width	23 mm		
Depth	68 mm		
Height	100 mm		
Weight	51 g		
Quantity per pack	1 pc(s)		
Package width	285 mm		

Weight & dimensions	
Package depth	435 mm
Package height	265 mm
Package type	Blister
Package weight	77 g
Logistics data	
Harmonized System (HS) code	48219090
Other features	
Tape size	1.8 cm



4977766692175



0012502626305



012502626305



0012502055679



012502055679



5715063281956

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date