
## StarTech.com TB4CDOCKUE laptop dock/port replicator Wired Thunderbolt 4 Black, Grey

Brand : StarTech.com Product code: TB4CD0CKUE

**Product name:** TB4CDOCKUE







Ports & interfaces		Software	
Connectivity technology * Host interface * USB 2.0 ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB Power Delivery (USB PD) USB Power Delivery up to Thunderbolt 4 ports quantity	Wired Thunderbolt 4  1  3   96 W  3	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IOT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64
Combo headphone/mic port Headphone outputs *	1	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
DC-in jack	<b>✓</b>	Operational conditions	
Network Ethernet LAN *	<b>✓</b>	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 50 °C -20 - 70 °C 0 - 95%
Ethernet LAN (RJ-45) ports	1	Weight & dimensions	
Ethernet LAN data rates Wake-on-LAN ready Auto MDI/MDI-X Full duplex	10,100,1000 Mbit/s	Width Depth Height Weight	194 mm 84 mm 29 mm 1 kg
Performance		Packaging data	
Card reader integrated *  Compatible memory cards  HD type	MMC, MicroSD (TransFlash), MicroSDHC, MicroSDXC, SD, SDHC, SDXC  8K Ultra HD	Package width Package depth Package height Package weight	230 mm 145 mm 90 mm 1.1 kg
Number of displays supported	2	Packaging content	
Maximum refresh rate	60 Hz	Cables included	Thunderbolt
Cable lock slot	✓	AC adapter included	✓

Performance		Packaging content	
Cable lock slot type Product colour * LED indicators	Kensington Black, Grey ✓  Aluminium, Plastic	Quick start guide	✓
		Technical details	
Housing material		Compliance certificates	CE, RoHS
Power	, , , , , , , , , , , , , , , , , , , ,	Logistics data	
Compatible power plug types	EU	Products per master (outer) case Master (outer) case width Master (outer) case length Master (outer) case height Harmonized System (HS) code	8 pc(s) 380 mm 305 mm 265 mm 84733020
		Other features  Cable length	0.8 m
		Chipset	Intel - JHL8440, Cypress - CYUSB4357, Parade - FL5801, Parade - FL5801, Cypress - CYPD5235, Realtek - RTL8153B, Realtek - ALC4042, Genesys Logic - GL3226





065030895064

0065030895064

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.