Logitech RoomMate

Brand : Logitech **Product code:** 991-000412

Product name: RoomMate

RoomMate

Logitech RoomMate. HD type: 4K Ultra HD, Supported video modes: 720p, 1080p, 2160p. Digital zoom: 8x. Ethernet LAN, Wi-Fi. Bluetooth. Display: IPS, Display diagonal: 25.6 cm (10.1"), Display resolution: 1280 x 800 pixels. Operating system installed: CollabOS. Product colour: Graphite, White

Performance		Features	
Bluetooth Bluetooth version Product colour *	5.0 Graphite, White	Motion sensor Cable lock slot Cable lock slot type	✓ ✓ Kensington
Wall mountable		Logistics data	•
Pan range Tilt angle range PTZ control	-25 - 25° -15 - 15° ✓	Master (outer) case gross weight Master (outer) case length Master (outer) case width	8.82 kg 529 mm 463 mm
Video		Master (outer) case height	203 mm
HD type *	4K Ultra HD	Harmonized System (HS) code	85176990
Maximum video resolution *	3840 x 2160 pixels	Battery	
Supported video modes	720p, 1080p, 2160p	Battery capacity	0.675 Wh
Audio		Computer system	
Built-in speaker(s) Output level Output voltage Total Harmonic Distortion (THD) Audio beamforming	✓86.5/95 dB3%✓	VESA mounting Operating system installed Windows operating systems supported	CollabOS Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1 Mac OS X 10.10 Yosemite, Mac OS X
Microphone pick-up range Sample rates Ports & interfaces	4 m 0 - 32 kHz	Mac operating systems supported	10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur,
HDMI ports quantity HDMI output ports quantity	3 2		Mac OS X 12.0 Monterey
HDMI input ports quantity	1	Operational conditions	
USB connector type USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	USB Type-A 3	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 10 - 95% -40 - 70 °C
Ethernet LAN (RJ-45) ports	1	Power	
Interface module		Power source type	AC
Interface module RJ-45 ports quantity	1	AC input voltage Current	100 - 240 V 4.74 A
Network		DC input voltage	19 V
Ethernet LAN * Ethernet LAN data rates Wi-Fi	10,100,1000 Mbit/s	Battery technology Battery capacity Number of batteries supported Power plug type	Lithium 220 mAh 2 Type G
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Weight & dimensions	
Security algorithms	128-bit AES	Interface module dimensions (W x D	246.2 x 171.3 x 56.1 mm
Camera		x H)	240.2 x 1/1.3 x 30.1 IIIIII
Zoom capability Digital zoom Horizontal field of view	√ 8x 113°	Interface module weight Remote control dimensions (W x H x D) Camera dimensions (WxDxH)	1 kg ⁶ 83 x 83 x 10 mm 400 x 85 x 104 mm
Honzontal Held of VIEW	113	Camera uninensions (WXDXII)	TIIII PUL X CO X UUF

Camera		Weight & dimensions	
Vertical field of view	80.7°	Camera weight	1.04 kg
Diagonal field of view	120°	Width	161 mm
Number of camera presets	3	Depth	211 mm
Remote control interface	RF Wireless	Height	34.5 mm
Display		Weight	1.04 kg
Display	IPS	Package width	456 mm
Display diagonal	25.6 cm (10.1")	Package depth	522 mm
Display resolution	1280 x 800 pixels	Package height	189 mm
Contrast ratio (typical)	1000:1	Package weight	8.82 kg
Touchscreen	✓	Packaging content	
Touchscreen type	Capacitive	Cables included	AC, DC, USB
Viewing angle, horizontal	85°	Power cable length	2.5 m
Viewing angle, vertical	85°	AC adapter included	✓
Display brightness	400 cd/m ²	Mounting kit	✓
Oleophobic coating	✓	Camera included	✓
Microphone		Quick start guide	✓
Microphone sensitivity Microphone frequency	-27 dB 90 - 16000 Hz		



5099206102187

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.