Lexmark

Lexmark MarkNet 8350 Internal WLAN 150 Mbit/s

Brand : Lexmark

Product name : MarkNet 8350

Product code: 27X0225

MarkNet 8350 (MS81x, MX71x/81x) - 802.11b/g/n, RP-SMA, TCP/IP, WPA2, SNMPv3

Lexmark MarkNet 8350 Internal WLAN 150 Mbit/s:

Freedom
Place assets where they are needed - Printer location is functionally and economically driven, not constrained by existing LAN connections.

Easy Setup
Wired and Wireless Configuration - Configure using a USB cable or without any cables.
A print server to connect to most major wireless networks via the 2.4Ghz band using one RP-SMA connector with antenna.

Embedded Web Page
The embedded web page allows administrators to flash update printer firmware or access printer settings using a web browser to monitor printer status and change default settings easily.

Network Communications Security
SNMPv3 supports encrypted and authenticated management traffic protecting remote configuration and device status messages.IPSec can be used with both TCP/IP IPv4 and IPv6 networks and provides encryption and authentication of communications at the network layer.

Ports & interfaces

Connectivity technology *	Wireless
Interface *	WLAN

Network

Maximum data transfer rate *	150 Mbit/s
Networking standards *	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
WLAN data transfer rates supported	11,72,150 Mbit/s
Security algorithms	WEP, WPA2
Data link protocols	HTTP, FTP, TFTP, IPP, LPR/LPD, IP
Supported network protocols	TCP/IP, IPv6, IPv4, AppleTalk, TCP, UDP
Bandwidth	2.4 GHz

Design

Internal *	✔
Antenna connector type	RP-SMA

Design

Country of origin	China

System requirements

Windows operating systems supported	Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	✔
Linux operating systems supported	✔

Weight & dimensions

Width	152 mm
Depth	216 mm
Height	38 mm
Weight	232 g

Logistics data

Harmonized System (HS) code	85176990

Other features

Management protocols	HTTPs (SSL/TLS), SNMPv3, WINS, SLPv1, IGMP, BOOTP, RARP, APIPA, DHCP, ICMP, DNS, SNMPv2c, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger

0734646397094

734646397094

5054629558232

8592978116620