

Acer Nitro KG2 Nitro XZ272S3 curved gaming monitor - 27", 1500R, Full HD, 180Hz, 1ms, FreeSync Premium, DisplayHDR 400, HDMI & DP

Brand : Acer Product family: Nitro KG2 Product code: UM.HX2EE.311

Product name: Acer Nitro XZ272S3 curved gaming monitor - 27", 1500R, Full HD, 180Hz, 1ms, FreeSync Premium, DisplayHDR 400, HDMI & DP

- 27" size, 1500R curve
- Full HD resolution
- VESA DisplayHDR 400
- 200Hz & 0.5ms
- AMD FreeSync Premium

Acer Nitro XZ272S3 curved gaming monitor - 27", 1500R, Full HD, 180Hz, 1ms, FreeSync Premium, DisplayHDR 400, HDMI & DP

Acer Nitro KG2 Nitro XZ272S3 curved gaming monitor - 27", 1500R, Full HD, 180Hz, 1ms, FreeSync Premium, DisplayHDR 400, HDMI & DP. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting, Height adjustment. Product colour: Black





DisplayDisplay diagonal *68.6 cm (27")Headphone out *✓Display resolution *1920 x 1080 pixelsErgonomicsHD type *Full HDVESA mounting *✓Native aspect ratio *16:9VESA mounting *✓Display technology *LEDPanel mounting interface75 xPanel type *VAWall mountable✓Display brightness (typical)400 cd/m²Height adjustment *✓Response time *1 msAdjustable height (max)12.3Anti-glare screen✓PivotXScreen shape *CurvedSwivelling✓Screen curvature rating1500RSwivel angle range-360Supported graphics resolutions1920 x 1080 (HD 1080)Tilt adjustment✓Aspect ratio16:9Tilt angle range-5 - 2Contrast ratio (typical) *3000:1			
Display resolution * 1920 x 1080 pixels HD type * Full HD Native aspect ratio * 16:9 Display technology * LED Panel type * VA Display brightness (typical) Response time * 1 ms Adjustable height (max) Anti-glare screen Screen shape * Curved Screen curvature rating Supported graphics resolutions Aspect ratio Full HD VESA mounting *			
HD type * Full HD Native aspect ratio * 16:9 Display technology * LED Panel type * VA Display brightness (typical) Response time * 1 ms Adjustable height (max) Anti-glare screen Screen shape * Curved Screen curvature rating Supported graphics resolutions Aspect ratio Full HD VESA mounting * VESA m			
HD type * Full HD Native aspect ratio * 16:9 Display technology * LED Panel type * VA Display brightness (typical) Anti-glare screen Screen shape * Curved Screen curvature rating Supported graphics resolutions Aspect ratio Full HD VESA mounting * VA Wall mountable Adjustment * Adjustable height (max) 12.3 Anti-glare screen Veryod Swivelling Swivelling Swivel angle range -360 Tilt adjustment Veryod Tilt adjustment Tilt angle range -5-2	Ergonomics		
Display technology * LED Panel mounting interface 75 x Panel type * VA Wall mountable ✓ Display brightness (typical) 400 cd/m² Height adjustment * ✓ Response time * 1 ms Adjustable height (max) 12.3 Anti-glare screen ✓ Pivot × Screen shape * Curved Swivelling ✓ Screen curvature rating 1500R Swivel angle range -360 Supported graphics resolutions 1920 x 1080 (HD 1080) Tilt adjustment ✓ Aspect ratio 16:9 Tilt angle range -5 - 2			
Panel type * VA Wall mountable ✓ Display brightness (typical) 400 cd/m² Height adjustment * ✓ Response time * 1 ms Adjustable height (max) 12.3 Anti-glare screen ✓ Pivot × Screen shape * Curved Swivelling ✓ Screen curvature rating 1500R Swivel angle range -360 Supported graphics resolutions 1920 x 1080 (HD 1080) Tilt adjustment ✓ Aspect ratio 16:9 Tilt angle range -5-2	75 mm		
Display brightness (typical) 400 cd/m² Response time * 1 ms Adjustable height (max) 12.3 Anti-glare screen V Screen shape * Curved Swivelling Screen curvature rating 1500R Swivel angle range -360 Supported graphics resolutions 1920 x 1080 (HD 1080) Aspect ratio Tilt adjustment Tilt angle range -5 - 2	. 73 IIIIII		
Response time * 1 ms Adjustable height (max) 12.3 Anti-glare screen			
Anti-glare screen Anti-glare screen Curved Swivelling Curved Swivel angle range -360 Supported graphics resolutions Aspect ratio Pivot Swivelling Swivel angle range -360 Tilt adjustment Tilt angle range -5 - 2			
Screen shape * Curved Swivelling Screen curvature rating 1500R Swivel angle range -360 Supported graphics resolutions 1920 x 1080 (HD 1080) Tilt adjustment Aspect ratio 16:9 Tilt angle range -5 - 2	cm		
Screen curvature rating 1500R Swivel angle range -360 Supported graphics resolutions 1920 x 1080 (HD 1080) Tilt adjustment Aspect ratio 16:9 Tilt angle range -5 - 2			
Supported graphics resolutions 1920 x 1080 (HD 1080) Tilt adjustment Aspect ratio 16:9 Tilt angle range -5 - 2			
Aspect ratio 16:9 Tilt angle range -5 - 2) - 360°		
Tilt angle range -5 - 2			
Contrast ratio (typical) * 3000:1	25°		
Davies			
Contrast ratio (dynamic) 100000000:1			
3, , , ,			
Viewing digits, installed 1700			
hours *	:Wh		
Display number of colours * 16.7 million colours Pixel pitch 0.31 x 0.31 mm Energy consumption (HDR) per 34 kl	-\^\^\a		
Pixel pitch 0.31 x 0.31 mm 1000 hours * 34 kt Viewable size, horizontal 59.7 cm	.VVII		
Viewable size vertical 33.6 cm			
Power consumption (standby) * 0.5 V			
High Dynamic Range (HDR)	V		
supported Power consumption (οπ) 0.3 V	N		
High Dynamic Range (HDR) DisplayHDR 400 Energy efficiency scale A to	G		
technology European Froduct Registry for 1544	4188		
Colour depth 8 bit			
NTSC coverage (typical) 72% Weight & dimensions			
Performance Width (with stand) 611 i			
AMD FreeSvnc * ✓	.5 mm		
AMD FreeSync type FreeSync Premium Height (with stand) 525 i			
Weight (with stand) 3.3 k	kg		
Width (without stand) 611 i	-		

Multimedia		Weight & dimensions	
Number of speakers RMS rated power Built-in speaker(s) *	2 2 W ✓	Depth (without stand) Height (without stand) Weight (without stand)	76 mm 363 mm 4.6 kg
Design		Packaging data	
Market positioning * Gaming Product colour * Black Ports & interfaces HDMI * ✓ HDMI ports quantity 2 HDMI version 2.0 DisplayPorts quantity 1 DisplayPort version 1.4	Package width Package depth Package height Package weight	1200 mm 1000 mm 2232 mm 4.6 kg	
	2 2.0 1	Packaging content	
		Stand included Cables included	✔ HDMI, Power
		Sustainability	
		Sustainability certificates	China Environmentally Friendly Certification



4711121662294

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.