



DELL C6522QT Signage Display Interactive flat panel 163.9 cm (64.5") LCD 350 cd/m² 4K Ultra HD Black Touchscreen

Brand : DELL

Product code: C6522QT

Product name : C6522QT

- 163.91cm (64.53") 4K 3840 x 2160 LED IPS
- 9ms, 16:9, 350cd/m², 1300:1
- RJ-45, HDMI, DisplayPort, USB
163.91cm (64.53") 4K 3840 x 2160 LED IPS, 16:9, 350 cd/m², 1.073B, 9ms, 178° /178°, 1300:1

DELL C6522QT Signage Display Interactive flat panel 163.9 cm (64.5") LCD 350 cd/m² 4K Ultra HD Black Touchscreen:

Bring the team together, whether they are in the room or remote, with this brilliant 65" 4K UHD screen with built-in dual 20W speakers.

DELL C6522QT. Product design: Interactive flat panel. Display diagonal: 163.9 cm (64.5"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 350 cd/m², HD type: 4K Ultra HD, Touchscreen. Product colour: Black



Display		Design	
Panel type	IPS	Product design *	Interactive flat panel
LED backlight	✓	Placement supported *	Indoor
Display diagonal *	163.9 cm (64.5")	Orientation	Horizontal
Display technology *	LCD	Product colour *	Black
Display resolution *	3840 x 2160 pixels	VESA mounting *	✓
Display brightness *	350 cd/m ²	Panel mounting interface	400 x 400 mm
HD type *	4K Ultra HD	Bezel width (bottom)	4.47 cm
Touchscreen *	✓	Bezel width (side)	4.47 cm
Number of simultaneous touchpoints	20	Bezel width (top)	4.47 cm
Native aspect ratio	16:9	Performance	
Response time	9 ms	Purpose *	Corporate
Contrast ratio (typical)	1300:1	On Screen Display (OSD)	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	92.9 W
Display number of colours	1.07 billion colours	Power consumption (standby) *	0.3 W
Pixel pitch	0.372 x 0.372 mm	Power consumption (off)	0.3 W
Active display area (W x H)	1428.5 x 803.5 mm	AC input voltage	100 - 240 V
Display diagonal (metric)	163.906 cm	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 140 kHz	Heat dissipation	316.99 BTU/h
Vertical scan range	24 - 75 Hz	Energy efficiency scale	A to G
Native refresh rate	60 Hz	Computer system	
Colour gamut	72%	Computer system *	✗
Ports & interfaces		Built-in processor *	✗
HDMI ports quantity *	3	Weight & dimensions	
HDMI version	2.0	Width	1517.9 mm
DVI port *	✗	Depth	78.7 mm
DisplayPorts quantity *	1		

Ports & interfaces		Weight & dimensions	
USB port *	✓	Height	892.9 mm
USB ports quantity	8	Weight	45.2 kg
USB version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
Ethernet LAN *	✓	Package weight	55.5 kg
Ethernet LAN (RJ-45) ports	1	Packaging content	
Wi-Fi *	✗	Cables included	AC, DisplayPort, HDMI, USB Type-C
Audio (L/R) out	1	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
Audio		Operating relative humidity (H-H)	10 - 80%
Built-in speaker(s) *	✗	Storage temperature (T-T)	-20 - 60 °C
Number of built-in speakers	2	Storage relative humidity (H-H)	5 - 90%
RMS rated power	40 W	Other features	
Speaker impedance	8 Ω	Maximum refresh rate	60 Hz
Speaker frequency range	120 - 20000 Hz		



0884116383550



884116383550

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.