SAMSUNG

Samsung QE55QN700CT 139.7 cm (55") 8K Ultra HD Smart TV Wi-Fi Black

Brand : Samsung

Product code: QE55QN700CTXXU

Product name : QE55QN700CT

- Powered by Quantum Dot for a naturally bright and colourful picture

- Precisely controlled Mini LEDs create an incredibly sharp picture
- A new level of detail with four times as many pixels as a 4K TV
- Picture and sound optimised by a powerful and intelligent 8K processor
- Stunningly thin with no messy cables

2023 55" QN700C Neo QLED 8K HDR Smart TV

Samsung QE55QN700CT. Display diagonal: 139.7 cm (55"), Display resolution: 7680 x 4320 pixels, HD type: 8K Ultra HD, Display technology: Neo QLED, Screen shape: Flat, LED backlighting type: Mini LED. Smart TV. Native aspect ratio: 16:9. Digital signal format system: DVB-C, DVB-S2, DVB-T2. Wi-Fi, Ethernet LAN. Product colour: Black





🔿 wowa with amazon alexa 🛛 🔮 works Google



| Display | | Performance | |
|--|--|---|--|
| Display diagonal * HD type * Display technology * LED backlighting type Screen shape * Native aspect ratio * Supported graphics resolutions Native refresh rate Dynamic contrast ratio marketing name Display resolution * Display diagonal (metric) Anti-glare screen | 139.7 cm (55") 8K Ultra HD Neo QLED Mini LED Flat 16:9 7680 x 4320 50 Hz Quantum Matrix Technology 7680 x 4320 pixels 139.7 cm | High Dynamic Range (HDR) supported * AMD FreeSync AMD FreeSync type Game features SmartThings app support Tap view Adaptive picture Video upscaling Wireless Dex support Multi View | FreeSync Premium Pro Auto Low Latency Mode (ALLM), Dynamic Black EQ, Game Bar 3.0, Game Motion Plus, Super Ultra Wide Game View |
| TV tuner | | TV sound to mobile device | 1 |
| Tuner type * Digital signal format system * Number of tuners | Analog & digital DVB-C, DVB-S2, DVB-T2 2 tuner(s) | Parental control USB recording Ports & interfaces | 4 4 |
| Smart TV | | Audio Return Channel (ARC) | 1 |
| Smart TV * Internet TV * Operating system installed * Timeshift Screen mirroring Sound mirroring Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version TV initiate mirroring Universal quide | Tizen | PC in (D-Sub) * Ethernet LAN (RJ-45) ports USB 2.0 ports quantity * Digital audio optical out RF ports quantity Common interface Plus (CI+) * Common interface Plus (CI+) version HDMI ports quantity * Consumer Electronics Control (CEC) AC (power) in | × 1 3 1 2 ✓ 1.4 4 |
| Audio | ¥ | Management features | 1 |
| Audio | | Voice control | 4 |

| Audio output channels 4.2 channels On Screen Display (OSD) / Audio decoders Dolby Atmos Picture-in-Picture / Adaptive sound / Auto power off / Q-Symphony / Works with Amazon Alexa / Active voice amplifier (AVA) / Works with the Google Assistant / Active voice amplifier (AVA) / Works with Samsung Bixby / Enhanced Audio Return Channel / Works with Samsung Bixby / (ARC) / Works with Samsung Bixby / Network / Energy efficiency class (SDR) * G Wi-Fi * / Energy efficiency class (SDR) * G Wi-Fi standards Wi-Fi 5 (802.11ac) Energy consumption (SDR) per 1000 At Wh Bluetooth * / / Billetooth hours * 84 kWh Bluetooth version 5.2 Energy consumption (SDR) per 1000 At o G Browsing / Energy efficiency scale A to G Web browser / Samsung technologies (AV/TV) Motion Xcelerator Turbo, Ultimate BColour name Colour name Titan Black Weight & dimensions Motion Xcelerator Turbo, Ultimate BColour name VESA mounting * / Width (wit | | | | |
|---|--------------------------------------|-------------------------------|-----------------------------------|---------|
| Audio decodersDolby AtmosPicture in PictureI (Alphane in Picture)Adaptive soundIAuto power offIActive voice amplifier (AVA)IWorks with Amaon AlexaIActive voice amplifier (AVA)IWorks with Google AssistantIActive voice amplifier (AVA)IWorks with Google AssistantIActive voice amplifier (AVA)IPicturePictureRestrong Call (ARA)IIIMuffier SourceIInterry efficiency class (IDR)IWiFl 5IInterry efficiency class (IDR)IWiFl 5IInterry efficiency class (IDR)IBluetoot versionIIIBluetoot versionIIIBluetoot versionIIIBluetoot versionIIIBrowsingIIIIWeb browsIIIIBrout colour *IIIIPoduct colour *IIIIColour ameIIIIIVeSA mounting interfaceIIIIIStand toppIIIIIIStand toppIIIIIIIPoduct colour *IIIIIIIIIIIIIIIIIIIIII <td< td=""><td>Audio</td><td></td><td>Management features</td><td></td></td<> | Audio | | Management features | |
| Adaptive soundAdup over off4Adup over off4Q-Symphony4Works with Amazon Alex4Active voice amplifer (AVA)4Works with Amazon Alex4Enhanced Audio Return (Channel)Works with Samsong Bixby4Binanced Audio Return (Channel)MoresBergy efficiency class (BDR)GWi-Fi *Mergy efficiency class (BDR)GGWi-Fi *Mergy onsumption (SDR) per 100Binetry consumption (SDR) per 100Binetry consumption (SDR) per 100Biuetooth *S-2Energy consumption (SDR) per 10034 kWhBiuetooth versionS-2Energy consumption (SDR) per 10034 kWhBiuetooth versionS-2Energy consumption (SDR) per 10034 kWhBiuetooth versionS-2Bordy consumption (SDR) per 10034 kWhColour nameBackWorks with Sando (SDR) per 10036 kORColour nameBackWorks with Sando (SDR) per 10036 kORColour nameGAWorks with Sando (SDR) per 10037.4 mmStand colour *Qu * 300 mmDepth (with stand)75.4 mmStand colour *Qu * 300 mmHeight (with stand)75.4 mmStand colourMich Nater AlexMich Nater AlexMich Nater AlexPerformanceIfony mainter AlexMich With stand)75.4 mmHigh Dynamic Range (DPM)Mich Mater AlexMich With stand)76.4 mmHigh Dynamic Range (DPM)Mich Mode +Mich With stand)6.4 kgGamendeAlexMich Mi | Audio output channels | 4.2 channels | On Screen Display (OSD) | 1 |
| Q-Symphony Active voice amplifier (AVA)Active voice amplifier (AVA)< | Audio decoders | Dolby Atmos | Picture-in-Picture | 1 |
| Active voice amplifier (AVA) | Adaptive sound | 4 | Auto power off | 1 |
| Bahance Audio Return Channel (RAR)Advisit Samson RiskINetriceForeNetriceReary efficiency class (DSR)GWi-Fi st AdvisitAnalyte ficiency class (DSR)GBluetodt versionS-2Bergy consumption (DSR) perol34 kNhBluetodt versionS-2Bergy consumption (DRR) perol34 kNhBowsing-Bergy consumption (DRR) perolBiothic (DRR) perolProduct colour *-Bergy consumption (DRR) perolBiothic (DRR) perolProduct colour *-Bergy consumption (DRR) perolBiothic (DRR) perolStand colour *-Bergy consumption (DRR) perolBiothic (DRR) perolStand colour *-Bergy consumption (DRR) perolBiothic (DRR) perolStand colour *-Biothic (DRR) perolBiothic (DRR) perolStand colour *-Biothic (DRR) perolBiothic (DRR) perolStand colour *-Biothic (DRR) perolBiothic (DRR) perolStand colour | Q-Symphony | 4 | Works with Amazon Alexa | 1 |
| PerformancePowerNetworkEnergy efficiency class (SDR) *GWi-Fi *✓Energy efficiency class (SDR) *GWi-Fi *✓Energy efficiency class (HDR) *GBluetooth *✓Energy consumption (SDR) per 100084 kWhBluetooth *✓Energy consumption (SDR) per 100084 kWhBluetooth *✓Energy consumption (HDR) per 100084 kWhBluetooth *✓Energy consumption (HDR) per 100034 kWhBluetooth *✓Energy efficiency scaleA to GBrowsing✓Brand-specific featuresSomsung technologies (AV/TV)Motion Xcelerator Turbo, Ultimate ROI of the stand of the | Active voice amplifier (AVA) | 4 | Works with the Google Assistant | 1 |
| Power Power Network Energy efficiency class (SDR) * G Wi-Fi * ✓ Energy efficiency class (SDR) * G Wi-Fi standards Wi-Fi 5 (802.11ac) Energy consumption (SDR) per 1000 84 kWh Bluetooth * ✓ Energy consumption (SDR) per 1000 84 kWh Bluetooth * ✓ Energy consumption (SDR) per 1000 84 kWh Bluetooth * ✓ Energy consumption (SDR) per 1000 84 kWh Bluetooth * ✓ Energy consumption (SDR) per 1000 84 kWh Bluetooth * ✓ Energy consumption (SDR) per 1000 84 kWh Browsing ✓ Energy consumption (SDR) per 1000 Not on Xcelerator Turbo, Ultimate Stand consuming * Browsing ✓ Samsung technologies (AV/TV) Motion Xcelerator Turbo, Ultimate Ske Dimming Pro VeSA mounting * Itan Black VestA mounting * Yes Amounting * Colour name File Stand colour Sile Center stand Pelif (with stand) 1224.8 mm Stand colour Sile Center stand Height (without stand) 124.8 mm Per | | 1 | Works with Samsung Bixby | 1 |
| KineticEnergy efficiency class (SDR)*GWi-Fi *(Energy efficiency class (HDR) *GWi-Fi *Vi-Fi 5 (802.11ac)Energy consumption (SDR) per 10084 kWhBluetooth *(Energy consumption (SDR) per 100234 kWhBluetooth version5.2Energy efficiency scale234 kWhBluetooth version(Energy efficiency scaleA to GBrowsing(Energy efficiency scaleA to GWeb browser(BackKill with stand)Kell mining ProProduct colour *BlackWeight & dimensionsKell mining ProVeSA mounting *(Width (with stand)1224.8 mmPanel mounting interface400 x 300 mmDepth (with stand)267.9 mmStand typeGiverWidth (with stand)265. kgStand typeSilverWidth (with stand)124.8 mmStand typeSilverWidth (with stand)124.8 mmStand typeSilverWidth (with stand)124.8 mmStand colourSilverWidth (with stand)124.8 mmStand colourSilverWidth (with stand)16.4 kgGame modeStand depth36.0 mmFeterst functionStand depth36.0 mmFeterst functionStand depth36.0 mmFeterst functionStand depth36.0 mmStand colourStand depth36.0 mmStand colourStand depth36.0 mmStand colour <t< td=""><td></td><td></td><td>Power</td><td></td></t<> | | | Power | |
| Wi-Fi *✓✓Inergy efficiency class (HDR) *GWi-Fi standardsWi-Fi Sta02.11ac)Energy consumption (SDR) per 100 hours *& Wh& WhBluetooth *5.2Energy consumption (HDR) per 1000 hours *& 34 kWhBluetont version5.2Energy consumption (HDR) per 1000 hours *& 4 to GBrowsing✓Frenzy consumption (MDR) per 1000 hours *& A to GWeb browser✓Brad-Design✓Sansung technologies (AV/TW) & Clinot Celerator Turbo, Ultimate & Clinot Celerator Celerator & Clinot Celerator CeleratorVESA mounting *Male & Clinot Celerator CeleratorVelight (with stand)26.5 gStand cloourSilverVelight (without stand)10.5 AgStand cloourFiligh Dynamic Range 10+ (HDR) Puish, Hybrid Log-Gamma (HL) Puish, Hybrid Log-Gamma (HL) Neu Quantum HDR 8KSilver36.0 CGame modeImmediatorIm | Network | | Energy efficiency class (SDR) * | G |
| Bluetooth *A hole so is shall built (SDK) per 100 84 kWhBluetooth version5.2Energy consumption (HDR) per 100 AkWhEthernet LAN*/Energy efficiency scale234 kWhBrowsing/Energy efficiency scaleA to GWeb browser/Brand-specific featuresMotion Xcelerator Turbo, UltimateDesignBlackWeight & dimensionsMotion Xcelerator Turbo, UltimateColour ameItaa BlackWeight & dimensions224.8 mmVESA mounting */Width (with stand)224.8 mmPanel mounting interface400 x 300 mmDepth (with stand)257.9 mmStand colourSilverWeight (with stand)257.9 mmPerformanceIigh Dynamic Range 10+ (HDR1) Neo Quantum HDR 8KWeight (with stand)25.8 mmHigh Dynamic Range (HDR) technologyIigh Dynamic Range 10+ (HDR1) Neo Quantum HDR 8KWeight (without stand)70.5 mmGame mode/Stand depth36 cm26.8 cmTeletext function/Stand depth26.8 cmFeight without stand)16.4 kg36 cm36 cmGame mode/Stand depth26.8 cmFeight statistic field f | Wi-Fi * | 4 | | G |
| Ethermet LAN*I 000 hours * 1 and 2 a kWnBrowsingI nergy efficiency scaleA to GWeb browserI nergy efficiency scaleA to GWeb browserI nergy efficiency scaleA to GDesignSamsung technologies (AV/TV)Motion Xcelerator Turbo, Ultimate 8K Dimming ProProduct colour *BlackI Samsung technologies (AV/TV)Motion Xcelerator Turbo, Ultimate 8K Dimming ProColour nameI Tian BlackI Weight & dimensions267.9 mmVESA mounting *I 000 hours *Vidth (with stand)267.9 mmPanel mounting interface400 x 300 mmDepti (with stand)75.4 mmStand colourCenter standHeight (with stand)75.4 mmStand colourSilverWeight (with stand)224.8 mmPerformanceVidth (without stand)1224.8 mmHigh Dynamic Range 10+ (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KWeight (without stand)17.9 mmGame modeI AckStand width36 cmGame modeI AckStand width36 cmFeletext functionI AckStand width36 cmAmbient modeAmbient Mode+Packaging dataI Ackaging contentBrightness detectionI AckAckAckAlupscaleI Ackaging contentI Ackaging contentI Ackaging contentAlupscaleI Acal DimmingAckaging contentI Ackaging contentBrightness detectionI Acal DimmingAckaging contentI Ackaging contentAlupscaleI Acel | Wi-Fi standards Bluetooth * | · · · · · | Energy consumption (SDR) per 1000 | 84 kWh |
| Browsing Web browserImage efficiency scaleA to GWeb browserImage efficiency scaleBrand-specific featuresDesignImage efficiency scaleMotion Xcelerator Turbo, Ultimate Schmining ProProduct colour *BlackPamsung technologies (AV/TW)Motion Xcelerator Turbo, Ultimate Schmining ProColour nameTitan BlackWeight dimensions1224.8 mmVESA mounting *Image efficiency scalePopth (with stand)1224.8 mmPanel mounting interfaceKoing *Weight (with stand)75.4 mmStand colourSilverWeight (with stand)124.8 mmStand colourSilverWeight (with stand)124.8 mmPerformanceWidh (with stand)124.8 mmHigh Dynamic Range 10+ (HDR) | Bluetooth version Ethernet I AN * | | | 234 kWh |
| Web browserImage: Additional states of the state states of the states of th | | | Energy efficiency scale | A to G |
| Product colour *Black&K Dimming ProProduct colour *Titan BlackWeight & dimensionsColour nameTitan BlackWeight & dimensionsVESA mounting *Panel mounting interface400 x 300 mmDepth (with stand)1224.8 mmStand typeCenter standHeight (with stand)26.5 kgStand colourSilverWeight (with stand)1224.8 mmPerformanceWidth (without stand)1224.8 mmHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR1) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KWeight (without stand)15.4 kgGame modeStand depth705.3 mmTeletext functionStand depth36 cmAmbient modeAmbient Mode+Ackaging data26.8 cmBrightness detectionAckage typeBoxAl UpscaleAckaging contentAl UpscaleAckage typeAc | Web browser | 1 | Brand-specific features | |
| Colour name Titan Black Weight & dimensions VESA mounting * Image: | Design | | Samsung technologies (AV/TV) | |
| VESA mounting *Item blockWidth (with stand)1224.8 mmPanel mounting interface400 x 300 mmDepth (with stand)267.9 mmStand typeCenter standHeight (with stand)775.4 mmStand colourSilverWeight (with stand)26.5 kgPerformanceHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KWidth (without stand)1224.8 mmGame modeImage (HDR)High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KPepth (without stand)16.4 kgGame modeImage (HDR)Image (HDR)Image (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KStand width36 cmGame modeImage (HDR)Image (HDR)Image (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KStand width36 cmGame modeImage (HDR)Image (HDR)Image (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KStand width36 cmGame modeImage (HDR)Image (HDR)Image (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KStand width36 cmGame modeImage (HDR)Image (HDR)Image (HDR)Image (HDR)Image (HDR)High Dynamic Range (HDR)Image (HDR)Image (HDR)Image (HDR)Image (HDR)High Dynamic Range (HDR)Image (HDR)Image (HDR)Image (HDR)Image (HDR)Game modeImage (HDR)Image (HDR)Image (HDR)Image (HDR)Holpet (HDR)Image (HDR)Image (HDR)Image (HDR)Image | | | Weight & dimensions | - |
| Panel mounting interface400 x 300 mmDepth (with stand)267.9 mmStand typeCenter standHeight (with stand)75.4 mmStand colourSilverWeight (with stand)26.5 kgPerformanceMidh (without stand)1224.8 mmHigh Dynamic Range 10+ (Mb)NoNoNush Oya Quantum HDR 8KMidh (without stand)70.3 mmGame modeImmediate the stand out of the stand | | | 5 | |
| Stand typeCenter standHeight (with stand)775.4 mmStand colourSilverWeight (with stand)26.5 kgPerformanceWidh (without stand)1224.8 mmHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR1) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KWeight (without stand)17.9 mmGame mode✓Stand width705.3 mmTeletext function✓Stand depth36 cmAmbient modeMisent Mode+Stand depth26.8 cmBrightness detection✓Stand Mode+BoxAl Upscale✓Packaging contentStand gententAl Upscale✓Colour mingCables includedAC | | • | | |
| Stand colourSilverWeight (with stand)26.5 kgPerformanceWidh (without stand)1224.8 mmHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KWeight (without stand)705.3 mmGame modeStand width36 cmTeletext function </td <td>5</td> <td></td> <td>• •</td> <td></td> | 5 | | • • | |
| PerformanceWidth (without stand)1224.8 mmHigh Dynamic Range (HDR)High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KDepth (without stand)705.3 mmGame modeImage (MDR)Image (MDR)Image (MDR)Image (MDR)Game modeImage (MDR)Image (MDR)Image (MDR)Teletext functionImage (MDR)Image (MDR)Image (MDR)Ambient modeAmbient Mode+Stand depth26.8 cmAmbient modeImage (MDR)Image (MDR)Image (MDR)Brightness detectionImage (MDR)Image (MDR)Image (MDR)Colour detectionImage (MDR)Image (MDR)Image (MDR)Al UpscaleImage (MDR)Image (MDR)Image (MDR)Backlight dimming technologyLocal DimmingCables includedAC | | | | |
| PerformanceDepth (without stand)17.9 mmHigh Dynamic Range (HDR) technologyHigh Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KDepth (without stand)705.3 mmGame modeImage (MDR)Image (MDR)Image (MDR)Image (MDR)Game modeImage (MDR)Image (MDR)Image (MDR)Teletext functionImage (MDR)Image (MDR)Image (MDR)Ambient modeAmbient Mode+Stand depth26.8 cmBrightness detectionImage (MDR)Package typeBoxColour detectionImage (MDR)Image (MDR)Image (MDR)Al UpscaleImage (MDR)Image (MDR)Image (MDR)Backlight dimming technologyLocal DimmingCables includedAC | Stand colour | Silver | | 5 |
| High Dynamic Range (HDR) Plus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KHeight (without stand)705.3 mmGame modeKeight (without stand)16.4 kgGame modeStand width36 cmTeletext functionStand depth26.8 cmAmbient modeAmbient Mode+Packaging dataBrightness detectionPackage typeBoxColour detectionPackaging contentAl UpscaleLocal DimmingCables includedAC | Performance | | , , | |
| technologyPlus), Hybrid Log-Gamma (HLG), Neo Quantum HDR 8KHols, Hubrid Log-Gamma (HLG), Hubrid Log-Gamma (HLG), Weight (without stand)Pool MiningGame modeStand width36 cmGame modeStand depth26.8 cmTeletext functionStand depth26.8 cmAmbient modeAmbient Mode+Packaging dataBrightness detectionPackage typeBoxColour detectionPackaging contentAl UpscaleCables includedAC | | High Dynamic Range 10+ (HDR10 | • • | |
| Game modeImage: Constraint mbR 8KWeight (Withold stand)16.4 kgGame modeImage: Constraint mbR 8KStand width36 cmTeletext functionImage: Constraint modeStand depth26.8 cmAmbient modeAmbient Mode+Packaging dataPackage typeBoxColour detectionImage: Constraint modePackaging contentImage: Constraint modeAl UpscaleImage: Constraint modeCables includedAC | | | | |
| Teletext functionImage: Ambient Mode+Stand depth26.8 cmAmbient modeAmbient Mode+Packaging dataImage: Ambient Mode+Brightness detectionImage: Ambient Mode+Package typeBoxColour detectionImage: Ambient Mode+Package typeBoxAl UpscaleImage: Ambient Mode+Packaging contentImage: Ambient Mode+Backlight dimming technologyLocal DimmingCables includedAC | | • | | |
| Ambient modeAmbient Mode+Packaging dataBrightness detectionImage: Ambient Mode+Package typeColour detectionImage: Ambient Mode+Package typeAl UpscaleImage: Ambient Mode+Packaging contentBacklight dimming technologyLocal DimmingCables includedAl UpscaleImage: Ambient Mode+Ac | | | | |
| Brightness detection Image: All operations Package type Box Colour detection Image: All operations Package type Box Al Upscale Image: All operations Image: All operations All operations Backlight dimming technology Local Dimming Cables included AC | | ✓ | Stand depth | 26.8 cm |
| Colour detection Package type Box Al Upscale Image: Application of the sector of the s | | Ambient Mode+ | Packaging data | |
| AI Upscale Packaging content Backlight dimming technology Local Dimming Cables included AC | 5 | 4 | Package type | Box |
| Backlight dimming technology Local Dimming Cables included AC | | 4 | Packaging content | |
| | • | ✓ Local Dimming | | A.C. |
| Noise reduction The American | 5 5 57 | - | | |
| Remote control type TM2360E | | < | | |



8806094859997

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.