



TP-Link VIGI NVR4064H network video recorder Black



Brand : TP-Link

Product code: VIGI NVR4064H

Product name : VIGI NVR4064H

- 320 Mbps Incoming Bandwidth and 320 Mbps Outgoing Bandwidth
- 4x SATA Interfaces and 1 Up to 16 TB*
- H.265+ Compression Technology
- HDMI and VGA Simultaneous Output
- Remote Monitoring
- 64-ch, 320Mbps, HDMI, VGA, 4K

[TP-Link VIGI NVR4064H network video recorder Black:](#)

Dual Ethernet Ports Design

Multi-Address Mode

Allows for the implementation of two different gateways

Network Fault-Tolerance

Creates a safeguard or redundancy for your data

Port Aggregation

Realizes bandwidth stack and mutual backup

One-Click System Initialize

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a single click, reducing setup expenses.

Performance		Ports & interfaces	
Video input channels *	64 channels	Audio output	1
Alarm input channels	16	RS-232 ports	1
Alarm output channels	4	Supported network protocols	UPnP (Plug and Play), NTP (Network Timing), SMTP, DNS, TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, RTSP, SSL/TLS, RTP, IPv4, ARP
Number of simultaneously playbacked channels	64 channels		
Video recording modes	720p, 1080p		
Maximum resolution *	3840 x 2160 pixels	Features	
Supported resolutions	3840x2160/30Hz, 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz	Rack mounting	✓
		Reset button	✓
Video motion detection	✓	Buzzer off	✓
Video loss detection	✓	Product colour	Black
Video formats supported	H.264, H.264+, H.265, H.265+	Power	
Backup function	✓	Power consumption (max)	48.38 W
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop	AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz
Input bandwidth	320 Mbit/s	Output current	1.5 A
Output bandwidth	320 Mbit/s	System requirements	
Recording modes	Manual, Schedule	Mobile operating systems supported	Android, iOS
Audio system	2-way	Browser supported	Chrome (57+), Firefox (52+), Edge (91+)
Hard drive		Operational conditions	
HDD capacity *	0 GB	Operating temperature (T-T)	-10 - 55 °C
Number of HDDs supported	4	Operating relative humidity (H-H)	10 - 90%
Maximum storage capacity *	16 TB	Weight & dimensions	
HDD interface *	SATA	Width	440 mm
Ports & interfaces		Depth	330 mm
Ethernet LAN (RJ-45) ports *	2		

Ports & interfaces		Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Height	44 mm
HDMI ports quantity	2	Weight	4 kg
VGA (D-Sub) output ports	1	Package width	440 mm
USB 2.0 ports quantity	2	Package depth	528 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Package height	100 mm
Line-in	✓	Package weight	5 kg
		Packaging content	
		Cables included	AC, Power
		Quick installation guide	✓



4895252500776

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-APR-2025. Prints or copies of Information are only valid on the printed Publication date