



## POLY Savi 8210-M Office DECT 1880-1900 MHz Single Ear Headset

**Brand :** POLY

**Product code:** 8D3J8AA

**Product name :** Savi 8210-M Office DECT 1880-1900 MHz Single Ear Headset

- Being able to talk for a long time on a single charge means work gets done. And with the freedom to roam up to 590 ft/180 m means you can keep the calls going, even away from the desk <sup>[1]</sup>.  
- Today's enterprise and contact center professionals work on a range of devices. Savi 8200 Office Series headset systems have 3-way connectivity – computer, desk phone and mobile phone – for convenient conferencing on up to two devices at once.  
Savi 8210-M Office DECT 1880-1900 MHz Single Ear Headset

**POLY Savi 8210-M Office DECT 1880-1900 MHz Single Ear Headset:**

Power through the noise  
Hearing every word clearly on a call is not a nice-to-have, it is a must-have. With the Poly Savi 8200 Office series, you can tune out noise and nearby conversations with noise-canceling microphone plus close conversation limiting.



| Performance                     |                    | Microphone                 |                      |
|---------------------------------|--------------------|----------------------------|----------------------|
| Product type *                  | Headset            | Microphone frequency       | 35 - 21000 Hz        |
| Wearing style *                 | Head-band          | Microphone sensitivity     | -40 dB               |
| Recommended usage *             | Office/Call center | Microphone direction type  | Omnidirectional      |
| Headset type                    | Monaural           | Folding microphone         | ✓                    |
| Product colour *                | Black              | Microphone noise-canceling | ✓                    |
| Operating keys                  | Volume +, Volume - | Battery                    |                      |
| Volume control                  | Button             | Battery operated           | ✓                    |
| Protection features             | Bump resistant     | Battery type               | Built-in battery     |
| DECT connectable                | ✓                  | Battery technology         | Lithium-Ion (Li-Ion) |
| Signal-to-Noise Ratio (SNR)     | 53 dB              | Battery capacity           | 490 mAh              |
| Hearing protection technologies | SoundGuard DIGITAL | Rechargeable battery       | ✓                    |
| Plug and Play                   | ✓                  | Talk time                  | 13 h                 |
| Ports & interfaces              |                    | Battery recharge time      | 3 h                  |
| Connectivity technology *       | Wireless           | Standby time               | 50 h                 |
| 3.5 mm connector                | ✗                  | Weight & dimensions        |                      |
| USB connectivity                | ✗                  | Width                      | 155 mm               |
| Bluetooth                       | ✓                  | Depth                      | 166 mm               |
| Bluetooth version               | 4.2                | Height                     | 67 mm                |
| Wireless range                  | 180 m              | Weight                     | 115 g                |
| Headphones                      |                    | Packaging data             |                      |
| Ear coupling *                  | Supraaural         | Package width              | 210 mm               |
| Headphone frequency             | 20 - 20000 Hz      | Package depth              | 185 mm               |
| Impedance                       | 32 Ω               | Package height             | 115 mm               |
| Headphone sensitivity           | 118 dB             | Package weight             | 703 g                |

| Headphones        |        | Packaging data    |     |
|-------------------|--------|-------------------|-----|
| Driver unit       | 3.2 cm | Package type      | Box |
| Noise canceling   | ✓      | Packaging content |     |
| Microphone        |        | Base station      | ✓   |
|                   |        | Other features    |     |
| Microphone type * | Boom   | 2.5 mm connector  | ✗   |



0196548585939



196548585939



0196548585878



196548585878



0196548585984



196548585984

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.