

GIGABYTE B850 AORUS ELITE WIFI7 ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+1 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5 LAN, WIFI 7, USB 3.2 Gen 2x2



Brand : GIGABYTE

Product code: B850 A ELITE WF7 ICE

Product name : B850 AORUS ELITE WIFI7 ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+1 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5 LAN, WIFI 7, USB 3.2 Gen 2x2

- Twin 14+2+2 Phases Digital VRM with DrMOS
- Dual Channel DDR5[4*DIMMs
- PCIe Gen5 x16 with PCIe UD Slot & EZ-Latch Plus
- M.2 Gen5 with EZ-Latch Plus, Fully Covered MOSFET Heatsinks
- Wi-Fi 7 with WIFI EZ-Plug & Directional Antenna
- 2.5GbE LAN, Q-Flash Plus

B850 AORUS ELITE WIFI7 ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+1 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5 LAN, WIFI 7, USB 3.2 Gen 2x2

GIGABYTE B850 AORUS ELITE WIFI7 ICE Motherboard - AMD Ryzen 9000 Series CPUs, 12+2+1 Phases Digital VRM, up to 5200MHz DDR5 (OC), 1xPCIe 5.0 + 2xPCIe 4.0 M.2, 2.5 LAN, WIFI 7, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Microphone in	✓
Processor socket *	Socket AM5	WiFi-AP antenna jack	2
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Network	
Supported processor sockets	Socket AM5	Ethernet LAN	✓
Memory			Ethernet interface type
Supported memory types *	DDR5-SDRAM	Top Wi-Fi standard	2.5 Gigabit Ethernet
Number of memory slots *	4	Wi-Fi *	✓
Memory slots type	DIMM	Wi-Fi standards	Wi-Fi 7 (802.11be)
Memory channels	Dual-channel	WLAN controller model	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
ECC compatibility	Non-ECC	Bluetooth	Realtek RTL8922AE
Supported memory clock speeds	4400,4800,5200 MHz	Bluetooth version	✓
Supported memory clock speed (max)	5200 MHz		5.4
Maximum internal memory *	256 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	AMD B850
Maximum internal memory per slot	64 GB	Audio chip	Realtek ALC897
Storage controllers			7.1 channels
Supported storage drive types	HDD & SSD	Product colour	Brown, White
Supported storage drive interfaces *	M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of HDDs supported	4	Component for *	PC
Number of storage drives supported	7	Motherboard form factor *	ATX
RAID support	✓	Motherboard chipset family *	AMD
RAID levels	0, 1, 10	Power source type	ATX
Graphics			Windows operating systems supported
Parallel processing technology support *	Not supported		Windows 10 x64, Windows 11 x64

Graphics		Expansion slots	
Maximum resolution	4096 x 2160 pixels	PCI Express x16 (Gen 4.x) slots	2
HDCP	✓	Number of M.2 (M) slots	3
DirectX version	12.0	1st M.2 largest key size	25110
Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	BIOS memory size	256 Mbit
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	ACPI version	5.0
USB 3.2 Gen 2x2 connectors	1	Clear CMOS jumper	✓
Number of SATA III connectors *	4	Clear CMOS button	✓
Front panel audio connector	✓	Desktop Management Interface (DMI) version	2.7
Front panel connector	✓	System Management BIOS (SMBIOS) version	2.7
ATX Power connector (24-pin)	✓	Logistics data	
CPU fan connector	✓	Country of origin	China
Number of CPU fan connectors	2	Products per shipping (inner) case	1 pc(s)
Number of chassis fan connectors	3	Battery	
Peripheral (Molex) power connectors (4-pin)	1	Battery weight	3 g
EPS power connector (8-pin)	✓	Lithium weight per battery	0.07 g
Number of EPS power connectors (8-pin)	1	Number of battery cells	1
TPM connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Serial port headers	1	Battery type	CR2032
12V power connector	✓	Packaging data	
Number of water pump connectors	2	Package width	335 mm
RGB LED pin header	✓	Package depth	270 mm
Number of RGB LED pin headers	4	Package height	80 mm
Rear panel I/O ports		Package weight	2.46 kg
USB 2.0 ports quantity *	4	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	5	Width	305 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Depth	244 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Height	35 mm
Ethernet LAN (RJ-45) ports *	1	Packaging content	
HDMI ports quantity *	1	Batteries included	✓
DisplayPorts quantity	1	Antenna included	✓
Headphone outputs	1	Screws included	✓
Other features		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
Technical details		Weight	2.16 kg
Warranty period		Warranty period	3 year(s)



4719331866099

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.