Epson EcoTank ET-2951 Inkjet A4 4800 x 1200 DPI 33 ppm Wi-Fi

Brand : Epson Product family: EcoTank Product code: C11CL41403

Product name: ET-2951

A4 Multifunction Wi-Fi Ink Tank Printer, With Up To 3 Years Of Ink Included

Epson EcoTank ET-2951 Inkjet A4 4800 x 1200 DPI 33 ppm Wi-Fi:

Save up to 95% on printing costs* with Epson's cartridge-free EcoTank printers. Supplied with high yield ink bottles, the integrated ink tanks are easy to fill thanks to the specially engineered ink bottles. With no cartridges to replace, and flexible connectivity features, this is the perfect printer for anyone looking for high-quality prints at an incredibly low cost-per-page.

Epson EcoTank ET-2951. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: $4800 \times 1200 \text{ DPI}$, Print speed (colour, normal quality, A4/US Letter): 20 ppm. Scanning: Colour scanning, Optical scanning resolution: $1200 \times 2400 \text{ DPI}$. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black





Printing		Paper handling	
Duplex printing mode	Auto	Borderless printing media sizes	10x15, 13x18, 20x25
Print technology *	Inkjet	Paper tray media weight	64 - 300 g/m²
Printing *	Colour printing	Ports & interfaces	
Duplex printing *	✓	Direct printing *	✓
Maximum resolution *	4800 x 1200 DPI	USB port	,
Print speed (black, normal quality, A4/US Letter) *	33 ppm	Network	•
Print speed (colour, normal quality, A4/US Letter)	20 ppm	Wi-Fi *	✓
Print speed (ISO/IEC 24734) black	15 ppm	Ethernet LAN *	×
Print speed (ISO/IEC 24734) colour Time to first page (black, normal)	8 ppm 9 s	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Time to first page (colour, normal)	15 s	Wi-Fi Direct	✓
Print margin top (min)	0 mm	Security algorithms	64-bit WEP, 128-bit WEP, AES, TKIP, WPA-PSK, WPA2-PSK, WPA3-SAE
Print margin bottom (min) Print margin left (min) Print margin right (min)	0 mm 0 mm 0 mm	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Smart Panel, Mopria Print Service
Print margins (top, bottom, right, left)	3 mm	Design	
Borderless printing	/	Product colour *	Black
Scanning		Market positioning *	Home & office
-		Built-in display *	✓
Duplex scanning *	×	Display	LCD
Scanning *	Colour scanning	Display diagonal	3.81 cm (1.5")
Optical scanning resolution *	1200 x 2400 DPI	Colour display	✓
Scanner type *	Flatbed scanner	Power	
Scan technology	CIS BMP, IPEG, PICT, TIFF, PNG	Power consumption (copying)	13 W
Image formats supported Document formats supported	PDF	Power consumption (ready)	6.2 W
	וטז	Power consumption (sleep)	0.7 W
Fax		Power consumption (off)	0.1 W
Faxing *	×	Energy Star Typical Electricity Consumption (TEC)	0.15 kWh/week
Features		AC input voltage	100 - 240 V
Duplex functions * Number of print cartridges *	Print 4	AC input frequency	50/60 Hz

Features		System requirements	
Printing colours * Page description languages	Black, Cyan, Magenta, Yellow ESC/P-R	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
All-In-One-multitasking	✓		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12
Input & output capacity			Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac
Total number of input trays * Total input capacity * Total output capacity *	1 100 sheets 30 sheets	Mac operating systems supported	
Paper handling			
Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Envelopes sizes Photo paper sizes	A4 Envelopes, Plain paper A4, A5, A6 B5, B6 10, C6, DL 9x13,10x15,13x18,13x20,20x25	Server operating systems supported	OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS X 15.0 Sequoia Windows Server 2008 R2, Windows Server 2008 R2 x64, Windows Server 2013 R2, Windows Server
		Weight & dimensions	
		Width	375 mm
		Depth	347 mm
		Height Weight	187 mm 5.2 kg
		3	5.2 kg
		Packaging content	
		Cartridge(s) included	/
		Included cartridge capacity (black) Included cartridge capacity (CMY)	6600 pages
		Cables included	5500 pages AC
		Warranty card	✓
		Logistics data	
		Harmonized System (HS) code	84433100
		Other features	
		Number of users	2 user(s)
		Print head nozzles	400 nozzles black, 128 nozzles per colour



8715946737317

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.