

Philips B Line 328B1/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black

Brand : Philips Product family: B Line Product code: 328B1/00

Product name : 328B1/00

328B1 LCD monitor with PowerSensor

Philips B Line 328B1/00 LED display 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD Black:

Get your best work done with this Philips monitor. UltraClear 4K UHD gives the space and clarity for your work. Loaded with features to improve productivity and sustainability.

Philips B Line 328B1/00. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Pivot angle	-90 - 90°
Display resolution *	3840 x 2160 pixels	Swivelling	✓
HD type *	4K Ultra HD	Swivel angle range	-180 - 180°
Native aspect ratio *	16:9	Tilt adjustment	✓
Display technology *	LED	Tilt angle range	-5 - 30°
Panel type *	VA	On Screen Display (OSD)	✓
Backlight type	W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Touchscreen *	✗		
Display brightness (typical)	350 cd/m²		
Response time *	4 ms	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Flat	Power	
Aspect ratio	16:9	Energy efficiency class (SDR) *	G
Contrast ratio (typical) *	3000:1	Energy consumption (SDR) per 1000 hours *	40 kWh
Contrast ratio (dynamic)	50000000:1	Power consumption (typical) *	60.3 W
Dynamic contrast ratio marketing name	SmartContrast	Power consumption (standby) *	0.3 W
Maximum refresh rate *	60 Hz	Power consumption (off)	0 W
Viewing angle, horizontal	178°	Power consumption (PowerSave)	37.1 W
Viewing angle, vertical	178°	AC input voltage	100 - 240 V
Display number of colours *	16.7 million colours	AC input frequency	50 - 60 Hz
Pixel pitch	0.18159 x 0.18159 mm	Power supply type	Internal
Pixel density	140 ppi	Energy efficiency scale	A to G
Horizontal scan range	30 - 140 kHz	European Product Registry for Energy Labelling (EPREL) code	399164
Vertical scan range	40 - 60 Hz		
Viewable size, horizontal	69.7 cm		
Viewable size, vertical	39.2 cm		
Digital horizontal frequency	30 - 140 kHz		
Digital vertical frequency	40 - 60 Hz		

Display		Operational conditions	
Display diagonal (metric)	80 cm	Operating temperature (T-T)	0 - 40 °C
DDC/CI	✓	Storage temperature (T-T)	-20 - 60 °C
Haze rate	25%	Operating relative humidity (H-H)	20 - 80%
Surface hardness	3H	Operating altitude	0 - 3658 m
Colour gamut standard	sRGB	Non-operating altitude	0 - 12192 m
Colour gamut	98%	Weight & dimensions	
sRGB coverage (typical)	119%	Width (with stand)	714 mm
NTSC coverage (typical)	98%	Depth (with stand)	280 mm
Adobe RGB coverage	97%	Height (with stand)	649 mm
Display sRGB	✓	Weight (with stand)	11.6 kg
Performance		Width (without stand)	714 mm
NVIDIA G-SYNC *	✗	Depth (without stand)	62 mm
AMD FreeSync *	✗	Height (without stand)	422 mm
VESA Adaptive Sync support	✓	Weight (without stand)	7.54 kg
Component video sync	Separate sync	Packaging data	
Flicker-free technology	✓	Package width	930 mm
Low Blue Light technology	✓	Package depth	186 mm
Multimedia		Package height	563 mm
Number of speakers	2	Package weight	14.8 kg
RMS rated power	6 W	Package type	Box
Built-in speaker(s) *	✓	Packaging content	
Built-in camera *	✗	Stand included	✓
Design		Cables included	HDMI, DisplayPort, AC
Market positioning *	Home	Manual	✓
Product colour *	Black	Bundled software	SmartControl
Front bezel colour	Black	Sustainability	
Feet colour	Black	Doesn't contain	PVC/BFR, Mercury
Ports & interfaces		Other features	
Built-in USB hub *	✓	Exterior finish type	Textured
USB upstream port type	USB Type-B	Picture enhancement	SmartImage
Number of upstream ports	1	Recyclable packaging material	100%
DVI port	✗	Regulatory Approvals	CB; TUV/GS; TUV Ergo; SEMKO; CU-EAC; EAEU RoHS; CCC; CECP; CEL; CE Mark; FCC Class B; ICES-003; UKRAINIAN
HDMI *	✓		
HDMI ports quantity	2	Heavy metals free	Hg (mercury)
HDMI version	2.0	Delta E	2
DisplayPorts quantity	1	Light sensor	✓
DisplayPort version	1.2	EasyRead mode	✓
Audio output	✓	LowBlue mode	✓
HDCP	✓	Philips SmartUniformity	93 - 105%
HDCP version	2.2	Compliance certificates	RoHS
Ergonomics		Mean time between failures (MTBF)	70000 h
VESA mounting *	✓	Certification	CB, TUV/GS, TUV Ergo, SEMKO, CU-EAC, EAEU RoHS, CCC, CECP, CEL, CE Mark, FCC Class B, ICES-003, UKRAINIAN
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓	Recycling data	
Cable lock slot type	Kensington	Post-consumer recycled plastic	85%
Height adjustment *	✓	Logistics data	
Height adjustment	18 cm	Harmonized System (HS) code	85285210
Pivot	✓		




8712581768072



0609585254664



609585254664



8712581774554

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date