## **PHILIPS**

## Philips Evnia 34M2C3500L/00 computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Black

Brand : Philips Product family: Evnia Product code: 34M2C3500L/00

Product name: 34M2C3500L/00

Curved Fast VA Gaming monitor 34M2C3500L WQHD gaming monitor

Philips Evnia 34M2C3500L/00 computer monitor 86.4 cm (34")  $3440 \times 1440$  pixels Wide Quad HD LCD Black:

This Fast VA monitor allows you to game with ultimate precision and speed at 180Hz. With sharp HDR quality imagery, curved frame, and WQHD resolution guaranteed, this monitor produces an excellent all-around gaming experience.

Philips Evnia 34M2C3500L/00. Display diagonal: 86.4 cm (34"), Display resolution:  $3440 \times 1440 \text{ pixels}$ , HD type: Wide Quad HD, Display technology: LCD, Response time: 1 ms, Native aspect ratio: 21:9, Viewing angle, horizontal:  $178^\circ$ , Viewing angle, vertical:  $178^\circ$ . VESA mounting. Product colour: Black





Display		Ports & interfaces	
Display  Display diagonal *  Display resolution *  HD type *  Native aspect ratio *  Display technology *  Panel type *  LED backlight  Backlight type  Touchscreen *  Display brightness (typical)  Response time *  Response time measurement type  Anti-glare screen  Screen shape *  Screen curvature rating  Contrast ratio (typical) *	86.4 cm (34") 3440 x 1440 pixels Wide Quad HD 21:9 LCD Fast VA   W-LED  X 300 cd/m² 1 ms GTG (Gray to Gray)  Curved 1500R 4000:1	DisplayPort version Headphone out * Headphone outputs HDCP HDCP version  Ergonomics VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Tilt adjustment Tilt angle range On Screen Display (OSD)	1.4  1  1  1.4/2.2  1.4/2.2  100 x 100 mm  Kensington  German, Hungarian, Dutch, English, Spanish, Italian, Swedish, Japanese, Polish Portuguese Turkish
Contrast ratio (typical) *  Dynamic contrast ratio marketing name  Maximum refresh rate *  Viewing angle, horizontal  Viewing angle, vertical		On Screen Display (OSD) languages  Number of OSD languages  Plug and Play	Spanish, Italian, Swedish, Japanese, Polish, Portuguese, Turkish, Simplified Chinese, Finnish, Korean, Ukrainian, Traditional Chinese, French, Russian, Greek, Czech 21
Display number of colours *	16.7 million colours	LED indicators	Stand-by, Operation
SmartResponse Pixel pitch Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Display diagonal (metric)	0.5 ms 0.23175 x 0.23175 mm 109.68 ppi 30 - 255 kHz 48 - 180 Hz 79.7 cm 33.4 cm 86.36 cm	Power  Power consumption (typical) *  Power consumption (standby) *  Power consumption (off)  AC input voltage  AC input frequency  Power supply type	31 W 0.5 W 0.3 W 100 - 240 V 50/60 Hz Internal
High Dynamic Range (HDR)	<b>6</b> 0.50 €111	Operational conditions	
supported High Dynamic Range (HDR) technology DDC/CI	High Dynamic Range 10 (HDR10)  ✓	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Operating altitude	0 - 40 °C -20 - 60 °C 20 - 80% 0 - 3658 m

Display		Operational conditions	
Haze rate Surface hardness sRGB coverage (typical)	25% 3H 125%	Non-operating altitude	0 - 12192 m
		Weight & dimensions	
		Width (with stand)	808 mm
NTSC coverage (typical) Adobe RGB coverage	105% 103%	Depth (with stand)	251 mm
J	103 /0	Height (with stand)	464 mm
Performance	Weight (with stand)		7.33 kg
Component video sync	Separate sync	Width (without stand)	808 mm
Flicker-free technology	✓	Depth (without stand) Height (without stand)	69 mm 369 mm
Low Blue Light technology	✓	Weight (without stand)	6.5 kg
Design		, , , , , , , , , , , , , , , , , , ,	0.5 kg
Market positioning *	Gaming	Packaging data	930 mm
Product colour *	Black	Package width Package depth	930 mm 188 mm
Colour name	Charcoal	Package height	480 mm
Ports & interfaces		Package weight	9.47 kg
Built-in USB hub *	×	Packaging content	
HDMI *	<b>✓</b>	Stand included	✓
HDMI ports quantity HDMI version	2 2.0	Cables included	DisplayPort, AC, HDMI
DisplayPorts quantity	2	Manual	✓
		Sustainability	
		Doesn't contain	PVC/BFR, Mercury
		Other features	
		Low input lag	✓
		Compliance certificates	EAC, RoHS, Federal Communications Commission (FCC), CB, CE, TÜV mark, UKCA



8721038001945

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.