

APC Easy 3S uninterruptible power supply (UPS) Doubleconversion (Online) 15 kVA 15000 W

Brand : APC Product code: E3SUPS15KHB

Product name: Easy 3S

- High-efficiency 3-phase UPS that features advanced product features, competitive specifications, and robust electrical design, making business continuity easy in
- Includes: Dust filter, Installation guide

Easy UPS 3S 15 kVA 400 V 3:3 UPS for internal batteries

APC Easy 3S uninterruptible power supply (UPS) Double-conversion (Online) 15 kVA 15000 W:

High-efficiency 3-phase UPS that features advanced product features, competitive specifications, and robust electrical design, making business continuity easy in the data center or electrical room. This is an exceptionally easy to install, operate, maintain, and service 15 kVA UPS, ideal for small and medium businesses. Includes dust filter and conformance-coated boards for harsh environments. This UPS is for internal batteries, but is supplied without batteries, so you can easily customize the battery runtime. For battery runtime details, see the runtime charts published under the Documents tab.


Includes: Dust filter, Installation guide.





| Features | | Design | |
|---------------------------------|----------------------------|------------------------------------|------------------------------------|
| UPS topology * | Double-conversion (Online) | Product colour * | White |
| Output power capacity * | 15 kVA | LED indicators | ✓ |
| Output power * | 15000 W | International Protection (IP) code | IP20 |
| Waveform * | Pure sine | | CE, EAC, IEC 62040-1-1, IEC |
| Input operation voltage (min) * | 304 V | Certification | 62040-2, IEC 62040-3, IEC 62040-4, |
| Input operation voltage (max) * | 477 V | | ISTA 2B, RCM, WEEE REACH |
| Input frequency * | 45/65 Hz | Operational conditions | |
| Output operation voltage (min) | 380 V | Operating temperature (T-T) | 0 - 40 °C |
| Output operation voltage (max) | 415 V | Storage temperature (T-T) | -15 - 40 °C |
| Output frequency | 50/60 Hz | Operating relative humidity (H-H) | 0 - 95% |
| Maximum current | 28 A | Storage relative humidity (H-H) | 0 - 95% |
| Number of input phases | 3 | Operating altitude | 0 - 999.9 m |
| Number of output phases | 3 | Non-operating altitude | 0 - 15000 m |
| Efficiency | 94.5% | Technical details | |
| Input power factor | 0.99 | Compliance certificates | RoHS |
| ECO mode | ✓ | | NOTIS |
| Emergency Power Off (EPO) | ✓ | Weight & dimensions | |
| Output voltage Total Harmonic | 3% | Width | 380 mm |
| Distortion (THD) | 370 | Depth | 928 mm |
| Noise level | 60 dB | Height | 1400 mm |
| Battery | | Weight | 112 kg |
| Battery technology | Sealed Lead Acid (VRLA) | Package width | 563 mm |
| , ,, | 240 V | Package depth | 1014 mm |
| | | Package height | 1640 mm |

| Design | | Weight & dimensions | |
|----------------------------|--------|-----------------------------|----------|
| Form factor * Cooling type | Tower | Package weight | 145 kg |
| | Active | Logistics data | |
| | | Harmonized System (HS) code | 85078000 |
| | | Other features | |
| | | Nominal output voltage | 400 V |
| | | Nominal input voltage | 400 V |





731304340751

0731304340751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.