

GIGABYTE AORUS FO27Q5P OLED QHD Gaming Monitor - 2560 x 1440, 500Hz, 0.03ms, KVM, 300 cd/m², FreeSync Premium Pro, DisplayHDR True Black 500, DisplayPort 2.1

Brand : GIGABYTE

Product code: FO27Q5P EK

Product name : AORUS FO27Q5P OLED QHD Gaming Monitor
- 2560 x 1440, 500Hz, 0.03ms, KVM, 300 cd/m², FreeSync Premium Pro, DisplayHDR True Black 500, DisplayPort 2.1

- 27-inch OLED panel with 2560x1440 QHD Resolution
 - 500Hz refresh rate, 0.03ms response time
 - 10-bit display with 99% DCI-P3 color gamut
 - Ergonomic design: Height, tilt, swivel, and pivot adjustments
 - KVM cross-platform control
 - VESA DisplayHDR True Black 500, AMD FreeSync Premium Pro, ClearMR 21000
 - Supports 2K/ 500Hz via DP 2.1 (UHBR20)
- AORUS FO27Q5P OLED QHD Gaming Monitor - 2560 x 1440, 500Hz, 0.03ms, KVM, 300 cd/m², FreeSync Premium Pro, DisplayHDR True Black 500, DisplayPort 2.1

GIGABYTE AORUS FO27Q5P OLED QHD Gaming Monitor - 2560 x 1440, 500Hz, 0.03ms, KVM, 300 cd/m², FreeSync Premium Pro, DisplayHDR True Black 500, DisplayPort 2.1:

The AORUS FO27Q5P OLED monitor offers stunning QHD visuals with 1.5M:1 contrast and 10-bit color. With 500Hz refresh rate, 0.03ms response time, AMD FreeSync Pro technology, and G-SYNC compatibility, it ensures smooth gameplay. This monitor also includes AI OLED protection, tactical tools, ergonomic design, cooling system, and built-in KVM for multi-device control, perfect for gaming enthusiasts.



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDMI version	2.1
Display resolution *	2560 x 1440 pixels	DisplayPorts quantity	1
HD type *	Quad HD	DisplayPort version	2.1
Native aspect ratio *	16:9	Mini DisplayPorts quantity	1
Display technology *	OLED	Headphone out *	✓
Panel type *	OLED	DC-in jack	✓
Touchscreen *	✗	Ergonomics	
Display brightness (typical)	300 cd/m²	VESA mounting *	✓
Response time *	0.03 ms	Panel mounting interface	100 x 100 mm
Response time measurement type	GTG (Gray to Gray)	Cable lock slot *	✓
Anti-glare screen	✓	Cable lock slot type	Kensington
Screen shape *	Flat	Height adjustment *	✓
Contrast ratio (typical) *	1500000:1	Adjustable height (max)	13 cm
Maximum refresh rate *	500 Hz	Pivot	✓
Viewing angle, horizontal	178°	Pivot angle	0 - 90°
Viewing angle, vertical	178°	Swivelling	✓
Display number of colours *	1.07 billion colours	Swivel angle range	0 - 20°
Pixel pitch	0.2292 x 0.2292 mm	Tilt adjustment	✓
Viewable size, horizontal	59 cm	Tilt angle range	-5 - 20°
Viewable size, vertical	33.4 cm	Power	
High Dynamic Range (HDR) supported	✓	Energy efficiency class (SDR) *	G
High Dynamic Range (HDR) technology	DisplayHDR True Black 500	Energy efficiency class (HDR) *	G
Colour depth	10 bit	Energy consumption (SDR) per 1000 hours *	36 kWh
Colour gamut standard	DCI-P3	Energy consumption (HDR) per 1000 hours *	42 kWh
Colour gamut	99%	Power consumption (standby) *	0.5 W
Performance			
NVIDIA G-SYNC *	✓		

Performance		Power	
AMD FreeSync *	✓	Power consumption (PowerSave)	0.3 W
AMD FreeSync type	FreeSync Premium Pro	AC input voltage	100 - 250 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Multimedia		Power supply type	External
Number of speakers	2	Energy efficiency scale	A to G
RMS rated power	10 W	Weight & dimensions	
Built-in speaker(s) *	✓	Width (with stand)	610.3 mm
Built-in camera *	✗	Depth (with stand)	158.6 mm
Design		Height (with stand)	532.5 mm
Market positioning *	Gaming	Weight (with stand)	7.2 kg
Product colour *	Black	Width (without stand)	610.3 mm
Ports & interfaces		Depth (without stand)	57.2 mm
Built-in USB hub *	✓	Height (without stand)	356.4 mm
USB upstream port type	USB Type-A, USB Type-C	Weight (without stand)	6 kg
Number of USB Type-B upstream ports quantity	1	Packaging data	
Number of USB Type-C upstream ports quantity	1	Package width	900 mm
USB Type-A downstream ports quantity	2	Package depth	190 mm
USB Type-C DisplayPort Alternate Mode	✓	Package height	560 mm
USB Power Delivery (USB PD)	✓	Package weight	11.3 kg
USB Power Delivery up to	18 W	Packaging content	
DVI port	✗	Cables included	DisplayPort, HDMI, USB
HDMI *	✓	Other features	
HDMI ports quantity	2	Hardware calibration	✓
		Warranty period	3 year(s)
		Logistics data	
		Products per shipping (inner) case	1 pc(s)



4719331867751

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.