![brother at your side]

Brother DS-640 scanner Handheld scanner 1200 x 1200 DPI A4 Black, White

Brand : Brother

Product name : DS-640

Product code: DS-640

- 1-sided A4 scanning up to 15 pages per minute
- Compact and portable
- Industry leading software to scan documents, receipts and ID cards
- Power directly from a USB 3.0 port on PC

Micro USB 3.0, 1200 x 1200 dpi, 301 x 50.6 x 36.8 mm, 466 g

Brother DS-640. Maximum scan size: 215.9 x 1828.8 mm, Optical scanning resolution: 1200 x 1200 DPI, Enhanced scan resolution: 1200 x 1200 DPI. Scanner type: Handheld scanner, Product colour: Black, White. Sensor type: CIS, Scan to: E-mail, File, Image, OCR, Scan drivers: SANE, TWAIN, WIA. Maximum ISO A-series paper size: A4, Scanning media types supported: Plain paper, Plastic Card, Card thickness (max): 1.24 mm. USB version: 3.2 Gen 1 (3.1 Gen 1), USB connector type: Micro-USB B, Standard interfaces: USB 3.2 Gen 1 (3.1 Gen 1)

Scanning

Maximum scan size *	215.9 x 1828.8 mm
Optical scanning resolution *	1200 x 1200 DPI
Enhanced scan resolution	1200 x 1200 DPI
Colour scanning	✔
Duplex scanning *	✘
Output colour depth	24 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
Greyscale levels	256
ADF scan speed (b/w, A4)	15 ppm
ADF scan speed (colour, A4)	15 ppm
Black/white scanning colour modes	Grayscale

Design

Scanner type *	Handheld scanner
Product colour *	Black, White
Built-in display *	✘

Performance

Sensor type *	CIS
Scan to	E-mail, File, Image, OCR
Scan drivers	SANE, TWAIN, WIA
Scanning noise level	53 dB
Sound pressure level (max)	42 dB

Paper handling

Scanning media types supported	Plain paper, Plastic Card
Long-paper mode	✔
Maximum ISO A-series paper size *	A4
Card thickness (max)	1.24 mm

Power

Power supply type *	USB
Power consumption (typical)	2.3 W
Power consumption (standby)	1.3 W
Power consumption (off)	0.01 W

Weight & dimensions

Width	301 mm
Depth	50.6 mm
Height	36.8 mm
Weight	466 g

Packaging data

Quantity per pack	1 pc(s)
Package width	377 mm
Package depth	162 mm
Package height	76 mm
Package weight	845 g

Packaging content

Warranty card	✔
Cables included	Micro-USB
Quick start guide	✔

Paper handling	
Auto Document Feeder (ADF) media weight	35 - 270 g/m²

Ports & interfaces	
USB port *	✔
USB version	3.2 Gen 1 (3.1 Gen 1)
USB connector type	Micro-USB B
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

System requirements	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Other features	
Maximum media width	215.9
Scan media weight	35 - 270 g/m²
Maximum media length	182.9 cm

Logistics data	
Harmonized System (HS) code	84716070

4977766800525

0012502657477

012502657477

4977766800495

4977766800549