ASUS ROG Swift OLED PG32UCDMZ computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black

Brand: ASUS Product family: ROG Swift Product code: 90LM09T0-

LED B01371

Product name: PG32UCDMZ

ASUS ROG Swift OLED PG32UCDMZ. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: QD-OLED, Response time: 0.03 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * LED backlight Touchscreen * Display brightness (peak) Response time * Response time measurement type	80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD 16:9 QD-OLED ✓ X 1000 cd/m² 0.03 ms GTG (Gray to Gray)	Ports & interfaces HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Built-in KVM switch HDCP HDCP version Ergonomics	2 2.1 1 1.4 1 1.4 2 2.2
Anti-glare screen Screen shape * Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency Display diagonal (metric) High Dynamic Range (HDR) supported	Flat 1500000:1 240 Hz 178° 178° 0.182 x 0.182 mm 69.9 cm 39.5 cm 30 - 255 kHz 24 - 240 Hz 80 cm	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Swivelling Swivel angle range Tilt adjustment Tilt angle range Picture-in-Picture	✓ 100 x 100 mm ✓ ✓ Kensington ✓ 8 cm ✓ -15 - 15° ✓ -5 - 20° ✓
High Dynamic Range (HDR) technology Colour gamut standard Colour gamut	DisplayHDR 400 True Black, Dolby Vision, High Dynamic Range 10 (HDR10) DCI-P3 99%	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000	G G 33 kWh
Performance NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * AMD FreeSync type	✓ G-SYNC Compatible ✓ FreeSync Premium Pro	hours * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (off) Power consumption (PowerSave) AC input voltage	59 kWh 42 W 0.3 W 0.5 W 100 - 240 V

Performance		Power	
VESA Adaptive Sync support	✓	AC input frequency	50/60 Hz
Flicker-free technology	✓	Energy efficiency scale	A to G
Low Blue Light technology	✓	Weight & dimensions	
Game mode	✓	Width (with stand)	718 mm
Multimedia		Depth (with stand)	274 mm 579 mm
Built-in speaker(s) *	×	Height (with stand) Weight (with stand)	8.8 kg
Built-in camera *	×	Width (without stand)	718 mm
Design		Depth (without stand)	74 mm
Market positioning *	Gaming	Height (without stand)	430 mm
Product colour *	Black	Weight (without stand)	6 kg
Illuminated stand	✓	Packaging data	
Feet colour		Devil and Calife	868 mm
	Black	Package width	868 mm
Ports & interfaces	Black	Package depth	238 mm
	Black	Package depth Package height	238 mm 514 mm
Built-in USB hub *	•	Package depth Package height Package weight	238 mm 514 mm 15.2 kg
Built-in USB hub * USB hub version USB Type-A downstream ports	3.2 Gen 1 (3.1 Gen 1)	Package depth Package height Package weight Package type	238 mm 514 mm
Built-in USB hub * USB hub version USB Type-A downstream ports quantity	•	Package depth Package height Package weight	238 mm 514 mm 15.2 kg Box
Built-in USB hub * USB hub version USB Type-A downstream ports	3.2 Gen 1 (3.1 Gen 1)	Package depth Package height Package weight Package type	238 mm 514 mm 15.2 kg
Built-in USB hub * USB hub version USB Type-A downstream ports quantity USB Type-C downstream ports	3.2 Gen 1 (3.1 Gen 1)	Package depth Package height Package weight Package type Sustainability	238 mm 514 mm 15.2 kg Box Forest Stewardship Council (FSC)
Built-in USB hub * USB hub version USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 1 (3.1 Gen 1)	Package depth Package height Package weight Package type Sustainability Sustainability certificates	238 mm 514 mm 15.2 kg Box Forest Stewardship Council (FSC)



4711636059459

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.