FUJITSU

Fujitsu Intel Xeon Silver 4208 processor 2.1 GHz 11 MB L3

Brand : Fujitsu

Product code: S26361-F4082-L108

Product name : Intel Xeon Silver 4208

Intel Xeon Silver 4208, 11M Cache, 2.1 GHz, 85 W TDP, FCLGA3647
Fujitsu Intel Xeon Silver 4208. Processor family: Intel Xeon Silver, Processor socket: LGA 3647 (Socket P), Processor lithography: 14 nm. Memory channels: Hexa-channel, Maximum internal memory supported by processor: 1 TB, Memory types supported by processor: DDR4-SDRAM. Market segment: Server, Supported instruction sets: AVX-512, Scalability: 2S. Compatibility: PRIMERGY RX2540 M5 PRIMERGY RX2530 M5

Processor	
Processor generation	2nd Generation Intel® Xeon® Scalable
Processor model *	4208
Processor base frequency *	2.1 GHz
Processor family *	Intel Xeon Silver
Processor cores *	8
Processor socket *	LGA 3647 (Socket P)
Component for	Server/workstation
Processor lithography *	14 nm
Processor series	Intel Xeon Silver 4000 Series
Processor threads	16
Processor operating modes *	64-bit
Processor boost frequency	3.2 GHz
Processor cache	11 MB
Processor cache type	L3
Thermal Design Power (TDP)	85 W
Cooler included *	✗
Stepping	R1
Bus type	UPI
Processor codename	Cascade Lake
Memory	
Maximum internal memory supported by processor	1 TB
Memory types supported by processor	DDR4-SDRAM
Memory clock speeds supported by processor	2400 MHz
Memory channels *	Hexa-channel
ECC	✓
Graphics	
On-board graphics card *	✗
Discrete graphics card *	✗
Features	
Execute Disable Bit	✓
Market segment	Server
Maximum number of PCI Express lanes	48
PCI Express slots version	3.0
Supported instruction sets	AVX-512
Scalability	2S
Embedded options available	✗

Features	
Intel® Optane™ Memory module included	✗
Processor special features	
Intel® Hyper Threading Technology (Intel® HT Technology)	✓
Intel® Turbo Boost Technology	2.0
Intel® AES New Instructions (Intel® AES-NI)	✓
Enhanced Intel SpeedStep Technology	✓
Intel Trusted Execution Technology	✓
Intel® Speed Shift Technology	✗
Intel VT-x with Extended Page Tables (EPT)	✓
Intel TSX-NI	✓
Intel 64	✓
Intel Virtualization Technology (VT-x)	✓
Intel Virtualization Technology for Directed I/O (VT-d)	✓
Intel Turbo Boost Max Technology 3.0	✗
AVX-512 Fused Multiply-Add (FMA) units	1
Intel® Volume Management Device (VMD)	✓
Mode-based Execute Control (MBE)	✓
Intel® vPro™ Platform Eligibility	✓
Operational conditions	
Tcase	78 °C
Logistics data	
Harmonized System (HS) code	85423119
Technical details	
Intel® Run Sure Technology version	✗
Number of UPI links	2
Other features	
Compatibility	PRIMERGY RX2540 M5 PRIMERGY RX2530 M5

4059595800300

4063872060875

Publication date: 11-OCT-2024. Prints or copies of Information are only valid on the printed Publication date