

## Epson V11H944940 data projector Ceiling-mounted projector 30000 ANSI lumens 3LCD WUXGA (1920x1200) White

**Brand :** Epson

**Product code:** V11H944940

**Product name :** V11H944940

Epson V11H944940. Projector brightness: 30000 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Zoom type: Auto, Horizontal lens shift range: -30 - 30%, Vertical lens shift range: -65 - 65%. Video processing: 10 bit, Video colour modes: Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709. Noise level: 49 dB, Noise level (economic mode): 41 dB, Country of origin: China



Projector		Features	
Screen size compatibility *	2540 - 25400 mm (100 - 1000")	Interactive *	✗
Projector brightness *	30000 ANSI lumens	Noise level (economic mode)	41 dB
Projection technology *	3LCD	HDCP	✓
Projector native resolution *	WUXGA (1920x1200)	Noise level *	49 dB
Contrast ratio (typical) *	3500:1	Country of origin	China
Native aspect ratio *	16:10	Password protection	✓
Number of colours	1.07 billion colours	<b>Multimedia</b>	
Projector brightness (economic mode)	20000 ANSI lumens	Built-in speaker(s) *	✗
Projector brightness (portrait mode)	30000 ANSI lumens	<b>Design</b>	
Keystone correction, horizontal	-30 - 30°	Market positioning *	Presentation
Keystone correction, vertical	-45 - 45°	Product type *	Ceiling-mounted projector
Matrix size	3.63 cm (1.43")	Product colour *	White
Heat dissipation	7905 BTU/h	Placement	Ceiling, Flying frame
Light source		Power	
Light source type *	Laser	Power source *	AC
Service life of light source *	20000 h	Power consumption (typical) *	2325 W
Service life of light source (economic mode)	30000 h	Power consumption (standby) *	0.5 W
Lens system		Power consumption (economy mode)	1511 W
Zoom type	Auto	AC input voltage	200-240 V
Horizontal lens shift range	-30 - 30%	AC input frequency	50 - 60 Hz
Vertical lens shift range	-65 - 65%	<b>Software</b>	
Lens position memory	10	Software support	via: AMX, Crestron (Network), Extron XTP
Interchangeable lens	✓	<b>Operational conditions</b>	
Video		Storage temperature (T-T)	-10 - 60 °C
Full HD *	✓	Operating relative humidity (H-H)	20 - 80%
3D *	✗	Storage relative humidity (H-H)	10 - 90%
Video processing	10 bit	<b>Weight &amp; dimensions</b>	
Video colour modes	Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709	Width	790 mm
Ports & interfaces		Depth	710 mm
HDBaseT port	✓	Height	299 mm
USB 2.0 ports quantity *	2	Weight *	63.8 kg
USB 2.0 Type-B ports quantity	1	Package width	1060 mm
VGA (D-Sub) ports quantity *	2	Package depth	1180 mm
DVI port *	✓	Package height	525 mm
		Package weight	116.4 kg

Network		Packaging content	
Ethernet LAN *	✓	Remote control included *	✓
Storage		Batteries included	✓
Card reader integrated *		Cables included	AC, HDMI
		WLAN adapter included	✓
		Bundled software	EasyMP Monitor, iProjection
		Logistics data	
		Quantity per pack	1 pc(s)



8715946681825

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-AUG-2024. Prints or copies of Information are only valid on the printed Publication date