GIGABYTE

GIGABYTE B840M AORUS ELITE WIFI6E Motherboard - AMD Ryzen 9000 CPUs, 10+2+2 Phases VRM, up to 8200MHz DDR5(O.C), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B840M A ELT WF6E

Product name : B840M AORUS ELITE WIFI6E Motherboard - AMD Ryzen 9000 CPUs, 10+2+2 Phases VRM, up to 8200MHz DDR5(O.C), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

B840M AORUS ELITE WIFI6E Motherboard - AMD Ryzen 9000 CPUs, 10+2+2 Phases VRM, up to 8200MHz DDR5(O.C), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

GIGABYTE B840M AORUS ELITE WIFI6E Motherboard - AMD Ryzen 9000 CPUs, 10+2+2 Phases VRM, up to 8200MHz DDR5(O.C), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor

Processor manufacturer *	AMD
Processor socket *	Socket AM5
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series
Supported processor sockets	Socket AM5

Memory

Supported memory types *	DDR5-SDRAM
Number of memory slots *	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	Non-ECC
Supported memory clock speeds	8200,8000,7950,7900,7800,7600,7400,7200,7000,6800,6600,6400,6200,6000,5800,5600,5200,4800,4400 MHz
Supported memory clock speed (max)	8200 MHz
Maximum internal memory *	256 GB
Unbuffered memory	✔
Maximum internal memory per slot	64 GB

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III
Number of HDDs supported	4
Number of storage drives supported	6
RAID support	✔
RAID levels	0, 1, 10

Graphics

Parallel processing technology support *	Not supported
Maximum resolution	4096 x 2160 pixels
HDCP	✔
DirectX version	12.0

Internal I/O

USB 2.0 connectors *	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2
Number of SATA III connectors *	4
Front panel audio connector	✔

Rear panel I/O ports

Microphone in	✔
WiFi-AP antenna jack	2

Network

Ethernet LAN	✔
Ethernet interface type	2.5 Gigabit Ethernet
LAN controller	Realtek RTL8125
Wi-Fi *	✔
Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
WLAN controller model	Realtek RTL8852CE
Bluetooth	✔
Bluetooth version	5.3

Features

Motherboard chipset *	AMD B840
Audio chip	Realtek ALC897
Audio output channels *	7.1 channels
Product colour	Dark brown
PC health monitoring	Fan, Temperature, Voltage, Water cooling
Component for *	PC
Motherboard form factor *	micro ATX
Motherboard chipset family *	AMD
Cooling type	Passive
Power source type	ATX
Windows operating systems supported	Windows 10 x64, Windows 11 x64

Expansion slots

PCI Express x16 (Gen 3.x) slots	1
PCI Express x16 (Gen 4.x) slots	1
Number of M.2 (M) slots	2

Internal I/O

Front panel connector	✔
ATX Power connector (24-pin)	✔
CPU fan connector	✔
Number of CPU fan connectors	2
Number of chassis fan connectors	4
EPS power connector (8-pin)	✔
Number of EPS power connectors (8-pin)	1
TPM connector	✔
12V power connector	✔
Number of water pump connectors	2
RGB LED pin header	✔
Number of RGB LED pin headers	4

Rear panel I/O ports

USB 2.0 ports quantity *	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1
Ethernet LAN (RJ-45) ports *	1
PS/2 ports quantity	1
HDMI ports quantity *	1
HDMI version	2.1
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone outputs	1
Line-in	✔

Expansion slots

1st M.2 largest key size	2580
1st M.2 highest PCI Express generation	4.0
2nd M.2 largest key size	22110
2nd M.2 highest PCI Express generation	4.0

BIOS

BIOS type *	UEFI AMI
BIOS memory size	256 Mbit
ACPI version	5.0
Clear CMOS jumper	✔
Desktop Management Interface (DMI) version	2.7
System Management BIOS (SMBIOS) version	2.7

Logistics data

Products per shipping (inner) case	1 pc(s)

Battery

Battery weight	3 g
Lithium weight per battery	0.07 g
Number of battery cells	1
Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Battery type	CR2032

Packaging data

Package width	270 mm
Package depth	268 mm
Package height	68 mm
Package weight	1.59 kg

Weight & dimensions

Width	244 mm
Depth	244 mm
Height	35 mm

Packaging content

Batteries included	✔
Antenna included	✔
Screws included	✔
Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software

Other features

Weight	1.5 kg

Technical details

Warranty period	3 year(s)

4719331867331