


ASUS PRIME H610M-K ARGB Intel H610 LGA 1700 micro ATX

Brand : ASUS

Product code: 90MB1G90-M0EAY0

Product name : PRIME H610M-K ARGB

- Intel LGA 1700 Socket: Ready for 13th and 12th Gen Intel processors
 - Ultrafast Connectivity: PCIe 4.0, 32Gbps M.2 slot, Realtek 1 Gb Ethernet and USB 3.2 Gen 1
 - Comprehensive Cooling: PCH heatsink and Fan Xpert 2+
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers for RGB LED strips, easily synced with Aura Sync-capable hardware
 - Two-Way AI Noise Cancellation: Reduces background noise from the microphone and audio output for crystal-clear communication in games or video conferences
- PRIME H610M-K ARGB Mainboard Socket Intel LGA1700 (H610, micro-ATX, DDR5, PCIe 4.0, M.2, SATA 6Gbit/s, Aura Sync)



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 2.0 ports quantity *	4
Processor socket *	LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium®, Intel® Pentium® Gold	Ethernet LAN (RJ-45) ports *	1
Maximum number of SMP processors	1	PS/2 ports quantity	1
Memory		VGA (D-Sub) ports quantity *	1
		HDMI ports quantity *	1
		HDMI version	2.1
		Headphone outputs	1
		Line-in	✓
Supported memory types *	DDR5-SDRAM	Microphone in	✓
Number of memory slots *	2	Network	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	Gigabit Ethernet
Non-ECC	✓	Wi-Fi *	✗
Supported memory clock speeds	4800,5000,5200,5400,5600 MHz	Features	
Supported memory clock speed (max)	5600 MHz	Motherboard chipset *	Intel H610
Maximum internal memory *	96 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
		Motherboard chipset family *	Intel
		Cooling type	Passive
		Power source type	ATX
		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Supported storage drive types	HDD & SSD	Expansion slots	
Supported storage drive interfaces *	M.2, SATA	PCI Express x1 (Gen 3.x) slots	1
Number of HDDs supported	4	PCI Express x16 (Gen 4.x) slots	1
Number of storage drives supported	5	Number of M.2 (M) slots	1
Graphics		BIOS	
Parallel processing technology support *	Not supported	BIOS type *	UEFI AMI
Internal I/O			
USB 2.0 connectors *	1		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1		
Number of SATA III connectors *	4		
S/PDIF out connector	✓		

Internal I/O		BIOS	
Front panel audio connector	✓	BIOS memory size	128 Mbit
ATX Power connector (24-pin)	✓	Packaging data	
CPU fan connector	✓	Package width	270 mm
Number of chassis fan connectors	2	Package depth	263 mm
EPS power connector (8-pin)	✓	Package height	51.5 mm
Number of COM connectors	1	Package weight	820 g
TPM connector	✓	Weight & dimensions	
12V power connector	✓	Width	234 mm
RGB LED pin header	✓	Depth	203 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Other features	
		Weight	470 g



4711387313350

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date