## Philips S Line 275S9JAL/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black

Brand : Philips

Product family: S Line

Product code: 275S9JAL/00

Product name : 275S9JAL/00

## Business Monitor 275S9JAL LCD monitor

Philips S Line 275S9JAL/00 computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black:

Our S Line monitor delivers business efficiency. Features like Flicker-free and LowBlue mode make work easy on the eyes and increase your productivity.

Philips S Line 275S9JAL/00. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black





## Display

Display diagonal \* Display resolution \* HD type \* Native aspect ratio \* Display technology \* Panel type \* Backlight type Touchscreen \* Display brightness (typical) Response time \* Anti-glare screen Screen shape \* Supported graphics resolutions Contrast ratio (typical) \* Contrast ratio (dynamic) Dynamic contrast ratio marketing name Maximum refresh rate \* Viewing angle, horizontal Viewing angle, vertical Display number of colours \* Pixel pitch Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Display diagonal (metric) DDC/CI

68.6 cm (27") 2560 x 1440 pixels Quad HD 16:9 LCD VA W-LED × 300 cd/m<sup>2</sup> 4 ms 1 Flat 2560 x 1440 4000:1 5000000:1 SmartContrast 75 Hz 178° 178° 16.7 million colours 0.2331 x 0.2331 mm 108.79 ppi

30 - 114 kHz 48 - 75 Hz

59.7 cm

33.6 cm

68.5 cm

1

Ports & interfaces	
AC (power) in	1
Ergonomics	
VESA mounting *	1
Panel mounting interface	100 x 100 mm
Cable lock slot *	1
Cable lock slot type	Kensington
Tilt adjustment	1
Tilt angle range	-5 - 25°
On Screen Display (OSD)	1
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Plug and Play	✓
LED indicators	Operation, Stand-by
LED indicators Power	Operation, Stand-by
	Operation, Stand-by F
Power	
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000	F
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours *	F 26 kWh
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) *	F 26 kWh 17.9 W
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) *	F 26 kWh 17.9 W 0.3 W 0.3 W 15.1 W
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) Power consumption (PowerSave) AC input voltage	F 26 kWh 17.9 W 0.3 W 0.3 W 15.1 W 100 - 240 V
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency	F 26 kWh 17.9 W 0.3 W 0.3 W 15.1 W 100 - 240 V 50 - 60 Hz
Power Energy efficiency class (SDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) Power consumption (PowerSave) AC input voltage	F 26 kWh 17.9 W 0.3 W 0.3 W 15.1 W 100 - 240 V

Display		Power	
Haze rate	25%	European Product Registry for	1000770
Surface hardness	ЗН	Energy Labelling (EPREL) code	1289778
Colour depth	8 bit	Operational conditions	
sRGB coverage (typical)	119%	Operating temperature (T-T)	0 - 40 °C
NTSC coverage (typical)	97%	Storage temperature (T-T)	-20 - 60 °C
Display sRGB	✓	Operating relative humidity (H-H)	20 - 80%
Performance		Operating altitude	0 - 3658 m
NVIDIA G-SYNC *	×	Non-operating altitude	0 - 12192 m
AMD FreeSync *	×	Weight & dimensions	
Fast charging	✓	Width (with stand)	614 mm
VESA Adaptive Sync support	1	Depth (with stand)	226 mm
Component video sync	Separate sync	Height (with stand)	477 mm
Flicker-free technology	v	Weight (with stand)	5.1 kg
Low Blue Light technology	1	Width (without stand)	614 mm
		Depth (without stand)	55 mm 367 mm
Multimedia		Height (without stand) Weight (without stand)	4.46 kg
Number of speakers	2	-	4.40 Kg
RMS rated power	4 W	Packaging data	
Built-in speaker(s) *	✓	Package width	690 mm
Built-in camera *	×	Package depth	141 mm
Design		Package height	453 mm
Product colour *	Black	Package weight	7 kg
Frameless design	<ul> <li>Image: A set of the set of the</li></ul>	Packaging content	
Front bezel colour	Black	Stand included	1
Feet colour	Black	Cables included	HDMI, AC
Ports & interfaces		Manual	1
Built-in USB hub *	1	Bundled software	SmartControl
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-B	Sustainability certificates	ENERGY STAR, TCO
Number of upstream ports	1	Doesn't contain	Mercury, PVC/BFR
Number of USB Type-B upstream	1	Other features	
ports quantity USB Type-A downstream ports		Exterior finish type	Textured
quantity	2	Picture enhancement	SmartImage
HDMI *	1	Recyclable packaging material	100%
HDMI ports quantity	1		CB; CE Mark; CU-EAC; EAEU RoHS;
HDMI version	1.4	Regulatory Approvals	FCC Class B; ICES-003; TUV Ergo; TUV/GS
DisplayPorts quantity	1	EasyRead mode	<ul> <li>•</li> <li>•</li> </ul>
DisplayPort version	1.2	LowBlue mode	· ·
Audio output	✓	Compliance certificates	RoHS
HDCP	✓	Mean time between failures (MTBF)	
HDCP version	1.4	Recycling data	
			0.50/
		Post-consumer recycled plastic	85%



8712581796402

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.