

USB C to HDMI 2.0 Adapter with Power Delivery - 4K 60Hz USB Type-C to HDMI Display Video Converter - 60W PD Pass-Through Charging Port - Thunderbolt 3 Compatible - Black

Product ID: CDP2HDUCP



This USB-C™ to 4K HDMI® adapter connects an HDMI display to your laptop or MacBook with USB Type-C. The USB C to HDMI adapter features USB Power Delivery, so you can power your laptop while outputting video, using the same USB-C port. The adapter is also available in white (CDP2HDUCPW), so you can choose an adapter that matches the style of your laptop.

Power and Video in One Port with USB Power Delivery

Smaller and lighter laptops are great for portability but you're left with fewer connectivity ports. This USB-C video adapter supports USB Power Delivery up to 60 watts and features an additional USB-C port, so you can charge your laptop using its USB-C power adapter, even while you output video. Many laptops like Dell XPS and MacBook Pro support charging through your USB-C port with USB Power Delivery, check your specifications to confirm compatibility.





Enjoy Astonishing Picture Quality with Video Resolutions up to 4K 60Hz

To ensure the UHD quality of your video signal is maintained the USB Type C to HDMI adapter supports HDMI resolutions up to $3840 \times 2160 \text{ } 60\text{Hz}$, including popular high-definition resolutions like 1080p and 720p.

Stylish Connectivity for Your Ultrabook or Any Laptop

This USB C to HDMI converter has an all-black housing and built-in USB-C cable designed to match your Ultrabook or laptop. The adapter is compatible with any device that supports USB-C DP Alt Mode.

The CDP2HDUCP is backed by a 3-year StarTech.com warranty and free lifetime technical support.





Certifications, Reports and Compatibility











Applications

- · Connect to any HDMI display while travelling
- Connect your BYOD laptop to an HDMI display at work, school or home while charging your laptop
- Present on a large HDMI display using your USB-C laptop

Features

- HIGH PERFORMANCE: USB-C (DP 1.2 Alt Mode) to HDMI 2.0 active adapter lets you connect a single HDMI display supporting 4K 60Hz UHD (4096x2160/3840x2160); compatible w/ HDCP 2.2/1.4 & Thunderbolt 3
- 60W PD PASS THROUGH CHARGING: This black USB-C video converter with PD allows up to 60W Power Delivery to power & charge your laptop while displaying video on an HDMI display using a single USB-C port
- COMPATIBILITY: Works w/ DisplayPort over USB Type-C (TB3 compatible) laptops like Lenovo ThinkPad X1 Carbon, Dell XPS 13, HP EliteBook, TB3 MacBook Pro 13 / Air, Surface Book 3/Laptop 3, Chromebook
- DISPLAY COMPATIBILITY: Tested for peak performance at 4K 60Hz on HDMI monitors, projectors and HDTVs incl Dell, Samsung, LG, Asus, Acer, BenQ, Sony, NEC & Epson; backward compatible w/ 1080p
- EASY TO USE: USB C to HDMI adapter supports a driverless plug & play setup & works w/ macOS, iPadOS, Windows, Chrome OS & Linux | Compatible w/ Thunderbolt 3 & previous versions of DisplayPort



Data Sheet

	Warranty	3 Years
Hardware	AV Input	USB-C
	AV Output	HDMI - 2.0
	Chipset ID	Parade - PS176 VIA/VLI - VL100
Performance	Audio Specifications	HDMI - 7.1 Channel Audio
	Maximum Cable Distance To Display	23 ft [7 m]
	Maximum Digital Resolutions	3840 x 2160 @ 60Hz
	Supported Resolutions	3840 x 2160 @ 60Hz 2560 x 1600 2048 x 1280 1920 x 1200 1920 x 1080 1280 x 720 1680 x 1050 1600 x 900 1440 x 900 1360 x 768 1280 x 800 1280 x 768 Lower resolutions and refresh rates may also be supported
	Video Revision	HDMI 2.0
	Wide Screen Supported	Yes
Connector(s)	Connector A	1 - USB-C (24 pin) DisplayPort Alt Mode Male Input
	Connector B	1 - HDMI (19 pin) Female Output
		1 - USB-C (24 pin) USB Power Delivery only Female Input
Special Notes / Requirements	System and Cable Requirements	Your USB-C port must support DisplayPort over USB-C (DP Alt mode) in order to work with this adapter
Power	Power Delivery	60W
Environmental	Humidity	0~90% RH
	Operating Temperature	0°C to 40°C (32°F to 104°F)
	Storage Temperature	-20°C to 70°C (-4°F to 158°F)
Physical Characteristics	Cable Length	3.9 in [100 mm]
	Color	Black
	Material	Plastic



Data Sheet

Product Height 0.5 in [1.3 cm] Product Length 2 in [50 mm] Product Width 1.3 in [33 mm] Weight of Product 0.8 oz [24 g] Packaging Information Package Height 1.3 in [32 mm] Package Length 6.9 in [17.4 cm] Package Width 5.7 in [14.6 cm] Shipping (Package) Weight 0.2 lb [0.1 kg] What's in the Box Included in Package 1 - USB-C to HDMI Adapter			
Product Width Weight of Product 0.8 oz [24 g] Packaging Information Package Height 1.3 in [32 mm] Package Length Package Width 5.7 in [14.6 cm] Shipping (Package) Weight 0.2 lb [0.1 kg]		Product Height	0.5 in [1.3 cm]
Weight of Product Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight Package Wight Package Wight		Product Length	2 in [50 mm]
Packaging Information Package Height Package Length Package Width Package Width Shipping (Package) Weight Package Width O.2 lb [0.1 kg]		Product Width	1.3 in [33 mm]
Package Length 6.9 in [17.4 cm] Package Width 5.7 in [14.6 cm] Shipping (Package) Weight 0.2 lb [0.1 kg]		Weight of Product	0.8 oz [24 g]
Package Width 5.7 in [14.6 cm] Shipping (Package) Weight 0.2 lb [0.1 kg]		Package Height	1.3 in [32 mm]
Shipping (Package) Weight 0.2 lb [0.1 kg]		Package Length	6.9 in [17.4 cm]
		Package Width	5.7 in [14.6 cm]
What's in the Box Included in Package 1 - USB-C to HDMI Adapter		Shipping (Package) Weight	0.2 lb [0.1 kg]
	What's in the Box	Included in Package	1 - USB-C to HDMI Adapter

Product appearance and specifications are subject to change without notice.