

TP-Link AC750 Wi-Fi Range Extender

Brand: TP-Link Product code: RE200 V2

Product name: AC750 Wi-Fi Range Extender

- Boosts wireless signal to previously unreachable or hard-to-wire areas flawlessly
- Compatible with 802.11 b/g/n and 802.11ac Wi-Fi devices
- Dual band speeds up to 750Mbps
- Miniature size and wall-mounted design make it easy to deploy and move flexibly
- Ethernet port allows the Extender to function as a wireless adapter to connect wired devices
- Works with any Wi-Fi router or wireless access point

IEEE 802.11ac/b/g/n, 2.4 - 5GHz, 10/100Mbps

TP-Link AC750 Wi-Fi Range Extender. Type: Network repeater, Data transfer rate: 750 Mbit/s, Ethernet LAN data rates: 10,100 Mbit/s. Antenna type: Internal. Cabling technology: 10/100Base-T(X), Networking standards: IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi standards: 802.11b, 802.11g, Wi-Fi 4 (802.11n). Product colour: White. Power consumption (typical): 6.5 W





Performance		Design	
Type *	Network repeater 750 Mbit/s 10,100 Mbit/s Windows 2000, Windows 2000 Professional, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 Fro, Windows 98SE, Windows NT, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Home Basic, Windows Vista Home Basic, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows	Reset button	✓
Data transfer rate		Power	
Windows operating systems supported		Power consumption (typical)	6.5 W
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
		Width	110 mm
		Depth	65.8 mm
		Height	75.2 mm
		Packaging content	
		Cables included	LAN (RJ-45)
		Quick start guide	✓
		Packaging data	
		Package width	156.5 mm
		Package depth	101.5 mm
		Package height	89 mm
	XP Professional x64	Package weight	200 g
Mac operating systems supported	•	Certificates	
Linux operating systems supported	✓	Compliance certificates	RoHS
Antenna		Other features	
Antennas quantity Antenna type	3 Internal	Operating temperature (T-T)	32 - 104 °F

Network

Cabling technology 10/100Base-T(X)

IEEE 802.11ac, IEEE 802.11b, IEEE Networking standards

802.11g, IEEE 802.11n

Wi-Fi

Wi-Fi standards 802.11b, 802.11g, Wi-Fi 4 (802.11n)

Wi-Fi data rate (max) 433 Mbit/s

Wi-Fi band Dual-band (2.4 GHz / 5 GHz) Security algorithms

128-bit WEP, 152-bit WEP, 64-bit WEP, WPA-PSK, WPA2-PSK


Wi-Fi Multimedia (WMM)/(WME)

Ports & interfaces

Ethernet LAN (RJ-45) ports 1

Design

Product colour White









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.