

Philips 1000 series 27E1N1900AE/00 LED display 68.6 cm (27")  
3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : Philips

Product family: 1000 series

Product code:  
27E1N1900AE/00

Product name :  
27E1N1900AE/00

Monitor 27E1N1900AE USB-C monitor

Philips 1000 series 27E1N1900AE/00 LED display 68.6 cm (27") 3840 x 2160 pixels 4K Ultra HD LCD Black:

View all tasks with this monitor in 4K quality, which produces incredibly sharp imagery. In addition, this monitor's IPS panel and HDR-grade visuals, along with its Height Adjustable Stand (HAS), make for a great monitor for any task.

Philips 1000 series 27E1N1900AE/00. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Cable lock slot *	✓
Native aspect ratio *	16:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	IPS	Height adjustment	10 cm
LED backlight	✓	Tilt adjustment	✓
Backlight type	W-LED	Tilt angle range	-5 - 20°
Touchscreen *	✗	On Screen Display (OSD)	✓
Display brightness (typical)	350 cd/m²	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Response time *	4 ms		
Anti-glare screen	✓		
Screen shape *	Flat	Number of OSD languages	21
Contrast ratio (typical) *	1000:1	Plug and Play	✓
Dynamic contrast ratio marketing name	Mega Infinity DCR	LED indicators	Operation, Stand-by
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	F
Viewing angle, vertical	178°	Power consumption (typical) *	26.97 W
Display number of colours *	1.07 billion colours	Power consumption (standby) *	0.5 W
Pixel pitch	0.1554 x 0.1554 mm	Power consumption (off)	0.3 W
Pixel density	163.18 ppi	AC input voltage	100 - 240 V
Horizontal scan range	30 - 140 kHz	AC input frequency	50/60 Hz
Vertical scan range	40 - 60 Hz	Power supply type	Internal
Viewable size, horizontal	59.8 cm	Operational conditions	
Viewable size, vertical	33.6 cm	Operating temperature (T-T)	0 - 40 °C
Display diagonal (metric)	68.6 cm		
High Dynamic Range (HDR) supported	✓		

Display		Operational conditions	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Storage temperature (T-T)	-20 - 60 °C
DDC/CI	✓	Operating relative humidity (H-H)	20 - 80%
Haze rate	25%	Operating altitude	0 - 3658 m
Surface hardness	3H	Non-operating altitude	3658 - 12192 m
Colour depth	8 bit	Weight & dimensions	
Display sRGB	✓	Width (with stand)	613 mm
Performance		Depth (with stand)	220 mm
Fast charging	✓	Height (with stand)	492 mm
Fast charging technology	Power Delivery 3.0	Weight (with stand)	5.97 kg
Component video sync	Separate sync	Width (without stand)	613 mm
Flicker-free technology	✓	Depth (without stand)	54 mm
Low Blue Light technology	✓	Height (without stand)	365 mm
Multimedia		Weight (without stand)	4.2 kg
Number of speakers	2	Packaging data	
RMS rated power	4 W	Package width	780 mm
Built-in speaker(s) *	✓	Package depth	160 mm
Built-in camera *	✗	Package height	447 mm
Design		Package weight	8.68 kg
Market positioning *	Home	Packaging content	
Product colour *	Black	Stand included	✓
Ports & interfaces		Cables included	AC, HDMI, USB Type-C to USB Type-C
Built-in USB hub *	✓	Manual	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability	
USB upstream port type	USB Type-C	Doesn't contain	Lead, Mercury
Number of USB Type-C upstream ports quantity	1	Other features	
USB Type-A downstream ports quantity	2	Compatible operating systems	Mac OS X Windows 11 / 10
HDMI *	✓	Exterior finish type	Textured
HDMI ports quantity	2	Picture enhancement	SmartImage
HDMI version	2.0	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CB, CE mark, TUV/ISO9241-307, TUV-BAUART, EAC, EEC RoHS, VCCI, UKCA, EMP, FCC, ICES-003
HDCP	✓	Heavy metals free	Hg (mercury), Pb (lead)
HDCP version	1.4/2.2	Delta E	2
		Adaptive synchronisation	✓
		EasyRead mode	✓
		LowBlue mode	✓
		Philips SmartUniformity	93 - 105%
		Compliance certificates	RoHS
		Mean time between failures (MTBF)	50000 h



8712581805791

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date