


peerless-AV[®]

SEAMLESS KITTED⁺

Series dvLED Mounting Systems






The SEAMLESS Kitted+ Series is an adaptable range of substructures for the SEAMLESS Kitted Series dvLED Mounting System. For any application where mounting directly to a wall is not an option, the Kitted+ Series offers a choice of substructure categories – Free Standing / Mobile Trolley / Bolt Down / Floor-to-Wall / Floor-to-Ceiling– to safely support the total load of a dvLED video wall or all-in-one display. Kitted+ series offers a slim, space saving design and facilitates a quick and easy dvLED video wall installation for any corporate reception, retail display, hospitality venue, showroom, event or entertainment setting.

SEAMLESS KITTED⁺ DS-LEDKMT Models - Mobile Trolley

Open frame
allows ease of cable management and convenient installer access for servicing and maintenance



Industry leading tri-axis adjustment
makes mounting to imperfect walls quick and easy and delivers a flawless, flat finish

Extrusion
Extrusion is available to a maximum height of 2.4m

Heavy duty locking castors
Enable safe and effortless room to room manoeuvrability

Compatible Brands:

Abgen

BARCO

INFILED

LG | Business Solutions


SEAMLESS KITTED⁺

- Adaptable, kitted solution for installations where mounting direct to a wall is not an option
- Modular design provides scalability in installation configuration and size
- Open frame allows ease of cable management and convenient installer access for servicing and maintenance
- Anodised aluminium finish for a durable, decorative appearance
- Integrated cable management in concealed channels provides a clean, clutter-free appearance
- Compatible with all Kitted Series mounts, offering peace of mind when designing solutions or if project specs change

SEAMLESS KITTED⁺

DS-LEDKFS Models - Free Standing


- Extrusion is available to a maximum height of 2.4m



SEAMLESS KITTED⁺

DS-LEDKBD Models - Bolt Down


- Extrusion is available to a maximum height of 2.4m
- Quad post levelling on the floor plate allows tilt adjustments to be made at each corner to achieve a perfectly level surface



SEAMLESS KITTED⁺

DS-LEDKFC Models - Floor-to-Ceiling


- Extrusion is available to a maximum height of 3.6m on floor-to-ceiling substructures
- Quad post levelling on the floor plate allows tilt adjustments to be made at each corner to achieve a perfectly level surface



SEAMLESS KITTED⁺

DS-LEDKFW Models - Floor-to-Wall

- Extrusion is available to a maximum height of 6m on floor-to-wall substructures
- Quad post levelling on the floor plate allows tilt adjustments to be made at each corner to achieve a perfectly level surface



PHILIPS

SHARP / NEC

SONY

Unilumin

Visit Peerless-AV.com for the current list of compatible latching dvLED display models



For over 80 years, passion and innovation continue to drive Peerless-AV forward. We proudly design and manufacture the highest quality products, including outdoor displays and TVs, complete integrated kiosks, video wall mounting systems, professional trolleys and stands, and more. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way. For more information, visit www.peerless-av.com.



peerless-av.com



+44 (0) 1923 200 100