GIGABYTE B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand: GIGABYTE Product code: B650 AERO G

Product name: B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

RO RO

B650 AERO G 1.0 AMD AM5 ATX Motherboard 4x DDR5 \sim 128GB,3x PCle x16, 3x M.2, 4x SATA 6, 7x USB 3.2, 1x USB-C, 2x USB 2.0

GIGABYTE B650 AERO G Motherboard - Supports AMD Ryzen 8000 CPUs, up to 8000MHz DDR5 (OC), 1xPCle 5.0 + 2xPCle 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor			Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets		AMD Socket AM5 AMD Ryzen™ 5, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen Socket AM5	HDMI ports quantity * HDMI version DisplayPorts quantity DisplayPort version Headphone outputs	1 2.1 2 1.4 3
Maximum internal memory supported by processor		192 GB	Microphone in USB connector type	✓ USB Type-A, USB Type-C
Memory Supported memory types *	DDR5-SDRAM		Network	
Supported memory types * Number of memory slots * Memory slots type Memory channels Non-ECC Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities	4 DIMM Dual-channel 4 4400,4800,5200,5600, MHz 8000 MHz 192 GB	,6000,6200,6400,6600,6666,6800,7000,7200,7600,7800,8000 12GB, 16GB, 32GB, 48GB	Ethernet LAN Ethernet interface type	✓ 2.5 Gigabit Ethernet ✓ Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-F 6 (802.11ax), Wi-Fi 6E (802.11ax)
Unbuffered memory			WLAN controller model	
Storage controllers	5			RZ616
Supported storage drive types Supported storage drive interfaces *		HDD & SSD 6 M.2, SATA III	Bluetooth Bluetooth version	√ 5.2
Number of HDDs supported		4	Features	
Number of storage d RAID support RAID levels	rives supported	7 √ 0, 1, 10	Motherboard chipset * Audio output channels * Product colour	AMD B650 7.1 channels Black
Graphics			PC health monitoring	Fan, Temperature, Voltage
Parallel processing to support * Maximum resolution HDCP DirectX version	echnology	Not supported 4096 x 2160 pixels ✓ 12.0	Component for * Motherboard form factor * Motherboard chipset family * Power source type Windows operating systems	PC ATX AMD ATX Windows 10 x64. Windows 11 x64
Number of displays supported		3	supported	
Internal I/O			Expansion slots	
USB 2.0 connectors *	k	2	PCI Express x1 slots PCI Express x16 slots	1 1

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1)	1	PCI Express x16 (Gen 4.x) slots	1
connectors *		Number of M.2 (M) slots	3
USB 3.2 Gen 2x2 connectors Number of SATA III connectors *	1	BIOS	
Total number of SATA connectors	4	BIOS type *	UEFI AMI
Front panel audio connector	4	BIOS memory size	256 Mbit
Front panel connector	1	ACPI version	5.0
ATX Power connector (24-pin)	,	Clear CMOS jumper	✓
CPU fan connector	1	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	√	System Management BIOS	2.7
TPM connector	·	(SMBIOS) version	2.7
Serial port headers 12V power connector	1	Logistics data	
RGB LED pin header	,	Country of origin	China
		Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports USB 2.0 ports quantity *	2	Battery	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A		Battery weight	3 g
ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 2 (3.1 Gen 2) Type-A	3	Number of battery cells	1
ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
ports quantity *	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
PS/2 ports quantity	1	Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	2.49 kg
		Weight & dimensions	-
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		• •	CATA
		Cables included Batteries included	SATA ✓
			*
		Technical details	
		Warranty period	3 year(s)





4719331848972

0889523033708



889523033708

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.