

Philips 4050 series 50BDL4050Q/00 Signage Display Digital signage flat panel 127 cm (50") 500 cd/m² 4K Ultra HD Black Built-in processor Android 10

Brand : Philips Product family: 4050 series Product code: 50BDL4050Q/00

Product name :
50BDL4050Q/00

50", 3840 x 2160, 16:9, 500 cd/m², 4000:1, 8 ms, Android 10, HDMI, USB, DVI-I, RJ-45, 2x 10W RMS
Philips 4050 series 50BDL4050Q/00. Product design: Digital signage flat panel. Display diagonal: 127 cm (50"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD.
Operating system installed: Android 10. Product colour: Black

Display		Design	
Panel type	VA	Bezel width (side)	1.49 cm
Display diagonal *	127 cm (50")	Bezel width (top)	1.49 cm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	500 cd/m²	On Screen Display (OSD)	✓
HD type *	4K Ultra HD	Mean time between failures (MTBF)	50000 h
Native aspect ratio	16:9	Power	
Response time	8 ms	Power consumption (typical) *	47 W
Contrast ratio (typical)	4000:1	Power consumption (standby) *	0.5 W
Contrast ratio (dynamic)	500000:1	Energy efficiency class (SDR)	E
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Display number of colours	1.07 billion colours	Computer system	
Pixel pitch	0.2854 x 0.2854 mm	Computer system *	✓
Display diagonal (metric)	125.7 cm	Built-in processor *	✓
Native refresh rate	60 Hz	Processor manufacturer	ARM
Haze rate	25%	Processor family	ARM Cortex
Ports & interfaces		Processor model	A55
HDMI ports quantity *	2	Internal memory	3 GB
HDMI version	2.0	On-board graphics card model	ARM Mali-G52
DVI port *	✓	Internal storage capacity	16 GB
DVI-I ports quantity	1	Operating system installed	Android 10
USB port *	✓	Video formats supported	H.263, H.264, H.265, MPEG1, MPEG2, MPEG4, VP9
USB ports quantity	5	Audio formats supported	AAC, HE-AAC, MPEG
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)	Image formats supported	BMP, JPEG, PNG, WEBP
Ethernet LAN *	✓	Weight & dimensions	
Ethernet LAN (RJ-45) ports	1	Display width	1128.4 mm
Audio (L/R) in	1	Display depth	63.5 mm
Audio (L/R) out	1	Display height	649 mm
RS-232C	✓	Display weight	14.3 kg
Card reader integrated	✓	Packaging content	
Compatible memory cards	MicroSD (TransFlash)	Remote control included	✓
Audio		Batteries included	✓
Built-in speaker(s) *	✓	Cables included	Power, RS-232
Number of built-in speakers	2	Operational conditions	
RMS rated power	10 W	Operating temperature (T-T)	0 - 40 °C
Design		Operating relative humidity (H-H)	20 - 80%
Product design *	Digital signage flat panel	Storage temperature (T-T)	-20 - 60 °C
Placement supported *	Indoor	Storage relative humidity (H-H)	5 - 95%
Orientation	Horizontal/Vertical		
Product colour *	Black		

Design		Certificates	
Screen shape	Flat	Certification	CB, CE, FCC, Class A, VCCI, RoHS, UL
VESA mounting *	✓		
Panel mounting interface	400 x 400 mm		
Bezel width (bottom)	1.49 cm		



8721038101720

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.