


Product datasheet

Specifications



APC NetShelter SX Server Rack Gen 2, 48U, 2258H x 800W x 1070D mm, w/ Side, Black

AR3187B2

Overview

Lead Time Usually in Stock

Main

Product Or Component Type	Rack enclosure
Number Of Rack Unit	48U
Provided Equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	2258 mm
Width	800 mm
Depth	1070 mm
Net Weight	180.74 kg
Mounting Preference	No preference
Mounting Mode	Not rack-mountable
Maximum Mounting Depth	0.91 m
Minimum Mounting Depth	0.286 m
Rack Width	19"
Marking	14 gauge EIA mounting rail
Permanent Permissible Load	1020.58 kg dynamic 1814.37 kg static

Conformance

Standards	UL 2416 EIA-310E
-----------	---------------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	239.5 cm
Package 1 Width	94.8 cm

Package 1 Length 115.8 cm

Package 1 Weight 220 kg

Logistical informations

Country Of Origin CN

Contractual warranty

Warranty 5 year repair or replace

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)



Transparency RoHS/REACH

Well-being performance

- Reach Free Of Svhc

- Toxic Heavy Metal Free

- Mercury Free

- Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations