



# TP-Link TL-WR841N wireless router Fast Ethernet Single-band (2.4 GHz) White

Brand : TP-Link

Product code: TL-WR841N

Product name : TL-WR841N

TP-Link TL-WR841N. WAN connection type: RJ-45. Wi-Fi band: Single-band (2.4 GHz), Top Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN data transfer rate (max): 300 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Security algorithms: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Firewall security: SPI. Supported network protocols: IPv4, IPv6



| WAN connection                     |                                     | Protocols                      |                                         |
|------------------------------------|-------------------------------------|--------------------------------|-----------------------------------------|
| Ethernet WAN *                     | ✓                                   | DHCP client                    | ✓                                       |
| DSL WAN *                          | ✗                                   | DHCP server                    | ✓                                       |
| SIM card slot *                    | ✗                                   | Universal Plug and Play (UPnP) | ✓                                       |
| 3G/4G USB modem compatibility *    | ✗                                   | Supported network protocols    | IPv4, IPv6                              |
| WAN connection type                | RJ-45                               | Design                         |                                         |
| Wireless LAN features              |                                     | Product colour                 | White                                   |
| Wi-Fi band *                       | Single-band (2.4 GHz)               | Product type *                 | Tabletop router                         |
| Top Wi-Fi standard *               | Wi-Fi 4 (802.11n)                   | Certificates                   |                                         |
| WLAN data transfer rate (max) *    | 300 Mbit/s                          | Compliance certificates        | Federal Communications Commission (FCC) |
| Wi-Fi standards                    | 802.11b, 802.11g, Wi-Fi 4 (802.11n) | Packaging content              |                                         |
| Network                            |                                     | Cables included                | LAN (RJ-45)                             |
| Ethernet LAN *                     | ✓                                   | AC adapter included            | ✓                                       |
| Ethernet LAN interface type *      | Fast Ethernet                       | Quick installation guide       | ✓                                       |
| Ethernet LAN data rates            | 10,100 Mbit/s                       | Sustainability                 |                                         |
| Cabling technology                 | 10/100Base-T(X)                     | Sustainability compliance      | ✓                                       |
| Port forwarding                    | ✓                                   | Antenna                        |                                         |
| Port triggering                    | ✓                                   | Antenna design *               | External                                |
| Dynamic DNS (DDNS)                 | ✓                                   | Antennas quantity              | 2                                       |
| Number of guest networks (2.4 GHz) | 1                                   | Transmit power                 | 30 dBmW                                 |
| Ports & interfaces                 |                                     | Features                       |                                         |
| Ethernet LAN (RJ-45) ports *       | 4                                   | Built-in processor             | ✓                                       |
| USB port *                         | ✗                                   | Processor cores                | 1                                       |
| Management features                |                                     | Power                          |                                         |
| Quality of Service (QoS) support   | ✓                                   | Power source type *            | DC                                      |
| Reset button                       | ✓                                   |                                |                                         |

| Security            |                                                 | Power               |        |
|---------------------|-------------------------------------------------|---------------------|--------|
| Security algorithms | WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise | Output voltage      | 9 V    |
| Firewall            | ✓                                               | Output current      | 0.6 A  |
| Firewall security   | SPI                                             | Weight & dimensions |        |
| Filtering           | ✓                                               | Width               | 173 mm |
| URL filtering       | ✓                                               | Depth               | 118 mm |
| DMZ support         | ✓                                               | Height              | 33 mm  |
|                     |                                                 | Packaging data      |        |
|                     |                                                 | Package width       | 288 mm |
|                     |                                                 | Package depth       | 202 mm |
|                     |                                                 | Package height      | 86 mm  |
|                     |                                                 | Package weight      | 620 g  |



6935364051242

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-DEC-2024. Prints or copies of Information are only valid on the printed Publication date