

GIGABYTE B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B760I AORUS PRO


Product name : B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2



Mini-ITX, LGA 1700 socket, Intel B760 Express chipset, 2x DDR5 DIMM, Wi-Fi 6E, Bluetooth 5.3, AMI UEFI BIOS

GIGABYTE B760I AORUS PRO Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 8000MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



| Processor | | Rear panel I/O ports | |
|--|---|-------------------------------------|---|
| Processor manufacturer * | Intel | HDMI ports quantity * | 1 |
| Processor socket * | LGA 1700 | HDMI version | 2.0 |
| Compatible processor series * | Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold | DisplayPorts quantity | 1 |
| | | DisplayPort version | 1.2 |
| Supported processor sockets | LGA 1700 | Headphone outputs | 2 |
| Maximum internal memory supported by processor | 96 GB | Microphone in | ✓ |
| Memory | | S/PDIF out port | ✓ |
| | | WiFi-AP antenna jack | 2 |
| Supported memory types * | DDR5-SDRAM | USB connector type | USB Type-A, USB Type-C |
| Number of memory slots * | 2 | Network | |
| Memory slots type | DIMM | Ethernet LAN | ✓ |
| Memory channels | Dual-channel | Ethernet interface type | 2.5 Gigabit Ethernet |
| ECC | ✓ | Wi-Fi * | ✓ |
| Non-ECC | ✓ | Top Wi-Fi standard | Wi-Fi 6E (802.11ax) |
| Supported memory clock speeds MHz | 4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800,8000 | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax) |
| Supported memory clock speed (max) | 8000 MHz | | |
| Maximum internal memory * | 96 GB | Bluetooth | ✓ |
| Supported memory module capacities | 1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB | Bluetooth version | 5.3 |
| Unbuffered memory | ✓ | Features | |
| Storage controllers | | Motherboard chipset * | Intel B760 Express |
| Supported storage drive types | HDD & SSD | Audio output channels * | 7.1 channels |
| Supported storage drive interfaces * | M.2, SATA III | Product colour | Black |
| Number of HDDs supported | 2 | PC health monitoring | Fan, Temperature, Voltage, Water cooling |
| Number of storage drives supported | 4 | | |
| RAID support | ✓ | Component for * | PC |
| RAID levels | 0, 1 | Motherboard form factor * | mini ITX |
| Graphics | | Motherboard chipset family * | Intel |
| Parallel processing technology support * | Not supported | Windows operating systems supported | Windows 10 x64, Windows 11 x64 |
| Maximum resolution | 4096 x 2304 pixels | Expansion slots | |
| HDCP | ✓ | PCI Express x16 slots | 1 |
| DirectX version | 12.0 | | |
| Internal I/O | | | |
| USB 2.0 connectors * | 1 | | |

| Internal I/O | | Expansion slots | |
|---|---|--|------------------------------------|
| USB 3.2 Gen 1 (3.1 Gen 1) connectors * | 2 | Number of M.2 (M) slots | 2 |
| Number of SATA III connectors * | 2 | BIOS | |
| Total number of SATA connectors | 2 | BIOS type * | UEFI AMI |
| Audio connector | ✓ | BIOS memory size | 256 Mbit |
| Front panel audio connector | ✓ | ACPI version | 5.0 |
| Front panel connector | ✓ | Clear CMOS jumper | ✓ |
| ATX Power connector (24-pin) | ✓ | Desktop Management Interface (DMI) version | 2.7 |
| CPU fan connector | ✓ | System Management BIOS (SMBIOS) version | 2.7 |
| Chassis intrusion connector | ✓ | Logistics data | |
| EPS power connector (8-pin) | ✓ | Country of origin | China |
| 12V power connector | ✓ | Products per shipping (inner) case | 1 pc(s) |
| RGB LED pin header | ✓ | Battery | |
| Rear panel I/O ports | | Battery weight | 3 g |
| USB 2.0 ports quantity * | 2 | Lithium weight per battery | 0.07 g |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 4 | Number of battery cells | 1 |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity * | 1 | Battery technology | Lithium-Manganese Dioxide (LiMnO2) |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity * | 1 | Battery type | CR2032 |
| Ethernet LAN (RJ-45) ports * | 1 | Packaging data | |
| | | Package width | 235 mm |
| | | Package depth | 227 mm |
| | | Package height | 95 mm |
| | | Package weight | 1.49 kg |
| | | Weight & dimensions | |
| | | Width | 170 mm |
| | | Depth | 170 mm |
| | | Height | 35 mm |
| | | Packaging content | |
| | | Cables included | SATA |
| | | Bundled software | Norton Internet Security |
| | | Technical details | |
| | | Warranty period | 3 year(s) |



4719331854843



0889523037317



889523037317

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date