

Ricoh fi-7600 ADF + Manual feed scanner 600 x 600 DPI A3 Black, White

Brand : Ricoh

Product code: PA03740-B501

Product name : fi-7600

- Straight paper path and Paper Picking Control function to ensure stable paper feeding
 - Manual Feed Mode for handling various thicknesses and sizes
 - Paper Protection function and Skew Reducer to protect important documents
 - Back-lit LCD panel for easy operation
 - Independent Side Guides to easily align mixed batches
- fi-7600 - ADF, 50.8 x 69 mm - 304.8 x 431.8 mm, 2x CCD, 600dpi, USB 3.1, 11 kg

Ricoh fi-7600 ADF + Manual feed scanner 600 x 600 DPI A3 Black, White:

The fi-7600 achieves scanning speeds of 100 ppm/200 ipm (A4 landscape, color, 200/300 dpi), is capable of loading up to 300 sheets at a time and scanning up to as many as 44,000 sheets a day. With its high quality technologies and user-friendly design, the scanner is suitable for continuous high volume scanning. The scanner's ability to scan various documents such as thin paper, plastic cards, envelopes and long page documents boosts user productivity.



| Scanning | | Weight & dimensions | |
|---|--|-----------------------------|--|
| Maximum scan size * | 304.8 x 5588 mm | Width | 236 mm |
| Optical scanning resolution * | 600 x 600 DPI | Depth | 432 mm |
| Colour scanning | ✓ | Height | 214 mm |
| Duplex scanning * | ✓ | Weight | 11 kg |
| Output colour depth | 24 bit | Packaging data | |
| Output greyscale depth | 8 bit | Quantity per pack | 1 pc(s) |
| Output monochrome depth | 1 bit | Package width | 396 mm |
| ADF scan speed (b/w, A4) | 100 ppm | Package depth | 595 mm |
| ADF scan speed (colour, A4) | 100 ppm | Package height | 506 mm |
| Duplex ADF scan speed (b/w, A4) | 200 ipm | Package weight | 16 kg |
| Duplex ADF scan speed (colour, A4) | 200 ipm | Packaging content | |
| Black/white scanning colour modes | Grayscale, Monochrome | Cables included | AC, USB |
| Design | | Quick start guide | ✓ |
| Scanner type * | ADF + Manual feed scanner | AC adapter included | ✓ |
| Product colour * | Black, White | ADF paper chute | ✓ |
| Display | LCD | Stacker | ✓ |
| Built-in display * | ✓ | Drivers included | ✓ |
| Performance | | Bundled software | PaperStream Capture, PaperStream IP, Software Operation Panel, Error Recovery Guide, Scanner Central Admin tools |
| Sensor type * | Dual CCD | Sustainability | |
| Light source | White LED (4x) | Sustainability certificates | ENERGY STAR |
| Daily duty cycle (max) * | 44000 pages | | |
| Scan drivers | ISIS, TWAIN | | |
| Input capacity | | | |
| Auto document feeder (ADF) input capacity | 300 sheets | | |
| Paper handling | | | |
| Scanning media types supported | Envelopes, Plain paper, Plastic Card, Thin paper | | |
| Multi feed detection | ✓ | | |
| Maximum ISO A-series paper size * | A3 | | |
| ISO A-series sizes (A0...A9) | A3, A3+, A4, A5, A6, A7, A8 | | |
| Auto Document Feeder (ADF) media weight | 20 - 413 g/m ² | | |
| Maximum scan area (ADF) | 304.8 x 431.8 mm | | |
| Minimum scan area (ADF) | 50.8 x 69 mm | | |

| Ports & interfaces | | System requirements | | |
|--|---------------------------|-------------------------------------|--|--------------|
| USB port * | ✓ | | Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64 | |
| USB version | 3.2 Gen 2 (3.1 Gen 2) | | | |
| Socket connector type | C5 | | | |
| Standard interfaces | USB 3.2 Gen 1 (3.1 Gen 1) | | | |
| Power | | Windows operating systems supported | Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64 | |
| Power supply type * | AC | | | |
| Power consumption (typical) | 64 W | | | |
| Power consumption (standby) | 0.35 W | | | |
| Power consumption (off) | 0.35 W | | | |
| Power consumption (PowerSave) | 1.7 W | | | |
| Input voltage | 100-240 V | Server operating systems supported | | |
| Operational conditions | | | | |
| Operating temperature (T-T) | | | | 5 - 35 °C |
| Operating relative humidity (H-H) | | | | 20 - 80% |
| Other features | | Downloadable software | ScanSnap Manager, Scan to Microsoft SharePoint, ABBYY FineReader, 2D barcode | |
| Compliance certificates | | | | RoHS |
| Selectable background colour | | | | ✓ |
| Background colours | | | | Black, White |
| Logistics data | | Country of origin | Indonesia | |
| Pallet gross length | | | | 121.9 cm |
| Pallet gross width | | | | 101.6 cm |
| Harmonized System (HS) code | | | | 8471607000 |
| Paper packaging weight | | | | 2.4 kg |
| Metal packaging weight | | | | 0 g |
| Wood packaging weight | | | | 0 g |
| Plastic packaging weight | | | | 15 g |
| Products per pallet (air) | | | | 10 pc(s) |
| Products per pallet (sea) | | | | 15 pc(s) |
| Pallet height (sea) | | | | 166.8 cm |
| Pallet height (air) | | | | 116.2 cm |
| Cardboard packaging weight | | | | 1.2 kg |
| Foil packaging weight | | | | 15 g |
| Polystyrene (EPS/EPP) packaging weight | | | | 200 g |
| Glass packaging weight | | | | 0 g |



4939761309021

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.