



DELL S Series SE2222H LED display 54.5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL

Product family: S Series

Product code: DELL-SE2222H

Product name : SE2222H

- 54.48cm (21.45") Full HD 1920 x 1080 LED VA

- 12ms, 16:9, 250cd/m², 3000:1

- VGA, HDMI

54.48cm (21.45") Full HD 1920 x 1080 LED VA, 16:9, 250cd/m², 16.7M, 12ms, 178°/178°, 3000:1

DELL S Series SE2222H LED display 54.5 cm (21.4") 1920 x 1080 pixels Full HD LCD Black:

Maximize space and view your screen with fewer distractions with this 21.5" Full HD monitor featuring three-sided slim bezels and a compact stand base.

DELL S Series SE2222H. Display diagonal: 54.5 cm (21.4"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 12 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting. Product colour: Black



Display		Power	
Display diagonal *	54.5 cm (21.4")	Energy efficiency class (HDR) *	Not available
Display resolution *	1920 x 1080 pixels	Energy consumption (SDR) per 1000 hours *	14 kWh
HD type *	Full HD	Power consumption (typical) *	14.1 W
Native aspect ratio *	16:9	Power consumption (standby) *	0.3 W
Display technology *	LCD	Power consumption (max)	22 W
Panel type *	VA	Power consumption (off)	0.3 W
Backlight type	LED	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Display brightness (typical)	250 cd/m ²	Power supply type	Internal
Response time *	12 ms	European Product Registry for Energy Labelling (EPREL) code	557072
Anti-glare screen	✓	Operational conditions	
Screen shape *	Flat	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	1920 x 1080 (HD 1080)	Storage temperature (T-T)	-20 - 60 °C
Contrast ratio (typical) *	3000:1	Operating relative humidity (H-H)	10 - 80%
Maximum refresh rate *	60 Hz	Storage relative humidity (H-H)	5 - 90%
Viewing angle, horizontal	178°	Operating altitude	0 - 5000 m
Viewing angle, vertical	178°	Non-operating altitude	0 - 12192 m
Display number of colours *	16.7 million colours	Weight & dimensions	
Response time (fast)	8 ms	Width (with stand)	504.3 mm
Pixel pitch	0.249 x 0.241 mm	Depth (with stand)	178.8 mm
Pixel density	103 ppi	Height (with stand)	384.1 mm
Horizontal scan range	30 - 83 kHz	Weight (with stand)	2.67 kg
Vertical scan range	48 - 75 Hz	Width (without stand)	504.3 mm
Viewable size, horizontal	47.9 cm	Depth (without stand)	49.2 mm
Viewable size, vertical	26 cm	Height (without stand)	295.4 mm
Display diagonal (metric)	54.48 cm	Weight (without stand)	2.34 kg
High Dynamic Range (HDR) supported	✗	Bezel width (side)	1.28 cm
Colour gamut standard	sRGB		

Display		Weight & dimensions	
Colour gamut	72%	Bezel width (top)	1.28 cm
Performance		Bezel width (bottom)	1.69 cm
Flicker-free technology	✓	Packaging data	
Multimedia		Package width	129 mm
Built-in speaker(s) *	✗	Package depth	565.9 mm
Built-in camera *	✗	Package height	355.1 mm
Design		Package weight	4.4 kg
Market positioning *	Business	Packaging content	
Product colour *	Black	Stand included	✓
Front bezel colour	Black	Cables included	AC, HDMI, VGA
Detachable stand	✓	Sustainability	
Feet colour	Black	Doesn't contain	PVC/BFR
Ports & interfaces		Carbon footprint	
VGA (D-Sub) ports quantity	1	Total carbon footprint (kg of CO2e)	492
HDMI *	✓	Total carbon emissions, standard deviation (kg of CO2e)	129
HDMI ports quantity	1	Carbon emissions, manufacturing (kg of CO2e)	319
HDMI version	1.4	Carbon emissions, logistics (kg of CO2e)	19
Network		Carbon emissions, energy usage (kg of CO2e)	152
Wi-Fi	✗	Carbon emissions, end-of-life (kg of CO2e)	2
Ergonomics		Total carbon emissions, w/o use phase (kg of CO2e)	340
VESA mounting *	✓	PAIA version	1.3.2
Panel mounting interface	100 x 100 mm	Other features	
Cable lock slot *	✓	Heavy metals free	Hg (mercury)
Height adjustment *	✗	Compliance certificates	RoHS
Pivot	✗	Logistics data	
Swivelling	✗	Harmonized System (HS) code	85285210
Tilt adjustment	✓		
Tilt angle range	-5 - 21°		
On Screen Display (OSD)	✓		
Power			
Energy efficiency class (SDR) *	E		



5397184505038

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 11-OCT-2024. Prints or copies of Information are only valid on the printed Publication date