## Samsung Galaxy A26 17 cm (6.7") Dual SIM Android 15 5G USB Type-C 8 GB 256 GB 5000 mAh Black

**Brand :** Samsung **Product family:** Galaxy **Product code:** SM-A266BZKCEUB

Product name: Galaxy A26

- Big screen with a thin bezel
- Strong durability
- Awesome Intelligence for the first time

SM-A266BZKCEUB

Samsung Galaxy A26. Display diagonal: 17 cm (6.7"), Display resolution: 1080 x 2340 pixels. Processor family: Samsung Exynos. RAM capacity: 8 GB, Internal storage capacity: 256 GB. Rear camera resolution (numeric): 50 MP, Rear camera type: Triple camera. SIM card capability: Dual SIM. Operating system installed: Android 15. Battery capacity: 5000 mAh. Product colour: Black. Weight: 200 g



Display		Camera		
Display diagonal *	17 cm (6.7")	Camera image formats supp	orted	DNG, HEIF, JPEG
Screen shape	Flat	Network		
Display technology marketing name Display glass type Gorilla Glass version Display resolution * Display number of colours Maximum refresh rate Display brightness Pixel density	Super AMOLED Gorilla Glass Gorilla Glass 7 1080 x 2340 pixels 16 million colours 120 Hz 800 cd/m² 387 ppi	SIM card capability * Mobile network generation * SIM card type * 3G standards * 4G standard * Top Wi-Fi standard * Wi-Fi standards Bluetooth *	Sub6 FDI Wi-Fi 5 (8	& LTE-FDD D, Sub6 TDD (02.11ac) 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5
Processor		Bluetooth version	5.3	
Processor family * Processor cores	Samsung Exynos	3G bands supported 4G bands supported		1900,2100 MHz 850,900,1500,1800,1900,2100,2300,2500,2600
Processor boost frequency	o 2.4 GHz	5G bands supported	700,800, MHz	850,900,1800,2100,2300,2500,2600,3500,3700
Storage		4G data rate (max) 5G data rate (max)	1200 Mbi 2.33 Gbit	
User memory	234.3 GB	Wi-Fi Direct Near Field Communication (NFC)	1	
RAM capacity *	8 GB		•	
Internal storage capacity *	256 GB MicroSD (TransFlash)	Ports & interfaces		
Compatible memory cards *  Maximum memory card size	2 TB	USB connector type USB version		USB Type-C 2.0
Camera		Headphone connectivity		USB Type-C
Rear camera sensor size	1/2.76"	Design		
Second rear camera sensor size	1/4.0"	Form factor *		Bar
Third rear camera sensor size	1/5.0"	Product colour *		Black
Rear camera resolution (numeric) *	50 MP	International Protection (IP)	code	IP67
Second rear camera resolution (numeric)	8 MP	Performance		
Third rear camera resolution (numeric)	2 MP	Wireless charging Fingerprint reader		×
Rear camera aperture number	1.8	5 .		•
Second rear camera aperture number	2.2	Navigation GPS (satellite)		<b>√</b>
Third roor comore aporture number	2.4			
Third rear camera aperture number	2.4	GLONASS		<b>y</b>
Rear camera pixel size	0.64 μm	GLONASS BeiDou		<b>v</b>
•		GLONASS BeiDou Galileo		* *

CameraNavigationRear camera field of view (FOV) angle77°Quasi-Zenith Satellite System (QZSS)Second rear camera field of view (FOV) angle120°Position location *Third rear camera field of view (FOV) angle89°MultimediaDigital zoom10x3GA, AAC, AMR, AWB, FLAC, IMY, Front camera type *Front camera sensor size1/3.0"Audio formats supportedM4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMFFront camera resolution (numeric) *13 MPVideo formats supported3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBMFront camera aperture number2.2Front camera pixel size1.12 μmSoftware
Angle  Second rear camera field of view (FOV) angle  Third rear camera field of view (FOV) angle  Third rear camera field of view (FOV) angle  Third rear camera field of view (FOV) angle  B9°  Audio system  Dolby Atmos  3GA, AAC, AMR, AWB, FLAC, IMY,  Front camera type *  Front camera sensor size  1/3.0"  Audio formats supported  M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTITL, RTX, WAV, XMF  3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM  Front camera aperture number  2.2
(FOV) angle Third rear camera field of view (FOV) angle  Digital zoom  10x  Front camera sensor size Front camera resolution (numeric) * 13 MP  Front camera aperture number  120  Multimedia  Audio system  Audio formats supported  Audio formats supported  M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTITL, RTX, WAV, XMF  3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM  Feature
(FOV) angle  B9°  Audio system  Dolby Atmos  3GA, AAC, AMR, AWB, FLAC, IMY,  Front camera type *  Front camera sensor size  Front camera resolution (numeric) *  Front camera aperture number  2.2  Audio system  Dolby Atmos  3GA, AAC, AMR, AWB, FLAC, IMY,  M4A, Mid, MIDI, MP3, MXMF, OGA,  OGG, OTA, RTITL, RTX, WAV, XMF  3G2, 3GP, AVI, FLV, M4V, MKV, MP4,  WEBM
Digital zoom 10x 3GA, AAC, AMR, AWB, FLAC, IMY, Front camera type * Single camera 1/3.0" 44A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF Front camera resolution (numeric) * 13 MP Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM  Feature
Front camera type * Single camera Audio formats supported M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF 1/3.0"  Front camera resolution (numeric) * 13 MP Video formats supported Video formats supported WEBM  Front camera aperture number 2.2
Front camera sensor size 1/3.0  Front camera resolution (numeric) * 13 MP Video formats supported 3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM  Front camera aperture number 2.2
Front camera aperture number 2.2 Software
Front camera aperture number 2.2
Front camera nivel size 1 1 2 µm Software
·
Front camera field of view (FOV) 80° Platform * Android
angle Operating system installed * Android 15
Rear camera flash *
Flash type LED Gmail, Google Chrome, Google Maximum frame rate 480 fps Google applications Drive, Google Meet, Google Play, 1280x720@30fps,
1920v1080@30fns Pattony
1920x1080@60fps,
3040x2100@30ip5
Rear camera type * Triple camera Battery Capacity * 5000 mAn  Auto focus ✓ Sensors
Outside Control Contro
Night mode
- Annich light school
Panorama ✓ Gyroscope ✓
Portrait mode Geomagnetic sensor
Macro photography  Power
Slow motion mode  ✓ USB Type-C charging port ✓
Slow motion rate 480 fps in HD, 240 fps in HD USB Power Delivery (USB PD) ✓
USB Type-C required charging power (min) *
USB Type-C required charging power (max) * 25 W
Weight & dimensions
Width 77.5 mm
Height 164 mm
Weight * 200 g
Packaging content
AC adapter included * X



8806097072805

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.