GIGABYTE

GIGABYTE A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCIe 4.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE

Product code: A620M DS3H

Product name : A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 1

- AMD Socket AM5□Supports AMD Ryzen[™] 7000 Series Processors
- Unparalleled Performance[]5+2+2 Phases Digital VRM Solution
- Dual Channel DDR5[]4*SMD DIMMs with AMD EXPO[™] & Intel® XMP Memory Module Support
- SuperSpeed Storage PCIe 4.0 x4 M.2 Connector
- EZ-Latch PCIe x16 Slot with Quick Release Design
- Fast Networks GbE LAN
- Extended Connectivity DP, HDMI, D-Sub
- Smart Fan 6 Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP
- Q-Flash Plus Update BIOS Without Installing the CPU, Memory and Graphics Card

AMD A620, Socket AM5, 4 x DDR5, 6400 MT/s, 1 x DisplayPort, 1 x HDMI, 1 x D-Sub, 4 x SATA, Micro ATX

GIGABYTE A620M DS3H Motherboard - Supports AMD Ryzen 8000 CPUs, 5+2+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 1xPCle 4.0 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.

Processor			Rear panel I/O ports	
Processor manufacturer *		AMD	HDMI ports quantity *	1
Processor socket *		Socket AM5	HDMI version	2.1
Compatible processor series *		AMD Ryzen™ 5, AMD Ryzen 7 7th Gen, AMD Ryzen 9 7th Gen	DisplayPorts quantity DisplayPort version	1 1.4
Supported processor sockets		Socket AM5	Headphone outputs	3
Maximum internal memory supported by processor		192 GB	Microphone in USB connector type	✓ USB Type-A, USB Type-C
Memory			21	озв турс-д, озв турс-с
Supported memory types *	DDR5-SDRAM 4 DIMM Dual-channel		Network	
Memory slots type			Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet ★
Supported memory clock speeds	4800,52 MHz	200,5600,6000,6200,6400,6800,7000,7200,7600	⁾ Features	
Supported memory clock speed 7600 M		Hz	Motherboard chipset *	AMD A620
Maximum internal memory *	192 GB		Audio output channels *	7.1 channels
Supported memory module	1GB. 20	B, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Product colour	Brown
capacities Unbuffered memory	1		PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers			Component for *	PC
Supported storage drive typ	es	HDD & SSD	Motherboard form factor *	micro ATX
Supported storage drive interfaces		* M.2, SATA III	Motherboard chipset family *	AMD
Number of HDDs supported Number of storage drives supported		1	Windows operating systems supported	Windows 10 x64, Windows 11 x64
5 11		1	Expansion slots	
RAID levels		0, 1, 10	PCI Express x1 slots	1
Graphics			PCI Express x16 slots	1
- Parallel processing technology		Number of M.2 (M) slots	1	
support *		Not supported	BIOS	
Maximum resolution		4096 x 2160 pixels	BIOS type *	UEFI AMI
HDCP		✓	BIOS memory size	256 Mbit
DirectX version		12.0	ACPI version	5.0






al I/O		BIOS	
2.0 connectors *	1	Clear CMOS jumper	✓
3.2 Gen 1 (3.1 Gen 1) nectors *	1	Desktop Management Interface (DMI) version	2.7
nber of SATA III connectors * al number of SATA connectors	4 4	System Management BIOS (SMBIOS) version	2.7
ont panel audio connector	✓	Logistics data	
ont panel connector X Power connector (24-pin)	4	Country of origin Products per shipping (inner) case	China 1 pc(s)
PU fan connector	4	Battery	
PS power connector (8-pin) PM connector 2V power connector GB LED pin header	* * *	Battery weight Lithium weight per battery Number of battery cells	3 g 0.07 g 1
ear panel I/O ports		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
SB 2.0 ports quantity *	4	Battery type	CR2032
SB 3.2 Gen 1 (3.1 Gen 1) Type-A orts quantity *	1	Packaging data	
thernet LAN (RJ-45) ports * 5/2 ports quantity	1	Package width Package depth Package height	265 mm 265 mm 54 mm
/GA (D-Sub) ports quantity *	1	Package weight	1.07 kg
		Weight & dimensions	5
		Width Depth Height	244 mm 244 mm 35 mm
		Packaging content	
		Cables included	SATA Norton® Internet Security (OB
		Bundled software	version) LAN bandwidth management software

Warranty period

Technical details

3 year(s)



4719331855567

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.