StarTech.com Gigabit Ethernet Fiber Media Converter Card Module with Open SFP Slot

Brand : StarTech.com

Product name : Gigabit Ethernet Fiber Media Converter Card Module with Open SFP Slot

StarTech.com Gigabit Ethernet Fiber Media Converter Card Module w/ Open SFP Slot - Fiber to Ethernet Converter - Ethernet Media Converter

Product code: ET91000SFP2C

StarTech.com Gigabit Ethernet Fiber Media Converter Card Module with Open SFP Slot. Maximum data transfer rate: 1250 Mbit/s, Converter input interface: 1000Base-T, Converter output interface: 1000Base-LX, 1000Base-SX. Mean time between failures (MTBF): 65000 h. Product colour: Black, Green. Fiber optic connector: SFP, Connectivity technology: Wired. Input voltage: 12 V, Input current: 1 A, Power consumption (typical): 8 W





| Network | | Power | |
|-----------------------------------|---|-----------------------------------|-------------|
| Maximum data transfer rate * | 1250 Mbit/s | Power over Ethernet (PoE) | × |
| Converter input interface | 1000Base-T | External power adapter | × |
| Converter output interface | 1000Base-LX, 1000Base-SX | Weight & dimensions | |
| Networking standards | IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3z | Width | 75 mm |
| Ethernet interface type | Gigabit Ethernet | Depth | 140 mm |
| Ethernet LAN data rates | 1000 Mbit/s | Height | 20 mm |
| Auto MDI/MDI-X | 1 | Weight | 100 g |
| Duplex system | Full, Half | Operational conditions | |
| Performance | | Operating temperature (T-T) | 0 - 60 °C |
| Mean time between failures (MTBF) | 65000 h | Storage temperature (T-T) | -10 - 70 °C |
| Features | | Operating relative humidity (H-H) | 10 - 90% |
| Internal * | 1 | Packaging content | |
| LED indicators | 1 | Manual | 1 |
| Product colour | Black, Green | Packaging data | |
| Ports & interfaces | | Package width | 130 mm |
| Connectivity technology | Wired | Package depth | 185 mm |
| Ethernet LAN (RJ-45) ports | 1 | Package height | 27 mm |
| Fiber ports quantity | 1 | Package weight | 184 g |
| Fiber optic connector * | SFP | Certificates | |
| Power | | Compliance certificates | RoHS |
| Input voltage | 12 V | Certification | FCC |
| Input current | 1 A | Logistics data | |
| Power consumption (typical) | 8 W | Harmonized System (HS) code | 85176990 |









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.