



## LG 24BA650-B LED display 60.5 cm (23.8") 1920 x 1080 pixels Full HD Black

**Brand :** LG

**Product code:** 24BA650-B.AEK

**Product name :** 24BA650-B

- Dynamic Action Sync
- Auto Input Switch
- Super Resolution+
- Flicker Safe
- Smart Energy Saving
- Reader Mode
- Colour Weakness
- Black Stabiliser

23.8", 1920 x 1080, IPS, 16:9, HDMI, USB-C, USB, DisplayPort, 6.6kg

LG 24BA650-B. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9. Built-in speaker(s). Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black



| Display                        |                       | Ergonomics                                |               |
|--------------------------------|-----------------------|---|---------------|
| Display diagonal *             | 60.5 cm (23.8")       | Pivot                                     | ✓             |
| Display resolution *           | 1920 x 1080 pixels    | Swivelling                                | ✓             |
| HD type *                      | Full HD               | Tilt adjustment                           | ✓             |
| Native aspect ratio *          | 16:9                  | Picture-in-Picture                        | ✓             |
| Display technology *           | LED                   | On Screen Display (OSD)                   | ✓             |
| Panel type *                   | IPS                   |   |               |
| LED backlight                  | ✓                     |   |               |
| Touchscreen *                  | ✗                     |   |               |
| Display brightness (typical)   | 250 cd/m <sup>2</sup> |   |               |
| Response time *                | 5 ms                  |   |               |
| Response time measurement type | GTG (Gray to Gray)    |   |               |
| Contrast ratio (typical) *     | 1000:1                |   |               |
| Maximum refresh rate *         | 100 Hz                |   |               |
| Display number of colours *    | 16.7 million colours  |   |               |
| Display diagonal (metric)      | 60.4 cm               |   |               |
| Colour gamut standard          | sRGB                  |   |               |
| Colour gamut                   | 99%                   |   |               |
| Multimedia                     |                       | Power                                     |               |
| Built-in speaker(s) *          | ✓                     | Energy efficiency class (SDR) *           | D             |
| Built-in camera *              | ✗                     | Energy efficiency class (HDR) *           | Not available |
|                                |                       | Energy consumption (SDR) per 1000 hours * | 13.8 kWh      |
|                                |                       | Energy consumption (HDR) per 1000 hours * | 0 kWh         |
|                                |                       | Power consumption (typical) *             | 13.8 W        |
|                                |                       | Power consumption (standby) *             | 0.5 W         |
|                                |                       | AC input voltage                          | 100 - 240 V   |
|                                |                       | Power supply type                         | External      |
| Design                         |                       | Weight & dimensions                       |               |
| Market positioning *           | Home                  | Width (with stand)                        | 539.6 mm      |
| Product colour *               | Black                 | Depth (with stand)                        | 250 mm        |
|                                |                       | Height (with stand)                       | 517.5 mm      |
|                                |                       | Weight (with stand)                       | 6.6 kg        |
|                                |                       | Width (without stand)                     | 539.6 mm      |
|                                |                       | Depth (without stand)                     | 491 mm        |
|                                |                       | Height (without stand)                    | 184 mm        |
|                                |                       | Weight (without stand)                    | 3.8 kg        |
| Ports & interfaces             |                       | Packaging data                            |               |
| Built-in USB hub *             | ✓                     | Package width                             | 613 mm        |
| USB upstream port type         | USB Type-A            |   |               |

| Ports & interfaces                   |              | Packaging data              |                         |
|--------------------------------------|--------------|-----------------------------|-------------------------|
| USB Type-C downstream ports quantity | 4            | Package depth               | 491 mm                  |
| USB Power Delivery up to             | 65 W         | Package height              | 184 mm                  |
| HDMI *                               | ✓            | Package weight              | 8.3 kg                  |
| HDMI ports quantity                  | 1            | Package type                | Box                     |
| DisplayPorts quantity                | 2            | Packaging content           |                         |
| DisplayPort version                  | 1.4          | Stand included              | ✓                       |
| Headphone out *                      | ✓            | Cables included             | DisplayPort, USB Type-C |
| Headphone connectivity               | 3.5 mm       | Screws included             | ✓                       |
| Built-in KVM switch                  | ✓            | Quick start guide           | ✓                       |
| Ergonomics                           |              | Manual                      | ✓                       |
| VESA mounting *                      | ✓            | Sustainability              |                         |
| Panel mounting interface             | 100 x 100 mm | Sustainability certificates | EPEAT Silver, ErP, TCO  |
| Cable lock slot *                    | ✗            | Other features              |                         |
| Height adjustment *                  | ✓            | Motion blur reduction       | ✓                       |
| Adjustable height (max)              | 15 cm        |                             |                         |



8806096207062

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-MAR-2025. Prints or copies of Information are only valid on the printed Publication date